

INTERNATIONAL QUADRATICS | PIERCE POOL SUPPLIES

CATALOGUE.

www.interquad.com.au





Head Office - Australia

International Quadratics Pty Ltd

PO Box 395
Padstow NSW 2211

12 Gatwood Close
Padstow NSW 2211
Ph: (02) 9774 5550
Fx: (02) 9774 5552
sales@interquad.com.au
www.interquad.com.au

Head Office - New Zealand

International Quadratics NZ Ltd

3 McGee Street
Otahuhu
Auckland
1356
New Zealand
Ph: +64 9 276 7870

Australian State Distributors

NSW / ACT & NT

International Quadratics Pty Ltd
12 Gatwood Close
Padstow NSW 2211
Ph: (02) 9774 5550
Fax: (02) 9774 5552
sales@interquad.com.au

QLD (Commercial & Chemicals)

Aquatic Elements Pty Ltd
2 Hayter Street
Currumbin QLD 4223
Ph: (07) 5534 3136
Fax: (07) 3259 8519
sales@aquaticelements.com.au

VIC (Commercial & Chemicals)

Aquachem (VIC) Pty Ltd
Factory 2/16 Monterey Road
Dandenong South 3175
Ph: (03) 9792 0088
Fax: (03) 9792 9442
admin@aquachem.com.au

WA (Commercial & Chemicals)

Austral Pool Solutions Pty Ltd
160 Balcatta Road
Balcatta WA 6021
Ph: (08) 9240 5600
Fax: (08) 9240 4333
sales@australpool.com.au

SA (Commercial Equipment Only)

Aquatic Life Saving Supplies
38A Antigua Grove
West Lakes SA 5021
Ph: 0405 536 291
abaird@aqlss.com.au

SA (Chemicals Only)

Aquatune
140 Gilles Street
Adelaide SA 5000
Ph: (08) 8224 0344
Fax: (08) 8224 0185
aquatune@ace.net.au

TAS (Chemicals Only)

Poolquip
185-189 Harrington Street
Hobart TAS 7000
Ph: (03) 6234 5800
Fax: (03) 6234 5508
info@poolquip.com.au



Index

Poolside Fittings & Accessories**1-20**

Wave Breaking Lane Ropes	2	Domestic Ladders & Grab Rails	9	Matting	14-15
Lane Rope Storage	3	Hand Rails	10	Pool & Spa Grating	16-17
Wave Breaking Lane Rope Parts	4	Ladder Parts	10	Water Polo	18
Training Lane Ropes & Parts	4	Backstroke, False Start Posts, Anchors,		Pool Blankets & Rollers	19
Learn To Swim Platforms	5	Sockets & Accessories	11	Suitmate Swim Costume Water Extractor	20
Starting Platforms	6-7	Equipment Storage	12-13	Water Features & Play	20
Commercial Ladders & Grab Rails	8	Plastic Seating	13		

Pool & Spa Accessibility**21-26**

Aquatic Wheelchair	22	Splash Aquatic Lift	23	Glacier Water Powered Platform Lift	25
Hydrotherapy Plinth	22	Glacier Battery Powered Platform Lift	24		

Signs, Safety & Rescue**27-40**

Regulatory Signs	28	Other Signage & Markers	32	Spinal Care	37
Depth Signs with Symbols	29	Chemical Storage Signs	33	Resuscitation	38
Pavement Signs	30	Chemical Spill Prevention	34	Defibrillator & CPR Training Manikins	39
Pavement A-Frame Signs	31	Hazchem Chemical Spill & Kits	35		
Emergency & Safety Signs	32	Rescue & First Aid	36		

Maintenance & Cleaning**41-52**

Commercial Robotic Automatic Pool Cleaners	42-43	Filtration Media	48	Amenity Cleaning	51
Domestic Robotic Pool Cleaners	44-45	Repairs & Tools	49		
Manual Pool Cleaning & Accessories	46-47	Paint Coatings	50		

Chemical Dosing & Controllers**53-58**

Granudos	54-57	Chemical Storage	58
----------	-------	------------------	----

Timing, Scoring & Training**59-74**

Wireless Timing System	60	Timing Accessories	65	Underwater Swim Camera Video Systems	70-71
Basic Touchpad Timing System	61	Scoreboards & Video Displays	66	Pace Clock, Parts, Analogue Clocks & Stopwatch	72
Championship Timing System	62	Mini Scoreboards & Accessories	67	Lane Dividers	73
Starting Systems & Accessories	63	Training Tools	68		
Timing Systems	64	Wireless Water Polo Scoring Systems	69		

Swimming, Fitness & Fun**75-84**

Goggles	76	Exa Cord Exerciser System	79	Fitness & Hydrotherapy	83
Caps	77	Swim Fins	79	Swim Nappies	84
Ear Plugs, Putty, Bands & Nose Clips	78	Water Confidence, Learn to Swim & Training	80-81		
Foam Pool Fun Mats	78	Games & Inflatables	82		

Water Testing**85-92**

Lovibond® Commercial Photometers	86-87	Domestic Photometers	89	IQ, Aquacheck® Test Strips & Test Pillows	91
Lovibond® Commercial Tablet Reagents	88	Domestic Testing	89	Pocket Testers	92
Lovibond® Photometer Test Kit Parts & Access.	89	Aquacheck® Test Strips	90		

Chemicals**93-122**

Pool Sanitisers - Non Stabilised	96-97	Algaecides Solutions	107-110	Spa Solutions	117-120
Pool Sanitisers - Stabilised	98-99	Clarifier Solutions	110-112	Spa Speciality Products	121
Shock Treatments	100-101	Maintenance Solutions	113-115	Pool & Pool Start-Up Kits	122
Pool Adjusters and Balancers	104-106	Stain Solutions	116		

Index

A.	Algae Eliminator	108	Caps	77	Duck-Away	114			
	Algaecide Solutions	108-110	Casualty First Aid Table	36					
	Alkalinity Up - Pool	105	Cell Clean	114	E.	Ear Bands	78		
	Alkalinity Up - Spa	119	Championship Timing System	62		Ear Plugs	78		
	Aluminium Sulphate	111	Champstart Starting System	63		Ear Putty	78		
	Aluminium Sulphate Tablets	112	Check-Mate Test Strips	89		Electronic Pocket Testers	92		
	Amenity Cleaning	51	Chemical Bunding	34		Emergency Signs	32		
	Ankle Tie	79	Chemical Dosing	54-57		Enhance - Pool	115		
	Anti Blocks	7	Chemical Signs	33		Enhance - Spa	121		
	Anti Grating	17	Chemical Spill Prevention	34		Epoxy - Paint	50		
	Anti Tensioners	3	Chemical Storage - Bunds	34		Epoxy - Repairs	49		
	Anti Wave Ropes	2	Chemical Storage - Drums	58		Epoxy Adhesive	49		
	Aqua Nappies	84	Chemical Storage - Signs	33		Equipment Bag	13		
	Aqua Step	83	Chemical Storage - Tanks	58		Equipment Storage	12-13		
	Aquacheck Test Meter	89	Chemical Storage Signs	33		Equipment Storage Bins	12		
	Aquacheck Test Strips	90-91	Chemicals	96-121		Equipment Trolleys	12		
	Aquatic Bells	83	Chlorinated Paint	50		Exa Cords	79		
	Aquatic Wheelchair	22	Chlorine Dioxide Precursor	101, 113		Exercise Cords	79		
	Arm Bands	80	Chlorine Neutraliser	120		External Speaking - Start System	63		
	Automatic Pool Cleaners	42-45	Clarifier Solutions	110-112		External Strobe - Start System	63		
B.			Clock - Analogue	72	Ezi-Chlor	98			
			Clock - Deck	69					
	Baby Swim Seat	80	Clock - Pace	72	F.	False Start Post Sockets	11		
	Back Bubbles	80	Clock - Time of Day	69		False Start Posts	11		
	Backstroke Flags	11	Cobblestone Matting	15		Fast Flocc	111		
	Backstroke Post Sockets	11	Combination Noodle Trolley	12		Filtration Media	48		
	Backstroke Posts	11	Comfort Flow Matting	14		Finger Paddles	80		
	Balancers	104-106	Commercial Photometers	86-87		First Aid Table	36		
	Balls - Beach	82	Commercial Pool Cleaners	42-43		Fitness Equipment	83		
	Balls - Water Polo	18	Cones	32		Flat n Foam	121		
	Basic Touchpad System	61	Costume Water Extractor	20		Flexi Stix	82		
	Battery Operated Lifts	23-24	CPR Signs	32		Flexible Gating	17		
	Beach Balls	82	CPR Training	39		Floor Matting	14-15		
	Bicarb - Pool	105	Cranu-Chlor 700 Cal Hypo	96		Floor Signs	30-32		
	Bicarb - Spa	119	Cyanuric Acid	106		Foam Kickboards	80		
	Black Spot Concentrated		Cyanuric Acid Reagent	89		Foam Pool Blankets	19		
	Granular Algaecide	108				Foam Pool Mats	78		
	Black Spot Treatment & Winteriser	109				Fun Mats	78		
	Bolt & Plug Set	10	D.	D Shackles		4	G.	Games	82
	Bromine Tablets	118		Deck Clock		69		Garbage Bins	51
Brushes - Pool Cleaning	47	Defibrillator		39	Genie Fragrance	121			
Brushes - Scrubbing	51	Degreaser - Cleaning		50	Glacier Lift	24-25			
Bubble Pool Blankets	19	Depth Signs		29	Glass Filtration Media	48			
Buffer - Pool	105	Diatomaceous Earth		48	Goggles	76			
Bunding	34	Digital Thermometers		92	Grab Rails	7-8			
		Disable Lifts		23-25	Grab Rails - Commercial	8			
C.	C-5 Liquid & Tablets	101, 113		Dive Bricks	82	Grab Rails - Domestic		9	
	Cable Harness - Timing	65		Dive Discs	82	Granu-Cid Liquid Acid		104	
	Caddys - Mini Scoreboards	67		Dive Rings	82	Granudos Systems		54-57	
	Caddys - RJP	65		Dive Stix	82	Gripper Matting		14	
	Caddys - Touchpads	65		Dolphin Pool Cleaners	42-45				
	Calcium Chloride - Pool	105		Dolphin Timing System Parts	65	H.		Hand Rails	10
	Calcium Chloride - Spa	119		Dolphin Wireless Timing System	64			Handles - Pool Cleaning	47
	Calcium Hypochlorite	96		Domestic Pool Cleaners	44-45			Hands Paddles	80
	Calcium Hypochlorite Dosing	54-57		Drum Cap	49, 97				
	Calibration Solutions	92		Drum Spanner	49, 97				

Hazchem Chemical Spill Kits	35	Long Blade Swim Fins	79	Phosphate Test Lab	91
Hazchem Kits	35	Longitudinal Grating	17	Photometer Testing Accessories	89
Hazchem Signs	33	Lovibond Photometers	86-87	Photometers	86, 87, 89
Head Immobiliser	37	Lovibond Testing Tablets	89	Photometers - Commercial	86-87
Hose - Pool Cleaning	46	Lycra Caps	77	Photometers - Domestic	89
Hose Fittings	46-47	Lymfins	81	Plastic Seating	13
Huggies Swim Nappies	84			Plastic Shelving	13
Hydrochloric Acid	104	M. Maintenance Algaecide	108	Platform Lift	24-25
Hydrotherapy Equipment	83	Maintenance Solutions	113-115	Pocket Mask	38
Hydrotherapy Plinth	22	Manikins	39	Pocket Testers	92
		Manual Cleaning	46	Polyester Caps	77
I. Infinity Start System	63	Matting	14-15	Polymax Algaecide	109
Infinity Start System Parts	65	Matting Use Guide	15	Pool Acid	104
Inflatable Arm Bands	80	Maxi Chlor 5 in 1 Tablets	98	Pool Blanket Rollers	19
Inflatable Rolo Bands	80	Maxi Chlor 700 Cal Hypo	96	Pool Blankets	19
Inflatable Swim Rings	82	Maxi Chlor 700 Cal Hypo Tablets	97	Pool Buoys	80
Inflatable Water Polo Goal	18	Maxi Chlor Liquid Chlorine	97	Pool Cleaners	42-46
Inflatable Wings	80	Maxi Chlor Platinum Cal Hypo	96	Pool Cleaning	42-47
Inflatables	82	Maxi Chlor Stabilised Chlorine Tablets	99	Pool Cleaning Brushes	47
IQ Phosphate Service Test Kit	91	Maxi Clear Skimmer Tabs	112	Pool Cleaning Handles	47
IQ Phosphate Test Lab	91	Maxi Shock	100	Pool Cleaning Hose	46
IQ Smart Check Test Strips	91	Metal Free Algaecide	109	Pool Floc	111
		Metal Magnet	116	Pool Grating	16-17
K. Kickboards	80	Mini Scoreboard Caddys	67	Pool Mats	78
		Mini Scoreboards	67	Pool Rafts	78
L. Ladder Bolts	10	Mini Tabs	99	Pool Sanitisers	96-99
Ladder Parts	10	Multi Purpose Trolley	12	Pool Sanitisers - Non Stabilised	96-97
Ladder Steps	10			Pool Sanitisers - Stabilised	98-99
Ladders	7-8	N. Natural Filter & Degreaser	115	Pool Shimmer	111
Ladders - Commercial	8	Nature 2 Spa Purifier	211	Pool Solutions	108, 116
Ladders - Domestic	9	Neck Collars	37	Portable Pace Clock	72
Lagune Matting	14	Nets - Water Polo	18	Post Sockets	11
Lane Dividers	73	Nil-Phos	113	Power Pod Matting	14
Lane Rope Anchors	11	Non-Stabilised Chlorine	96-97	Printed Backstroke Flags	11
Lane Rope Cables	4	Noodle Bag	13	Printed Caps	77
Lane Rope Discs	4	Noodle Trolley	12	PVC Ear Plugs	78
Lane Rope Donuts	4	Noodles	83		
Lane Rope Reels	3	Nose Clips	78	R. Raindomes	20
Lane Rope Storage	3			Rapid Test Tablets	89
Lane Rope Tensioners	2	O. Omimat II Matting	14	REA Learn to Swim Platforms	5
Lane Ropes	2	Oxy Kits	38	Regulatory Signs	28
Lane Ropes Floats	4			Rehab Bells	83
Lane Saver	3	P. PAC	110	Relay Judging Pad	63
Latex Caps	77	Pace Clock Parts	72	Relay Judging Pad Caddy	65
Leaf Rakes	47	Pace Clocks	68, 69, 72	Rescue & First Aid	36
Leaf Scoop	47	Paint Coating	50	Rescue Boards	37
Learn to Swim	80-81	Pallet Bunds	34	Rescue Hook	36
Learn to Swim Platforms	5	Pavement A-Frame Signs	31	Rescue Tube	36
Lifebuoys	36	Pavement Bases	30	Resuscitation	38-39
Lifeguard Chair	36	Pavement Signs	30	Resuscitators	38
Lifejackets	36	Pee Cees	84	Rigid Grating	17
Liquid Acid	104	pH Down - Pool	104	Robotic Cleaners	42-45
Liquid Chlorine	97	pH Down - Spa	119	Rollers - Lane Ropes	3
Lithium Hypochlorite	118	pH Up - Pool	105	Rollers - Pool Blankets	19
Little Swimmers Nappies	84	Phosphate Service Test Kit	91	Rolo Bands	80

Index

Round Noodle	81	Spill Platforms	34	Throw Ropes	36
Rubber Based Paint	50	Spill Tray	34	Timing Accessories	65
Rubber Dive Bricks	82	Spin n Spiral Stix	82	Timing Console	64
Rubber Swim Fins	79	Spinal Boards	37	Timing Systems	60-65
Rubbish Bins	51	Spinal Care	37	Toddler Learn to Swim Island	5
Rubbish Clamp	51	Splash Lift	23	Touchpad Caddys	65
		Splash Pool & Spa Lift	23	Touchpads - Timing	65
		Stabilised Chlorine	98	Traffic Cones	32
		Stabilised Chlorine Tablets	99	Training Bells	83
S. S-Hooks	4	Stabiliser	106	Training Lane Ropes	4
Safety Hook	36	Stain Remover	116	Training Tools - Timing	68
Safety Signs	32	Stain Solutions	116	Trainright Training System	68
Salt Boost	100	Stair Hand Rails	10	Transverse Grating	17
Salt Cell Protector	115	Standard Lane Ropes	4	Trash Cans	51
Sanitisers - Non Stabilised	96-97	Starting Block Covers	7	Tri-Pod	63
Sanitising Matting	15	Starting Blocks	6-7	Tropical Strength Algaecide	110
Scoops - Leaf	47	Starting Platform Covers	7	Tubular Matting	14
Scoreboard Wireless Adaptors	67	Starting Platforms	6-7	Turn Master Pro Dividers	73
Scoreboards - Swimming	66-67	Starting Systems	63	Twin Grating	16
Scoreboards - Water Polo	69	Stop-Cal	114		
Scrubbing Brushes	51	Stopwatch - Dolphin	65	U. Underwater Cameras	70-71
Seating	13	Stopwatch - Manual	72	Underwater Speaker - Timing	65
Shark Fins	81	Storage Bins	13	Utility Pads & Holders	51
Shelving	13	Storage Trolleys	12		
Shimmer & Shine	121	Suction Anchor	49	V. Vac Heads	46
Shock & Swim	100	Suction Buffers	10	Vac Hose	46
Shock Right Plus	101, 120	Suction Robotic Cleaner	44	Video Display Boards	66
Shock Treatments	100-101	Sunblock	106		
Short Blade Fins	79	Sunblock Tabs	106	W. Warning Signs	28
Signs	28-33	Suitmate Costume Water Extractor	20	Water Operated Lifts	25
Silicone Caps	77	Super Clear	110	Water Confidence	80-81
Silicone Ear Plugs	78	Super Cubes Plus	112	Water Features & Play	20
Silicone Ear Putty	78	Super Tensioners	3	Water Hardener - Pool	105
Slides	20	Sure Step Matting	15	Water Hardener - Spa	119
Smart Check Test Strips	91	Swim Cameras	70-71	Water Nappies	84
Snap Hooks	4	Swim Fins	79	Water Noodles	83
Soda Ash - Pool	105	Swim Nappies	84	Water Pole Flip Cones	20
Sodium Bicarbonate - Pool	105	Swim Rings	82	Water Polo	18, 69
Sodium Bicarbonate - Spa	119	Swim Training	80-81	Water Polo Balls	18
Sodium Bisulphate - Pool	104	Swim Training Cords	79	Water Polo Controllers	69
Sodium Bisulphate - Spa	119	SwimFins	81	Water Polo Goals	18
Sodium Carbonate - Pool	105	Swimming Caps	77	Water Polo Nets	18
Sodium Chlorite Solution	101	Swimming Goggles	76	Water Testing	86-92
Sodium Hypochlorite	97	SwimPro Swim Cameras	70-71	Watercreate	49
Sodium Thiosulphate	120	Synchro Nose Clips	78	Wave Breaking Lane Rope Parts	4
Spa Bath & Cartridge Clean	120	System 6 Timing Console	64	Wave Breaking Lane Ropes	2
Spa Brom	118			Wave Drain	17
Spa Grating	16-17	T. Telescopic Handle	47	Wetdeck Grating	17
Spa Kits	122	Tensions Springs	4	Wheelchair	22
Spa Lift	23	Test Strips	89-91	Wireless Timing System	60, 64
Spa Solutions	118-121	Tester Calibrations Solutions	92	Wireless Water Polo Scoring	69
Spa Solutions	118-120	Testing Tablets	88-89		
Spa Speciality Products	121	Testing Tablets - Commercial	88	Z. Zoodulz	81
Spa Start & Balance	118	Testing Tablets - Domestic	89		
Spider Straps	37	Thermometer - Digital	92		
Spill Bunds	34				
Spill Kits	35				

Poolside Fittings & Accessories

Wave Breaking Lane Ropes

Lane Rope Storage

Starting Platforms

Ladders & Grab Rails

Backstroke, False Start Posts,
Sockets & Accessories

Equipment Storage

Matting

Grating

Learn To Swim Platforms

Lane Divider

Water Polo

Pool Blankets & Rollers

Water Features & Play

Wave Breaking Lane Ropes

Swimplex 110 mm

110 mm^ø. Stainless steel cable with UV stabilised polypropylene discs that interlock and have strengthened ribs giving them a heavy duty finish whilst being pool blanket friendly. Specify colour configuration.

Colours: Red, Yellow Blue, Green, Black and White with white floats.

Lanes are assembled with tensioner sold separately.

25 metre Code: PLA51000S

50 metre Code: PLA51015S



Anti Midi 110

110 mm^ø. Stainless steel cable with UV stabilised co-polymer polypropylene discs and high density polyethylene floats. Lanes are assembled with Anti Super Tensioner included. Standard colour configuration is 5 m Red ends then 1 m White and 1 m Blue discs alternating in the centre with Grey donut floats between every second disc. 25 m ropes have the 15 m positions marked. 50 m ropes have the 15 m, 25 m and 35 m positions marked.

Other lengths and/colour combination available on request.

Colours: Red, Blue, White Yellow/Gold, Green and Black.

25 metre Code: PLA00110A

50 metre Code: PLA00142A



Anti Myti 125

125 mm^ø. Combining the advantages of the large Maxi150 lane with the proven economy and performance of the Midi 110 lanes. Stainless steel cable with UV stabilised copolymer polypropylene discs and high density polyethylene floats. Lanes are assembled with Anti Super Tensioner included. Standard colour configuration is 5 m Red ends then 1 m White and 1 m Blue discs alternating in the centre with Grey donut floats between every second disc. 25 m ropes have the 15 m positions marked. 50 m ropes have the 15 m, 25 m and 35 m positions marked.

Colours: Red, Blue, White Yellow/Gold, Green and Black.

25 metre Code: PLA00120A

50 metre Code: PLA00143A



Anti Maxi 150

150 mm^ø. Designed for even greater performance and to meet the exacting requirements of the latest international rules. Supplied as a kit with Anti Super Tensioner. Stainless steel cable with UV stabilised co-polymer polypropylene discs and high density polyethylene floats. Standard colour configuration is 5 m Red ends then 1 m White and 1 m Blue discs alternating in the centre with Grey donut floats between every second disc. 25 m ropes have the 15 m positions marked. 50 m ropes have the 15 m, 25 m and 35 m positions marked.

Other lengths and/colour combination available on request.

Colours: Red, Blue, White Yellow/Gold, Green and Black.

25 metre Code: PLA00130A

50 metre Code: PLA00144A





IQ Tensioner

Cover is moulded black HDPE (high density polyethylene) with ribs for extra grip and comfort. The barrel is 304 stainless steel with a brass ferrule. A threaded rod allows lengthening or shortening with a swivel hook attached. To attach the cable, the cover is simply forced along the stainless steel barrel which allows access to the clamp with three grub screws. Slide the cable into the barrel and tighten the grub screws. Reposition the cover to hide the clamp keeping cable ends away from hands.

Sleeve 285 mm (L) Threaded Rod and Hook 195 mm (L)

Code: PLA51018S



Anti Super Tensioner

Stainless steel with brass ferrule and glass filled polycarbonate body construction. A threaded rod allows lengthening or shortening with a swivel hook attached. To attach the cable, unscrew the end cap and attach the cable to the short clamp set then replace end cap to hide cable end keeping it away from hands.

Body including lock nut 230 mm (L)

Threaded Rod and Hook 200 mm (L)

Code: PLA00160A





Lane Rope Reel - 980 - Powder Coated Aluminium

Constructed from Powder Coated Aluminium fitted with castors & brakes. Solarguard cover is supplied with each reel. Easy to assemble.

2230 mm x 1200 mm x 1580 mm (L x W x H)

Holds: 150 m x 110 mm
150 m x 125 mm
100 m x 150 mm

Code: PLAW00810



Lane Rope Reel - 1220 - Aluminium

Constructed from Powder Coated Aluminium fitted with castors & brakes. Solarguard cover is supplied with each reel. Easy to assemble.

2230 mm x 1200 mm x 1800 mm (L x W x H)

Holds: 150 m x 110 mm
150 m x 125 mm
100 m x 150 mm

Code: PLAW00813



Lane Rope Reel - 980 - Stainless Steel

Stainless Steel frame. Fitted with castors & brakes. Solarguard cover is supplied with each reel. Easy to assemble.

2200 mm x 1300 mm x 1500 mm (L x W x H)

Holds: 150 m x 110 mm
150 m x 125 mm
100 m x 150 mm

Code: PLAW00812

Low Profile Stainless Steel

Constructed from stainless steel with a mirror finish. Fitted with castors and brakes. Easy to assemble.

1300 mm x 1250 mm (H x W)

1750 mm (L) Holds 150 m x 110 mm

2100 mm (L) Holds 200 m x 110 mm

Code: PLA51029W

Code: PLA51028W



Lane Saver

The Lane Saver provides for safe and quick removal and installation of Wave Breaking lane ropes. The Lane Saver is designed to be placed onto the pool deck and allows for smooth and unhindered movement of lanes that could otherwise be damaged by the sharp pool edge.

Code: PLAW00600



Wave Breaking Lane Rope Parts


Wave Breaking Cables & Fittings

- | | |
|--|---------------------|
| A. Stainless Steel "D" Shackle | Code: PSP54015 |
| B. Stainless Steel "S" Hook | Code: PSP54020 |
| C. Stainless Steel Thimble | Code: PSP54031 |
| D. Cable Ferrule/Swage for Crimping | Code: PSP54032 |
| E. Stainless Steel Short Clamp Set | Code: PSP54034 |
| F. Stainless Steel Cable with "S" Hooks fitted | 25 m Code: PSP54035 |
| | 33 m Code: PSP54040 |
| | 50 m Code: PSP54045 |
| W. Stainless Steel S Hook & Long Clamp Set | Code: PSP54033 |
| X. Stainless Steel Snap Hook & Long Clamp Set | Code: PSP54030 |



Wave Breaking Discs & Floats

- | | |
|---|-----------------|
| Swimplex Lane Rope Disc 110 mm ^ø 12 disc/1 float per metre | |
| G. Disc - Black | Code: PSP54009S |
| H. Disc - White | Code: PSP54008S |
| I. Disc - Red | Code: PSP54005S |
| J. Disc - Yellow | Code: PSP54006S |
| K. Disc - Blue | Code: PSP54007S |
| L. Disc - Green | Code: PSP54010S |
| M. Float - White | Code: PSP54000S |
| Black, White, Red, Yellow/Gold, Blue, Green | |
| N. Anti Lane Rope Disc 110 mm ^ø 12 disc/6 float per metre | Code: PLAW00115 |
| O. Anti Lane Rope Disc 125 mm ^ø 12 disc/6 floats per metre | Code: PLAW00125 |
| P. Anti Lane Rope Disc 150 mm ^ø 10 disc/5 floats per metre | Code: PLAW00135 |
| Q. Anti Lane Rope Float / Donut | Code: PLAW00104 |



Training Lane Ropes & Parts


Anti Mini 65 Training Rope

- R. 65 mm^ø. A small lane rope used for small pools or where an area is to be roped off. Stainless steel cable with UV stabilised co-polymer polypropylene discs and high density polyethylene floats. Lanes are assembled with tensioner included. Specify colour configuration. Other lengths available on request. Colours: Red, Blue, White Yellow/Gold, Green and Black.
- | | |
|--|-----------------|
| 25 metre | Code: PLA00100A |
| 50 metre | Code: PLA00140A |
| S. Anti Lane Rope Disc 65 mm 12 disc/2 float per metre | Code: PLAW00105 |
| Q. Anti Lane Rope Float / Donut | Code: PLAW00104 |



Standard Lane Rope

- T. 6 mm^ø orange polyethylene centre rope with 75 mm^ø hard orange foam floats one metre apart with a knot either side to prevent the floats sliding. Snap hooks and/or tension springs sold separately.
- | | |
|-----------------------------------|-----------------|
| 25 metre | Code: PLA51040S |
| 33 metre | Code: PLA51050S |
| 50 metre | Code: PLA51055S |
| Per metre | Code: PLA51039S |
| U. Stainless Steel Tension Spring | Code: PSP55080 |
| V. Stainless Steel Snap Hook | Code: PSP55075 |



IQ Swim Swim Teaching Platform - Standard

The IQ Swim Teaching Platform is strong, easy to clean, lightweight, stable, UV stabilised and easy to assemble. It has a clear UV stabilised polycarbonate top to comply with Royal Life's guidelines. Under the sea characters are stuck on the platform base giving reassurance of where to stand. Chemicals and humidity have no effect on the plastic. Suitable around chlorine or salt water pools. Two sets of legs are included so you can choose the base height at 500 mm or 650 mm. There are two sizes to choose from, small 470mm or the larger 600mm wide. Assembles in minutes.

Small 1200 mm x 470mm (L x W)

Code: PSTOR212

Large 1200 mm x 600mm (L x W)

Code: PSTOR222



Under the sea characters



IQ Swim Swim Teaching Platform - Back Rail

The IQ Swim Teaching Platform is strong, easy to clean, lightweight, stable, UV stabilised and easy to assemble. It has a clear UV stabilised polycarbonate top to comply with Royal Life's guidelines. Under the sea characters are stuck on the platform base giving reassurance of where to stand. Chemicals and humidity have no effect on the plastic. Suitable around chlorine or salt water pools. Two sets of legs are included so you can choose the base height at 500 mm or 650 mm. There are two sizes to choose from, small 470mm or the larger 600mm wide. The back rail gives a visual reference point and marks the rear of the platform. Assembles in minutes.

Small 1200 mm x 470mm (L x W)

Code: PSTOR213

Large 1200 mm x 600mm (L x W)

Code: PSTOR223



IQ Swim Swim Teaching Platform - Complete

The IQ Swim Teaching Platform is strong, easy to clean, lightweight, stable, UV stabilised and easy to assemble. It has a clear UV stabilised polycarbonate top to comply with Royal Life's guidelines. Under the sea characters are stuck on the platform base giving reassurance of where to stand. Chemicals and humidity have no effect on the plastic. Suitable around chlorine or salt water pools. Two sets of legs are included so you can choose the base height at 500 mm or 650 mm. There are two sizes to choose from, small 470mm or the larger 600mm wide. The back rail gives a visual reference point and marks the rear & sides of the platform. Assembles in minutes.

Small 1200 mm x 470mm (L x W)

Code: PSTOR214

Large 1200 mm x 600mm (L x W)

Code: PSTOR224



Toddler Swim Island

1200 mm

This platform features a red fibreglass top with a non-slip finish for safety & visibility. It has a PVC centre rail giving distinction between teaching areas or visual reference point that can be removed for stacking making storage easy. The swim island has two wheels making it very manoeuvrable & easy to get in & out of the water. Adjusting the height is done by cutting the legs to the desired length. Using an off cut of piping, two platforms can be joined forming a platform 2.4 m in length. Assembly required.

Weight: 25 kg

1220 mm x 1200 mm (L x W)

Base Height: 200 mm - 800 mm (Cut to height)

Code: PISLAND04

1800 mm

Has all the features of the 1200 mm platform but the rail can be placed in the centre or to the rear of the platform. A side rail kit is also available.

Weight: 40 kg

1820 mm x 1200 mm (L x W)

Base Height: 200 mm - 1100 mm (Cut to height)


Code: PISLAND05



Starting Platforms


SPU

Universal design to suit flat deck pools.
Height from coping: 500 mm
Top: 500 mm x 500 mm
Flanged Code: PSP6000
Removable Code: PSP6002




SPL

A low profile platform used where deck to water level exceeds 200 mm.
Height from coping: 330 mm
Top: 500 mm x 500 mm
Flanged Code: PSP6005
Removable Code: PSP6007




SP2

For pools with narrow coping with extended rear legs.
Height from coping: 420 mm
Top: 500 mm x 500 mm
Flanged Code: PSP6010
Removable Code: PSP6012




SP3

For pools with overflow at the end of the pool.
Height from coping: 600 mm
Top: 500 mm x 500 mm
Removable Code: PSP6013




SP5

Single post installation. Flanged for bolting to deck.
Height from coping: 400 mm
Top: 500 mm x 500 mm
Flanged Code: PSP6021



SX-220

Fibreglass reinforced plastic construction. The platform has an access port at the rear allowing access to the mounting bolts. Features a stainless steel backstroke handle.
Height from coping: 370 mm
Top: 500 mm x 500 mm
Fixed Code: PSP59010S



SX-750

T316 stainless steel 38 mm^ø with 500 mm x 500 mm non-slip pattern fibreglass top with numbers. Has 2 adjustable feet with lock nuts to compensate for an uneven surface.


2 x 150 mm deck sockets sold separately.

Height from coping: 400 mm

Top: 500 mm x 500 mm

Removable Code: PSP59015S

Deck Sockets Code: PSP59016S



SX-2000


Single post design. Mirror polished T316 stainless steel with a solid backstroke handles. Has a 500 mm x 500 mm non-slip pattern fibreglass top with numbers. Bolts to deck.

Height from coping: 365 mm

Top: 500 mm x 500 mm

Flanged

Code: PSP59000S



Anti 600 Block

Fibreglass construction with a fixed Trackstart. Access port at the rear allowing access to the mounting bolts. Supplied with SafeStart handles & Dynaset anchors.

Fixed Trackstart

Code: PLAW00050

Fixed Trackstart - Removable

Code: PLAW00051



Anti 650 Block

The Anti 650 MTS (Movable Track Start) Block is an excellent training block.

Fibreglass construction with a movable Trackstart. There is an access panel at the rear to allow access to the fixing bolts or timing equipment.

It has a durable non-slip True Tread top. Compatible with Colorado timing Systems

Movable Trackstart

Code: PLAW00060

Movable Trackstart - Removable

Code: PLAW00061



Anti Velocity & Velocity Longreach Block

The Velocity Starting Block is an elite competition platform with a track start, adjustable to 5 positions. The extended reach base is suitable for pools with overflow gutters. Both have durable non-slip True Tread top.

The Trackstart can tuck under the block when not required.

Compatible with Colorado timing Systems

Velocity Movable Trackstart

Code: PLAW00085

Velocity Longreach Movable Trackstart

Code: PLAW00090



Velocity



Velocity Longreach

SP & SX Platform Caps

Suits SP and SX Series Platforms.

Fitted with a silicone strip that prevents damage to the edge.

530 x 530 x 340 mm (L x W x H)

Code: PSIGNCAP1



Anti Platform Caps

Designed to sit on top of the Anti platform between the handles.

600 x 410 x 230 mm (L x W x H)

Code: PSIGNCAP6



Anti Platform Cover

Solarguard to cover entire platform.

Fits most platforms. Tighten with the drawstring.

700 x 600 x 440-600 mm (L x W x H)

Code: PSIGNCAP8



Commercial Ladders & Grab Rails

LC, LUB, LW & LRB Ladder Info

Heavy gauge 1.6 mm T316 stainless steel 38 mm^ø mirror polished, braced for additional strength. Fitted with white moulded treads reinforced with stainless steel rod with dome nuts for extra strength, 500 mm wide c/c.

Standard - Core drill and epoxied into position. No mounts supplied, only suction buffers for the bottom.

Flanged top only - With welded flanges. Requires bolt and plug sets or similar, suction buffers for the bottom are supplied.

Flanged top and bottom - With welded flanges. Requires bolt and plug sets (3 per flange).

Grab & Hand Rails info


Heavy gauge T316 stainless steel 38 mm^ø mirror polished

Standard - Core drill and epoxied into position.

Flanged - With welded flanges.

LC Ladder

2 Step	Standard	PSP606001
	Top Flange	PSP6060FT
	Top & Bottom Flange	PSP606002
3 Step	Standard	PSP6060
	Top Flange	PSP6055FT
	Top & Bottom Flange	PSP6055
4 Step	Standard	PSP6061
	Top Flange	PSP6062FT
	Top & Bottom Flange	PSP6062




LCX Ladder

Extra heavy gauge T316 stainless steel 38 mm^ø mirror polished, braced for additional strength.

Treads are welded stainless steel with a non-slip pattern 500 mm wide c/c. Flanged top and bottom. Requires bolt and plug sets or similar. (3 per flange)


3 Step	Flanged	PSP606010
4 Step	Flanged	PSP606015
5 Step	Flanged	PSP606020



LW Ladder

Extra wide to straddle overflow gutter


2 Step	Standard	PSP606501
	Top Flange	PSP606602
	Top & Bottom Flange	PSP606601
3 Step	Standard	PSP6065
	Top Flange	PSP606603
	Top & Bottom Flange	PSP6066
4 Step	Standard	PSP6068
	Top Flange	PSP606801
	Top & Bottom Flange	PSP6069



LUB Ladder

Narrow coping surrounds


2 Step	Standard	PSP606003
	Top Flange	PSP606005
	Top & Bottom Flange	PSP606004
3 Step	Standard	PSP6057S
	Top Flange	PSP605704
	Top & Bottom Flange	PSP6057
4 Step	Standard	PSP605702
	Top Flange	PSP605703
	Top & Bottom Flange	PSP605701



LT Ladder


Designed for concrete pools to be used in conjunction with Grab Rails.

2 Step	Top & Bottom Flange	PSP606300
3 Step	Top & Bottom Flange	PSP606301
4 Step	Top & Bottom Flange	PSP606302
5 Step	Top & Bottom Flange	PSP606304




G6 Grab Rails

Tear drop shape. Includes cover plates. Sold as a pair. Standard PSP6075 Flanged PSP6076



G7 Grab Rails

Long standoff, uneven rail heights. May order 2 the same height. Includes cover plates. Sold as a pair. Standard PSP6072 Flanged PSP6070



Ladder info

1.2 mm T316 stainless steel 38 mm^ø mirror polished.
Fitted with white moulded treads reinforced with stainless steel rod with dome nuts for extra strength, 500 mm wide c/c.

Standard - Core drill and epoxied into position.
Suction buffers are included.

Flanged top only - With a flange mounting kit with cover plates, bolt and plastic plugs with suction buffers for the bottom.

Flanged top and bottom - With a flange mounting kit, cover plates, bolt and plastic plugs.

Grab Rail info

T316 stainless steel 38 mm^ø mirror polished.


Standard - Core drill and epoxied into position.

Flanged - Flanges and cover plates.

LS Ladder

General purpose ladder for most concrete pools.


2 Step	Standard	PSP605901
	Top Flange	PSP6059FT
	Top & Bottom Flange	PSP6059
3 Step	Standard	PSP6056
	Top Flange	PSP6056FT
	Top & Bottom Flange	PSP6056S
4 Step	Standard	PSP605902
	Top Flange	PSP605903
	Top & Bottom Flange	PSP6059S



LU Ladder

Narrow coping surrounds. Includes cover plates.


2 Step	Standard	PSP606703
	Top Flange	PSP606706
	Top & Bottom Flange	PSP606701
3 Step	Standard	PSP606704
	Top Flange	PSP606707
	Top & Bottom Flange	PSP6067
4 Step	Standard	PSP606705
	Top Flange	PSP606708
	Top & Bottom Flange	PSP606702



LR Ladder

Cantilever for fibreglass or vinyl lined pools.


2 Step	Standard	PSP6093
	Flanged	PSP6093F
3 Step	Standard	PSP6094
	Flanged	PSP6094F
4 Step	Standard	PSP6095
	Flanged	PSP6095F



LP Ladder

Deck mounted for pools with liners.

2 Step	PSP6077
3 Step	PSP6078
4 Step	PSP6079




G1 Grab Rails

General purpose popular figure "4".

Includes cover plates.

Sold as a pair.

Standard	PSP6150
Flanged	PSP6155




G2 Grab Rails

"P" style low line grab rail.

Sold as a pair.

Standard	PSP6160
Flanged	PSP6165




G4 Grab Rails

"D" style grab rails for pools with narrow surrounds.

Includes cover plates. Sold as a pair.

Standard	PSP6170
Flanged	PSP6175




G5 Grab Rails

In line fixing for pools with narrow surrounds.

Includes cover plates. Sold as a pair.

Standard	PSP6172
Flanged	PSP6171




Hand Rails

HD Hand Rails

For pools with entry steps. Supplied with cover plates


Standard	PSP6180
Flanged	PSP6185



HS Hand Rails

Stair hand rail for mounting on the stairs.


1000 mm	Standard	PSP6980
1000 mm	Flanged	PSP6985
1200 mm	Standard	PSP6990S
1200 mm	Flanged	PSP6995
1500 mm	Standard	PSP7000S
1500 mm	Flanged	PSP7000



HW Hand Rails

Stair hand rail designed to be fixed on top of the coping.


1000 mm	Standard	PSP7001
1000 mm	Flanged	PSP7002
1200 mm	Standard	PSP7003
1200 mm	Flanged	PSP7004
1500 mm	Standard	PSP7005
1500 mm	Flanged	PSP7006



HG Hand Rail

Hand rail for a concrete pool with steps.

Standard with cover plates	PSP6189
Flanged without cover plates	PSP6190
Flanged with cover plates	PSP6191



MPS Safety Hand Rails

38 mm^ø 316 stainless steel with 100 mm^ø flanges.

300 mm	Flanged	PSP6400
450 mm	Flanged	PSP6401
600 mm	Flanged	PSP6402
750 mm	Flanged	PSP6403
900 mm	Flanged	PSP6404
1200 mm	Flanged	PSP6406
2000 mm	Flanged	PSP6407
3000 mm	Flanged	PSP6408



Ladder Parts

Ladder Tread

Moulded ladder tread with stainless steel rod.

Size: 455 mm (L)
Code: PSP6054



Suction Buffer

Rubber buffer used on the inside of the ladder to prevent damage to the pool wall.
Code: PSP6051



Bolt and Plug Set

Secure ladders and grab rails into concrete.
(3 per flange are required)
Code: PSP6200



Backstroke, False Start Posts, Anchors, Sockets & Accessories

BP Backstroke Post

1800 mm x 38 mm^ø (H x W)
Code: PPOST5120

BPB Backstroke Post

with bayonet locking base
1800 mm x 38 mm^ø (H x W)
Code: PPOST5122

FP False Start Posts

1200 mm x 38 mm^ø (H x W)
Code: PPOST5140

FPQ False Start Post

with quick release cam
1200 mm x 38 mm^ø (H x W)
Code: PPOST5145

FPB False Start Post

with bayonet locking base
1200 mm x 38 mm^ø (H x W)
Code: PPOST5147

FPBQ False Start Post

with bayonet fitting & quick release cam
1200 mm x 38 mm^ø (H x W)
Code: PPOST5149



BP - 1800
FP - 1200

100

Backstroke Flags

15.5 m - 6 Lanes Multi-Coloured

Code: PFLG51000

20 m - 8 Lanes Multi-Coloured

Code: PFLG52000

Flags can be made to a specific length and/or colours.

Colours: Royal Blue, Dark Blue, Light Blue, Yellow, Red, Black, Orange, Green, Teal and White. Special Lengths &/or Colours per metre

Code: PFLG50500

Printed - Single sided per metre

Code: PFLG30000

Printed - Double sided per metre

Code: PFLG30010

Printed - PMS Colour matching Double sided per metre

Code: PFLG30015




PS Post Sockets

with integrated cap
Suits BP, FP and FPQ posts.
316 stainless steel with earthing screw.
100 mm x 40 mm (H x W)
Code: PSP55000



PSB Post Socket

with bayonet locking base & integrated cap.
Suits BPB, FPB and FPBQ posts
Stainless steel with earthing screw
100 mm x 40 mm (H x W)
Code: PSP55005



Post Socket Cap

Code: PSP55008




Lane Rope Anchor & Arm for Overflow Pools

Powdercoated Stainless Steel
145 mm Rod Code: PSP55061
205mm Rod Code: PSP55062




LA1 Lane Rope Anchor

316 stainless steel with earthing screw.
90 - 95 mm x 70 mm^ø ID (L x W)
Code: PSP55050




LA2 Lane Rope Anchor

316 stainless steel with earthing screw.
200 mm x 70 mm^ø ID (L x W)
Rear Dia. 55 mm^ø
Code: PSP55052




LA3 Lane Rope Anchor

Tubular design
316 stainless steel with earthing screw.
63 mm x 70 mm^ø (L x W)
Code: PSP55053



RP Overflow Lane Rope Anchor and Base

with bayonet locking base.
316 stainless steel with e/screw.
Socket 100 mm x 40 mm (H x W)
Code: PSP55055



Equipment Storage

Equipment Trolley

Strong yet lightweight, UV stabilised and easy to assemble. Chemicals and humidity has no effect on the food grade plastic. Fitted with lid and rubber castors with brakes.

1250 mm x 700 mm x 900 mm (L x W x H)

Code: PSTOR150



Equipment Storage Bin

Polypropylene equipment storage bin fitted with mid support castor plate and four 130 mm grey rubber wheel and zinc plated castors set in a diamond pattern. The lid has 2 hand grip holes with chain holes for locking. Additional holes may need drilling to lock lid.. Holes in base allow drainage.

1300 mm x 710 mm x 800 mm (L x W x H)

Code: PEQUIPBIN



Storage Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Three tier shelves with 9 x 66 litre plastic bins.

1500 mm x 500 mm x 1400 mm (L x W x H)

Code: with 9 bins PSTOR130

Code: with no bins PSTOR131



Multi Purpose Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Designed to accommodate up to 6 x 66 litre storage bins.

(Bins sold separately)

1390 mm x 510 mm x 1520 mm (L x W x H)

Trolley Code: PSTOR135

Bins Code: PSTOR066



Combination Noodle Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Includes 4 x 66 litre removable plastic containers.

Holds approx. 30 Noodles plus other equipment.

1390 mm x 510 mm x 1520 mm (L x W x H)

Code: PSTOR180



Noodle Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Includes 2 x 66 litre removable plastic containers.

Holds approx. 60 Noodles (Noodles sold separately)

1390 mm x 510 mm x 1520 mm (L x W x H)

Code: PSTOR185



Plastic Storage Bins

Stackable 66 litre blue bins used to store equipment.
610 mm x 420 mm x 320 mm (L x W x H)
Code: PSTOR066



Noodle Bag

Use for carrying and storing Noodles, Aquatic Bells and other Aqua-fitness equipment. Strong mesh construction, draw cord opening with strap.
Holds approx. 10 pairs dumbell or 25 Noodles.
(Noodles sold separately)
1300 mm x 400 mm (L x W)
Code: PCL33165



Storage Bin - Foldable

Powder Coated Aluminum Storage Bin can collapse for storage when it is not needed.
960 mm x 760 mm x 710 mm (L x W x H)
Code: PSTOR050



Shelving


Strong yet lightweight, UV stabilised and assembles in minutes without the need for tools. Chemicals and humidity has no effect on the food grade plastic. Rated to hold up to 200 kg per lineal metre. Adjustable feet keep the shelving stable.

3 Tier Storage Shelving (W x D x H)

- A. 1.25 m x 500 mm x 1340 mm Code: PSTOR405
B. 2.0 m x 500 mm x 1340 mm Code: PSTOR415

4 Tier Storage Shelving (W x D x H)

- C. 1.25 m x 500 mm x 1850 mm Code: PSTOR425
D. 2.0 m x 500 mm x 1850 mm Code: PSTOR435



Plastic Seating

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Seating can be used stand alone or fixed to the floor or wall.

2.0 m x 400 mm x 450 mm (L x W x H)
Code: PSTOR320



Matting

Power Pod

Non-slip, anti-fatigue safety matting the perfect solution for slippery surfaces in wet areas, particularly around pool decks & change rooms. Designed with anti-trip bevelled edges all round. Extremely non-slip with superb grip & comfort with a non-slip backing. Deep valleys allow excellent water runoff. Easily to keep clean. Super light, easy to roll up. Impervious to chlorine, oils, acids & solvents. Power Pod will enhance the appearance of any pool or spa area.

Colours: Blue, Black, Grey, Yellow, Red, Green, Cream, Brown, Orange & Purple. Size: (L x W)

860 mm x 700 mm	Code: SMATPP01
1600 mm x 700 mm	Code: SMATPP02
1600 mm x 1000 mm	Code: SMATPP03
3100 mm x 1000 mm	Code: SMATPP04
2000 mm x 1200 mm	Code: SMATPP05
Custom size one colour (sq mtr)	Code: SMATPP08
Custom size & colours (sq mtr)	Code: SMATPP09



Lagune


Wet area interlocking modular system is ideal for swimming pool surrounds, showers, spas, saunas, changing rooms, ramps or anywhere a non-slip wet area mat is required. Designed to allow water to drain off, providing slip resistant, safe and dry surface. Comfortable & ideal with barefoot traffic. Treated with an anti-microbial additive for protection against mould, mildew, fungi and odour-causing germs. Resistant to body oils and chemicals. Antibacterially treated UV-resistant soft vinyl.

Colour: Dark Blue, Dark Grey & Beige

Size: 200 x 200 x 9 mm (L x W x H)

25 pieces per pk = 1 sq mtr

Dark Blue	Code: SMATLAG01
Dark Grey	Code: SMATLAG02
Beige	Code: SMATLAG03




Comfort Flow™

Ideal for wet or dry areas. Light for easier handling and is fully launderable. It provides excellent anti-fatigue properties for added comfort. Constructed of 100% high density closed cell nitrile rubber cushion, it is far superior in grease & oil resistance. Its low profile & slip resistant surface reduces slip & fall accidents. The non-skid backing keeps the mat in place.

Colours: Black

Size: (L x W x H)

860 mm x 580 mm x 11 mm	Code: SMATCOF01
1410 mm x 840 mm x 11 mm	Code: SMATCOF02
2700 mm x 840 mm x 11 mm	Code: SMATCOF03
1700 mm x 1100 mm x 11 mm	Code: SMATCOF04




Omimat II

Ergonomic Anti-fatigue/Anti-slip is lightweight & easy to handle. Raised underside Knobs help prevent mat from moving & allow spillage drain off. Open moulded, grease resistant, low profile mat. Cleans up with soap and water. Bevelled edges & ramped corners and edges minimises incidents of mat curling up and improving safety and life of the mat. Ideally suited for wet areas, kitchens, bars, kiosk counters or any area where safety, comfort & hygiene are important.

Colours: Terracotta Red or Black

Size: 860 mm x 1420 mm x 13 mm (L x W x H)

Black	Code: SMATOMNIB
Terracotta	Code: SMATOMNIT



Gripper

Solid bar matting from PVC joined together in a criss cross pattern. Use it when a little more grip is required. Resistant to solvents, acids, alcohol, thinners, dyes, brake fluid, petrol and chlorine. Ideal for change rooms, bars, commercial and industrial applications.

Important: This is Not a non-slip mat. All care must be taken when using this product.

Colours:


Black/Black

Blue on Black

Grey on Black

Size: (L x W x H)

12 m roll x 914 mm x 12 mm per mtr	SMATGRIP
12 m roll x 1200 mm x 12 mm per mtr	SMATGRIP2
Sold per metre (minimum 2 m)	



Tubular

Extruded PVC hollow tube welded to form multi functional open grid Anti-fatigue matting. Resistant to brines, acids, alcohol, alkali, solvents, and chlorine. Cushion soft, easily cleaned. For use in change rooms and kiosks. Easy to cut.

Important: This is Not a non-slip mat. All care must be taken when using this product.

Colours:


Black/Black

Blue on Black

Grey on Black

Size: (L x W x H)

12 m roll x 910 mm x 12 mm per mtr	SMATTUB01
12 m roll x 1220 mm x 12 mm per mtr	SMATTUB02
Sold per metre (minimum 2 m)	



Sure Step

Inter-lockable modules, light weight, with excellent cushion qualities. Non - slip mat, it has excellent drainage for wet areas or saunas. Built in inter-lockable system which allows control over the layout. Resistant to oils, fats & most chemicals.

Colours: Terracotta Red or Black

Size: 900 mm x 900mm x 15 mm (L x W x H)

Black

Code: SMATSUREB

Terracotta Red

Code: SMATSURET



Sanitising Foot Bath

Keeps hygienic areas free of contamination and germs. Great for food processing plants, this mat has thousands of pliable rubber scrapers that dislodge contaminants from footwear as the shoe soles are immersed in the disinfectant solution.

Sanitising Foot Bath Mat will hold 3.8 litres of disinfectant solution - Chlorine or water the tall wall model holds 20.8 litres.

Use in vans to carry corrosive liquids as bunding to catch any liquids in the event of a spill.

SMATAN02 holds up to 6 drums.

Colour: Black

Size: (L x W x H)

800 mm x 600 mm x 13mm

Code: SMATSAN01

1000 mm x 800 mm x 63 mm

Code: SMATSAN02



Cobblestone

Provides an effective dirt and water trap. Superior water retention qualities. 100% polypropylene solution dyed face yarn. Stain resistant non slip vinyl base with low profile borders for safety. Suitable for terrazzo, timber and vinyl floors.

Easily cleaned by sweeping, vacuuming or wet wash.

Colours: Charcoal, Blue, Green Red or Brown


Size: (L x W)

1420 mm x 860 mm

Code: SMATCOB01

1820 mm x 1220 mm

Code: SMATCOB02



Matting Use Guide								
	Power Pod	Lagune	Comfort Flow	Omimat II	Gripper	Tubular	Sure Step	Cobblestone
Non slip Matting	★	★	★	★			★	
Shower & Wet Areas	★	★	★		★	★		
Change Rooms	★	★	★	★	★	★	★	
Bar, Club, Hotel & Resort	★	★	★	★	★	★	★	
Carpet & Floor Protection								★
Behind Counters	★	★	★	★	★	★	★	
Entrances & Foyer		★						★
Factory & Industrial Work Areas				★	★	★	★	
Internal Walkways & Hallways		★			★			★
Kitchens			★	★			★	
Occupational Health & Safety	★	★	★	★			★	
Solvent, Oil & Chemical Applications	★			★	★		★	
Work comfort, Insulating & Antifatigue	★	★	★	★	★	★	★	

Pool & Spa Grating

Twin Swimming Pool & Spa Grating

A unique and patented swimming pool and spa grate system designed and manufactured in Italy. The Twin system is the only "Bi-Material" grating available with the base manufactured from Polypropylene and the contact surface from thermoplastic elastomer.

Manufactured to the highest standards, the Twin grating system has achieved DIN 51097 certification (Anti-slip certification for barefoot wet areas) and EN 13451-1 (Declaration of Conformity). Further tests carried out by the company have proven that Twin grating is UV resistant according to American Standard ASTM G 53/883, Salt resistant according to European Standard UNI ISO 9227/93 and has optimal standard of mechanical resistance.

Twin Grating is not only aesthetically pleasing to the eye but also comfortable to walk on.

Available in both Rigid and Flexible styles, the Twin grating can be made in any combination of colours and may even be personalised with your own logo. (Minimum quantities apply)

Full details and specifications available at our web site.



Twin Scacco

The Scacco is available in flexible, rigid and reinforced versions with a stainless steel rod for 90° corners. Available in four widths and four heights. The length of each section is 500 mm and is composed of 21 pieces already assembled units. Materials are polypropylene (PP) for the base and the thermoplastic elastomer (TPE) for the contact surface. The standard colours are the neutral (PP)/blue (TPE) and the white (PP)/white (TPE). Other colour available on request. (Minimum quantities apply)

The flexible version makes it possible to follow any pool profile thanks to flexible elements that permit a minimum curvature radius.







- 33 cm for the 150 model
- 40 cm for the 200 model
- 45 cm for the 250 model
- 60 cm for the 330 model

Sizes:


Length: Each section 500 mm

Width: 150 mm, 200 mm, 250 mm, 300 mm, 330 mm and 350 mm

Height: 20 mm, 25 mm, 30 mm and 35 mm



Rigid Grate



Flexible Grate

Reinforced Grate

Wave Drain

Wave drain is an Australian made plastic grate which will suit straight or form pools. Made from a hi tech UV protected plastic, the superior outdoor performance ensures the grate will not become brittle or discoloured in the sun. Features a self draining anti-slip pattern with two interlocking pins. Can be cut to suit smaller gutters. Comes with a 5 year manufacturers warranty.

Colours: White & Black

Minimum order quantity 5 lineal metres.

Size: Each piece is 15 mm x 25 mm (T x H)

225 mm wide


250 mm wide

300 mm wide

Code: PGRATE225

Code: PGRATE250

Code: PGRATE300



Wetdeck® Longitudinal Rigid

Australian made from UV stabilised polypropylene. Features an anti-slip pattern with three interlocking pins to avoid movement. Structural members are incorporated into the moulding eliminating the need for additional support members across the gutter. Use for straight edged pools. Comes with a 10 year manufacturers limited warranty. Can be cut and rebated to fit most applications. Extra charges apply.

Colours: Off White, Sandstone, Charcoal, Cobalt Blue, Challenge Blue, Mid Grey & Golden Yellow

Other colours available on request. (Minimum quantities apply)

Size: Each piece is 332 mm x 36 mm (L x H)

300 mm wide

350 mm wide

90° Corner 300 mm

90° Corner 350 mm

Stainless Steel angle suits longitudinal Wetdeck®

Code: PGRATE100

Code: PGRATE120

Code: PGRATE180

Code: PGRATE181



Wetdeck® Transverse Flexible

Australian made from UV stabilised polypropylene. Features an anti-slip pattern with one interlocking slot to avoid movement. Use for free form pools. Comes with a 10 year manufacturers limited warranty. Can be cut and rebated to fit most applications. Extra charges apply.

Colour: Off White, Sandstone, Charcoal and Cobalt

Other colours available on request. (Minimum quantities apply)

Sizes: Each piece is 332 mm x 36 mm (L x H)

300 mm wide

350 mm wide

90° Corner 300 mm

90° Corner 350 mm

Code: PGRATE110

Code: PGRATE125

Code: PGRATE182

Code: PGRATE183



Anti Grate

Australian made from UV stabilised polypropylene. Features an anti-slip pattern with three interlocking slot to avoid movement. Use for straight or free form pools. Comes with a 1 year manufacturers limited warranty. Can be cut to fit most applications. Extra charges apply.

Colour: White, Black, Red, Blue, Yellow & Green

Other colours available on request. (Minimum quantities apply)

Sizes: Each piece is 25 mm (H)

250 mm wide

300 mm wide

350 mm wide

Code: PGRATE410

Code: PGRATE411

Code: PGRATE412



Water Polo

Water Polo Field Markers

The Anti Polo Field is at the forefront of design and quality internationally. Marked with either 110 mm Midi, 125 mm Myti or 150 mm Maxi lanes to minimise water disturbance and wash effect on the players.

Mens / Womens field

110 mm Midi Code: PLAW00470

125 mm Myti Code: PLAW00473

150 mm Maxi Code: PLAW00475



Anti Club Folding Goal

Full sized competition goal is designed for schools & clubs. Easy to erect & fold down for storage. Fabricated from powder coated aluminium extrusions & fibreglass. This goal has all the same patented features as the Anti Goal. Supplied flat packed with instructions.

3840 mm x 1470 mm x 1000 mm (W x D x H)

Net opening 3000 mm x 900 mm (W x H) Weight 45 kg

Code: PLAW00430



Inflatable Flippa Goal

Perfect for school groups, kids games, practice or residential use. Quick & easy to inflate using strong & durable materials. Supplied with carry bag & pump.

Junior Goal Size: 2150 mm x 1000 mm x 1250 mm (W x D x H)

Junior Net opening 1980 mm x 870 mm (W x H) Weight 6 kg

Junior Goal Code: PLAW00440

Senior Goal Code: PLAW00445



See Timing Scoring & Training for Water Polo Scoring Systems


Anti Pro 750 Goal

This full sized competition Goal meets all national and international specifications. This premium water polo goal features a powder coated aluminium frame, reinforced with fibreglass, and a tough, polypropylene net that is knotted at every intersection. The EVA foam floats offer superior, even flotation for maximum goal stability. Features deck transport mini wheels and external carry handles. Patented features include, Open corner net configuration to reduce the ball rebound, Air Water Displacement Shock Absorbers for maximum goal stability, Aluminium front frame cross section for maximum strength.

3840 mm x 1470 mm x 1000 mm (W x D x H) Weight 30 kg

Net opening 3000 mm x 900 mm (W x H)

Code: PLAW00420



Anti Junior / Flippa Folding Goal

This goal is a smaller version of the Club goal. Easy to erect & fold down for storage. Fabricated from powder coated aluminium extrusions & fibreglass. The net is polypropylene cord knotted at every intersection. Ideal for kids games, practice & club use. Supplied flat packed with instructions.

3760 mm x 1200 mm x 860 mm (W x D x H)

Net opening 2000 mm x 700 mm (W x H) Weight 31 kg

Code: PLAW00435




Wall Goal

Designed to fit on the pool edge or on movable bulkheads, where there is minimum space. Ideal for social or non international competition.

Supplied with deck hole anchors for mounting.

3150 mm x 600 mm x 1016 mm (L x W x H) Weight: 20 kg

Code: PLAW00410



Water Polo Accessories

Water Polo Balls

Mens - Green Code: PINF22190

Womens - Pink Code: PINF22191

Junior - Red Code: PINF22192



Replacement Net

Net suit the Anti Pro Goal

Code: PLAW00413


Club & Flippa Goals

Code: PLAW00414



Foam Blanket

The ThermoTech™ foam blanket is made of 3 mm thick, cross-linked PE closed cell Polyolefin foam. This foam consists of 3 layers, is flame-bonded each side to a UV-stabilised, waterproof, non-toxic and chemical resistant blue woven PE material called Canvacon. It has an R-value (thermal resistance) of 0.088 m²/K. It is covered by a 5 year pro-rate warranty. Installations with symmetrical pools can invert the blanket to get an extended life span. The blankets come complete with full edge binding, end reinforcing, and haul cords are installed onto the blanket. Covered by a manufactures 5 year pro-rata warranty. If wind is a problem the blankets can be fitted with wind skirts at additional cost. Exact pool measurements, roller attachment points and any intrusions into the water will need to be supplied prior to manufacture.



Bubble Blanket

The Bubble blanket is made from commercial grade PE (Polyethylene). UltraDome™ Series 8 is a 500 micron thick translucent blue bubble material, allowing maximum transmission of warming solar radiation into the pool water while also efficiently insulating against heat escaping. In an outdoor pool, they can warm the water by up to 8°C. It has an R-value (thermal resistance) of 0.067 m²/K, thermal conductivity of 0.080W/mk and a weight of 460g/m². It comes complete with full edge binding and end reinforcing, cords, flotation rod, multi point attachment and an attached over cover to protect your investment when on the roller. A floating haul cord is supplied to enable ease of operation. If wind is a problem the blankets can be fitted with wind skirts at additional cost. Covered by a manufactures 5 year pro-rata warranty. Exact pool measurements, roller attachment points and any intrusions into the water will need to be supplied prior to manufacture.



ST125 & AT125 Roller

Suitable for blankets 20 m long and up to 6.7 m wide. The "T" frame is made of 316 stainless steel or powder coated aluminium complete with Delrin bearings and stainless steel castors and brakes. The main spindle is manufactured from 125 mm x 2.0 mm clear anodised aluminium tube. To each end of the spindle is fitted a cast aluminium machined axle housings, complete with 25 mm machined stainless steel axles. Stainless steel studs attach the 520 mm anodised white powder coated cast aluminium heavy duty hand wheel is attached. This enables easy single person operation or use with a the Pool Blanket Retriever. Outriggers can be fitted to accommodate wide coping or starting platforms at additional cost. Covered by a manufactures 10 year pro-rata warranty.



ST125 & AT152 Roller

Suitable for blankets 25 m long and up to 6.7 m wide. "T" frame is made of 316 stainless steel or powder coated aluminium complete with Delrin bearings and stainless steel castors and brakes. The main spindle is manufactured from 152 mm x 2.0 mm clear anodised aluminium tube, to each end of the spindle is fitted a cast aluminium machined axle housings, complete with 25 mm machined stainless steel axles. Stainless steel studs attach the 680 mm anodised white powder coated cast aluminium heavy duty hand wheel is attached. This enables easy single person operation or use with a the Pool Blanket Retriever. Outriggers can be fitted to accommodate wide coping or starting platforms at additional cost. Covered by a manufactures 10 year pro-rata warranty.



SA203 & AT203 Roller

Suitable for blankets 50 m long and up to 6.7 m wide. The "A" frame is made of 316 stainless steel or powder coated aluminium complete with Delrin bearings and stainless steel castors with brakes. The main spindle is manufactured from 203 mm x 3.0 mm clear anodised aluminium tube. to each end of the spindle is fitted a cast aluminium machined axle housings, complete with 25 mm machined stainless steel axles. Stainless steel studs attach the 910 mm anodised white powder coated cast aluminium heavy duty hand wheel is attached. This enables easy single person operation or use with a the Pool Blanket Retriever. Outriggers can be fitted to accommodate wide coping or starting platforms at additional cost. Covered by a manufactures 10 year pro-rata warranty.



Suitmate Swim Costume Water Extractor



Suitmate Swim Costume Water Extractor

Removes 95% of a costume's water in 8 seconds leaving them nearly drip free.

Perfect for Fitness Centres, Swimming Pools, Hotels & Resorts.

If your customers squeeze a quick swim in during lunch, giving the costume a quick spin before heading back to the office will help eliminate that damp cossie feeling.

Helps protect facilities from water damage

Increases patron satisfaction.

Operates safely without heat.

Easy to install.

Stainless steel and durable plastic construction.

58 cm x 38 cm x 38 cm (H x W x D)

25 kg

Code: PSUITMATE

Water Features & Play



Raindome

Fabricated from GRP to provide an exuberant water curtain feature for recreational pools. Height can be adjusted on site. Water flows up the central stem and then over the surface to provide an all-round curtain.

Colours: Red, Blue or Yellow top with a white stem.

2.1 m x 1.2 m^ø (H x W) Code: PLAW00510

2.1 m x 1.6 m^ø (H x W) Code: PLAW00520

2.1 m x 2.0 m^ø (H x W) Code: PLAW00525



Water Pole Flip Cones

Tipsy-turvy buckets fill with water and spill over each other in an active water feature full of colour and surprise.

Approx. 4 m high

Flow Rate: 1.5 ltr/sec, 20 - 50 mm pipe.

Code: PLAW00550

Frog Slide

A substantial slide with character. Highly attractive to younger visitors. Reinforced GRP construction for extra strength. It can be placed in a wading pool or on the pool deck. Use with or without water flowing on the side.

1.9 m x 2.8 m x 3.8 m (H x W x D)

Weight: 380 kg

Code: PLAW00580



Elephant Slide

Perfect for smaller children. Constructed of UV stabilized, fibreglass reinforced plastic (GRP) for exceptional smoothness and durability, the slide can be placed in a pool's wading area or directly on the pool deck with no anchoring required. Code: PLAW00530



Pool & Spa Accessibility

Aquatic Wheelchair

Aquatic & Platform Lifts

Aquatic Wheelchairs



Aquatic Wheelchair - PVC

Aquatic Wheelchair for use around wet areas, in the swimming pool or shower areas. This light yet robust wheelchair safe working load is 120 kgs (SWL 120 kg) (Bariatric Chair SWL 200 kg) and complies with Australian Standard AS3973 and Disability (Access to Premises – Buildings) Standards 2010. It is the product of many years of innovative research and development, culminating in the manufacture of a rust free, low maintenance & attractive wheelchair. The chair is made of PVC tubing which doesn't get hot or have sharp edges. The strong open weave fabric allows the flow of air or water. The chair is fitted with swing up arm rests to allow safe transfer. Large push rims are fitted for independent use or rear handles may be used. This wheelchair is ideal for use at leisure centres and hydrotherapy pools. It is particularly useful where there is a ramp or beach area built into the pool or where elderly or disabled patrons have to walk long distances.

Options:

Junior Adaptor – Adjustable (4 to 12 years) Code: PCHAIRJRA

Harness Belt Code: PCHAIRBH

Standard Weight: 15.3 kg

Code: PCHAIRPSD

Bariatric Weight: 22 kg

Code: PCHAIRPSDB

Full details and specifications available at our web site.



Mobile Aquatic Wheelchair - Stainless Steel

Mobile Aquatic Wheelchair for use around wet areas, in the swimming pool or shower areas. This wheelchair safe working load is 136 kgs (SWL 136 kg) and complies to the Disability (Access to Premises – Buildings) Standards 2010. The chair is made of 316 stainless steel tubing with powder coating for durability. Chair frame is fitted with swing up arm rests to allow safe transfer. The rigid roto-molded plastic seat aids in user transfer by providing a stable platform that can be used for transfer support. Rear stabiliser wheels eliminate the tendency of a chair to pitch back while going up ramps. Large push rims are fitted for independent use or rear handles may be used.

This wheelchair is ideal for use at leisure centres and hydrotherapy pools. It is particularly useful where there is a ramp or beach area built into the pool or where elderly or disabled patrons have to walk long distances.

Code: PCHAIRSR500

Full details and specifications available at our web site.

Hydrotherapy Plinth



Hydrotherapy Plinth

Made of 316 mirror polished stainless steel. The plinth locks on to a standard 38 mm^ø or 50 mm^ø hand rail. (Pictured but not included). The fabric is water-proof quality & features strong lace on design. It is removable for easy storage when not in use. Supplied with straps.

Dimensions: 1150 mm x 588 mm (L x W)

Code: PPLINTH



Splash Aquatic Lift

The Splash Aquatic Lift is a semi-portable lifting system designed for swimming facilities seeking to provide user friendly access to their swimming pools. The Splash is battery powered & operated by a screw driven actuator. The design & durability of the system ensures consistent operation & minimises service problems.

The Splash is virtually maintenance free. The components are made from corrosion resistant materials, including powder-coated aluminium (arms), & powder-coated stainless steel (base, mast, & seat frame). The unique seat of the lift was specifically designed to provide the user with the greatest possible safety, comfort & ease of transfer.

The hand control is completely waterproof, and allows either the user or the attendant to control its operation with ease. The LiftOperator control box and battery are water resistant and should be protected from long exposure to the water. A small, waterproof cover is included with each lift to cover the LiftOperator control box when the system is in use. If the lift is stored for long periods, an optional cover is available for purchase and is recommended to use to protect the system.

The seating system used is the product of years research. This is the first such system that is designed specifically for disabled swimmers. The seat itself is both deeper & higher to both provide a more stable platform for sitting, as well as being able to better accommodate swimmers with reduced trunk stability. The seat has been flattened considerably to eliminate any ridge that would hamper transferring. The sections of the seat have attachment points for both the standard seat belt assembly as well as our optional stability vest.

The standard moulded plastic footrest is removable & will float upwards to prevent damage if the user lowers the chair too low over the deck.

A sling option is also available. The sling can be used instead of the seat by undoing two bolts and removing the arm and seat assembly and replacing it with the Sling Jib. The Sling is then attached to the sling jib. The sling and jib can be retrofitted to existing Splash, Pal and Pal2 lifts.

The included armrests have been strengthened which allows them to be used for support when transferring onto the seat. They can be rotated out of the way during a transfer.

Included with each lift: Footrest, Caddie, Seat with Arm Rests, Battery with cover, Battery Charger & Seat Belt Assembly.

Splash Standard – Suits most applications

– (Max. 740 mm from pool edge no fall)

Splash Extended Reach – For pools requiring a longer reach

– (Max. 1170 mm from pool edge no fall)

Options:

Sling & Jib Attachment

Stability Vest

Seat Pad

Total Lift Cover for Standard lift

Spine Board Attachment

Extra Deck Anchor for multiple locations

114 x 110 x 155 mm (L x W x H)

Code: PLIF10230

Code: PLIF10200

Code: PLIF10210

Code: PLIF10220

Code: PLIF10240

Code: PLIF10250

Models :

Standard Lift – Suits most applications

Extended Reach Lift – For pools requiring a longer reach

Code: PLIF10000

Code: PLIF10010

Full details and specifications available at our web site.



Splash Aquatic Standard Lift



Sling & Jib Attachment



Deck Anchor



Total Cover



Spine Board Attachment



Stability Vest



Splash Aquatic Standard Lift



Splash Aquatic Extended Reach Lift



Pal2 Aquatic Portable Lift

The Pal2 Aquatic Lift is a Fixed Portable free standing lift. Easy to move by one person. A lifting capacity of 136 kg. The Pal2 is a 24v battery powered and operated by a screw driven actuator. It features full mechanised left and right as well as up and down motion. The design and durability of the system ensures consistent operation and minimises service problems.

The Pal2 is virtually maintenance free. The components are made from corrosion resistant materials, including powder coated stainless steel and aluminium construction. The unique seat of the lift was specifically designed to provide the user with the greatest possible safety, comfort and ease of transfer.

The control system and seat assembly is the same as the Splash Lift.

What's included:

Pal2 Lift, Footrest, Arm Rests, Battery Charger, Battery Cover and Seat Belt Assembly.

Options:

Sling & Jib Attachment

Code: PLIF10230

Stability Vest

Code: PLIF10200

Seat Pad

Code: PLIF10210

Total Lift Cover for Standard lift

Code: PLIF10220

Spine Board Attachment

Code: PLIF10240

Pal2 Lift

Code: PLIF10065

Full details and specifications available at our web site.



Pal Hi-Lo Aquatic Portable Lift

The Pal Hi-Lo Aquatic Lift is a Fixed Portable free standing lift. Easy to move by one person. A lifting capacity of 136 kg. Designed for facilities that have both inground pools and raised spas. The Pal Hi-Lo is a 24v battery powered and operated by a screw driven actuator. It features full mechanised left and right as well as up and down motion. The design and durability of the system ensures consistent operation and minimises service problems.

The Pal Hi-Lo is virtually maintenance free. The components are made from corrosion resistant materials, including powder coated stainless steel and aluminium construction. The unique seat of the lift was specifically designed to provide the user with the greatest possible safety, comfort and ease of transfer.

The control system and seat assembly is the same as the Splash Lift.

What's included:

Pal Hi-Lo Lift, Footrest, Arm Rests, Battery Charger, Battery Cover and Seat Belt Assembly.

Options:

Sling & Jib Attachment

Code: PLIF10230

Stability Vest

Code: PLIF10200

Seat Pad

Code: PLIF10210

Total Lift Cover for Standard lift

Code: PLIF10220

Spine Board Attachment

Code: PLIF10240

Pal Hi-Lo Lift

Code: PLIF10060

Full details and specifications available at our web site.

Glacier Battery Powered Platform Lift

The Glacier Platform Lift accommodates an Aquatic Wheelchair for the individual that needs assisted stabilised support for entry into the pool or spa.

Lifts are custom made to suit individual requirements.

Lifting Capacity: 272 kgs
For decks to pool floor 914 mm to 1.2 m
Rechargeable Battery

The Glacier Platform lift is designed for use in commercial swimming pools. The lift has been specifically designed to replace the need for a ramp in a pool having no less than 914 mm deck to the floor of pool at the installation site. This lift is self-operated & electrically (low voltage) powered. The lift is rated for a 272 kg lifting capacity with a safety factor of 1.5.

Operating Controls & Power Source

A four channel radio frequency receiver/transmitter controls the operation of the platform lift. Four wireless handsets are provided to allow operation from pool deck platform affixed to the rail on entry & exit, then two additional transmitters are provided unfixed to the lift. The handsets are operable by either left or right hand & are ergonomically designed for ease of use. The handsets are sealed to prevent water damage. Four control buttons provide directional control, two for vertical travel of the lift & a lockout button to restrict usage of the unit when not required. The operation of the handsets require a constant button pressure. A 24VDC rechargeable battery powers the lift's drive motor & radio frequency control receiver. A spare battery is provided with each unit. The control box & battery assembly is mounted to the lift & includes a hard wired emergency up/down control switch at the console. A battery charger is provided with an electrical power cord, for remote installation.

Lift Construction

The Glaciers' structural components are fabricated from 304L stainless steel. These stainless components are precision joined using GMAW & TIG processes depending on the thickness & loading of the structure. The stainless steel is electro-polished & passivated in accordance with ASTM A967 guidelines, then the unit is coated with Spectra Shield to ensure maximum corrosion resistance. The majority of the lifting column is skinned with 20 mm grey pultruded fiberglass sheet with a polyester resin that is UV inhibited for extremely long service life. The lift structure is customised during fabrication to the specific pool depth. Final adjustments on site to match the deck of the lift up to the finished pool deck can be made with four pressure feet at the bottom of the structure & an adjustable metal stop on the carriage located within the lifting column.


Platform Construction

The lift is fitted with a platform of dimensions 1.016 m x 1.168 m (W x L). The platform has two 860 mm high 38 mm 316L stainless steel handrails on each side. The platform structure is constructed of heavy gauge 304L stainless steel & the platform face is pultruded fiberglass T-Bar grating with an extreme nonslip UV inhibited grit textured surface. The platform structure is attached to a blue polyethylene mesh screen, the screen slides on two rails affixed to the lifting column allowing no gaps for entrapment between the net & the lifting column. The screen collapses with the platform as the platform lowers.

Lifting Components

The lifting components are made for long life in aquatic environments, & are serviceable to ensure safe & consistent operation. The lifting system is designed as a redundant system to maximize safety & product life. There is a counterbalance to mitigate the loading on the primary lifting system. The primary lifting mechanism is two Stainless Steel power screws joined & driven by a high performance carbon fiber belt designed to outlast any other known drive system of this type, & need no adjustment through product life. The power screw drives the lift carriage through permanently sealed stainless steel food grade bearings & proprietary linear lead screw nuts. The power screw assembly requires no grease & use the pool water as the working lubricant. The carriage rides on proprietary polymer plane bearings & stainless steel rollers, six in total distributes the weight evenly & safely. The polymer plane bearings require no lubrication beyond the pool water.

Code: PLIF50000



Raised Lift



Lowered Lift

Full details and specifications available at our web site.



Signs, Safety & Rescue

Signs, Safety
& Rescue

Regulatory Signs

Depth Signs with Symbols

A-Frame Pavement Signs

Pavement Signs

Emergency & Safety Signs

Chemical Storage Signs

Chemical Storage

Chemical Spill Prevention

Hazchem Chemical Spill Kits

Rescue & First Aid

Spinal Care

Resuscitation

Defibrillators

CPR Training Manikans

Regulatory Signs

Pool Rules Signs

Thick Poly signs with four pre-drilled holes. 600 mm x 750 mm (W x H)



Code: PSIGN001A



Code: PSIGN001B



Code: PSIGN001C



Code: PSIGN001D

Prohibition Signs

Features pre-drilled holes for easy mounting. Transparent or white stickers also available. No Diving & No Running symbols comply to Australian Standard AS/NZS 2416.1:2010.



Thick Poly 450 x 600 mm (W x H)
Code: PSIGN050



Thick Poly 450 x 600 mm (W x H)
Code: PSIGN055



Thick Poly 450 x 600 mm (W x H)
Code: PSIGN056



Poly 300 x 450 mm PSIGN070
Poly 450 x 600 mm PSIGN071



Polypropylene
450 mm x 300 mm (W x H)
Code: PSIGN075

Polypropylene
300 x 450 mm (W x H)
Code: PSIGN068



Warning Signs

Features pre-drilled holes. Symbols comply to Australian Standard AS/NZS 2416.1:2010. Diamond Symbols available on request. Transparent or white stickers also available. 450 mm x 600 mm symbol signs max. viewing distance: 20 m



Thick Poly 450 x 600 mm (W x H)
Code: PSIGN060



Thick Poly 450 x 600 mm (W x H)
Code: PSIGN062



Thick Poly 450 x 600 mm (W x H)
Code: PSIGN063



Thick Poly 450 x 600 mm (W x H)
Code: PSIGN059

Depth Signs with Symbols

Thick Poly signs with four pre-drilled holes. Complies to Australian Standard AS/NZS 2416.1:2010

750 mm x 750 mm dual symbol signs max. viewing distance 20 m.

450 mm x 750 mm symbol signs max. viewing distance 22 m

Transparent or white stickers available on request along with other depths. Diamond Symbols also available on request.



Code: PSIGN301



Code: PSIGN302



Code: PSIGN303



Code: PSIGN304



Code: PSIGN305



Code: PSIGN306



Code: PSIGN307



Code: PSIGN308



Code: PSIGN309



Code: PSIGN310



Code: PSIGN311



Code: PSIGN312



Code: PSIGN313



Code: PSIGN314



Code: PSIGN315



Code: PSIGN316



Code: PSIGN317



Code: PSIGN318



Code: PSIGN319



Code: PSIGN320



Code: PSIGN321



Code: PSIGN322



Code: PSIGN323



Code: PSIGN324



Code: PSIGN325



Code: PSIGN330

Pavement Signs

Pavement Signs

Ideal for indoor or outdoor use. Made from advanced maintenance free materials. The base can be filled with water or sand to keep it in place during windy weather. Printed both sides. Use a white board xylene free pen board marker to write information on the blank panel. Features a handle for manoeuvring. Signs and base sold separately. Blank panels and custom printing is available. 600 mm x 800 mm (W x H)



Code: PSIGN6100



Code: PSIGN6101



Code: PSIGN6102



Code: PSIGN6103



Code: PSIGN6104



Code: PSIGN6105



Code: PSIGN6106



Code: PSIGN6107



Code: PSIGN6110



Code: PSIGN6111



Code: PSIGN6115



Code: PSIGN6120



Code: PSIGN6122

Pavement Sign Bases

Can be filled with water or sand to keep it in place during windy weather. Signs and base sold separately.




Base to suit pavement sign.
Mid Blue
Code: PSIGN6020



Base to suit pavement sign.
Black
Code: PSIGN6021




Base to suit pavement sign.
Red
Code: PSIGN6022



Pavement A-Frame Signs

An ideal A-frame sign for indoor pools. Made from lightweight maintenance free corfute®. Fitted with a plastic chain to keep the sign upright at all times. Folds flat for easy storage, features a handle for easy maneuvering. Printed both sides. Use a white board xylene free pen board marker to write additional information on the sign. Blank signs also available.
500 mm x 700 mm (W x H)



Code: PSIGN6200



Code: PSIGN6201



Code: PSIGN6202



Code: PSIGN6203



Code: PSIGN6204



Code: PSIGN6205



Code: PSIGN6206



Code: PSIGN6207



Code: PSIGN6210



Code: PSIGN6211

Emergency & Safety Signs

Emergency & Safety Signs

Polypropylene signs with pre-drilled holes.



300 mm x 450 mm (W x H)
Code: PSIGN7535



300 mm x 450 mm (W x H)
Code: PSIGN7540



300 mm x 450 mm (W x H)
Code: PSIGN751



300 mm x 450 mm (W x H)
Code: PSIGN7520



450 mm x 300 mm (W x H)
Code: PSIGN7530



900 x 600 mm (W x H)
Code: PSIGN7550



450 mm x 300 mm (W x H)
Code: PSIGN7210



450 mm x 300 mm (W x H)
Code: PSIGN7500



450 mm x 300 mm (W x H)
Code: PSIGN7545

Other Signage & Markers

Cones

450 mm high Code: PSIGNCON4
700 mm high Code: PSIGNCON7



Floor Safety Signs

Heavy Duty PVC A-Frame with handle
Wet Floor Code: PSIGN225
Cleaning in Progress Code: PSIGN250



Shower Before Entering Water

Polypropylene (W x H)
300 mm x 450 mm
Code: PSIGN080



CPR & Resuscitation Sign

PVC 340 mm x 610 mm (W x H)
Code: IQRC7001



Supervise Children

Polypropylene
300 mm x 450 mm (W x H)
Code: PSIGN090

Thick Poly
450 mm x 600 mm (W x H)
Code: PSIGN091



Danger Signs

Polypropylene signs with pre-drilled holes.. Complies with Hazardous Substances Signs Australian Standard AS1319-1994



450 mm x 300 mm (W x H)
Code: PSIGN7000



450 mm x 300 mm (W x H)
Code: PSIGN7010



450 mm x 300 mm (W x H)
Code: PSIGN7020



450 mm x 300 mm (W x H)
Code: PSIGN7025

Hazardous & Hazchem Signs

Complies with Australian Standard AS1216.1



270 mm x 270 mm (W x H)
Code: PSIGN7040




270 mm x 270 mm (W x H)
Code: PSIGN7045



270 mm x 270 mm (W x H)
Code: PSIGN7050




600 mm x 150 mm (W x H)
Code: PSIGN7035



Polypropylene 800 mm x 400 mm (W x H)
Code: PSIGN7100




Polypropylene 600 mm x 300 mm (W x H)
Code: PSIGN7037




Polypropylene 800 mm x 400 mm (W x H)
Code: PSIGN7110



Polypropylene 800 mm x 400 mm (W x H)
Code: PSIGN7120



Polypropylene 800 mm x 400 mm (W x H)
Code: PSIGN7115



Polypropylene 800 mm x 400 mm (W x H)
Code: PSIGN7125

Chemical Spill Prevention

Spill Tray

Used to contain incidental spills. Use to store small amounts of chemicals or cleaning agents. Spills drain safely into the sump. 100% chemically resistant polyethylene.

715 mm x 460 mm x 110 mm (L x W x H)

Sump: 29 Litres, Weight: 6 kgs

Code: PTANKST05



Spill Platform - 1 Drum

Used to contain incidental spills. It's low profile provides a safe area for all of your decanting and dispensing requirements. It can be used alone or in combination to customise your work area. 100% chemically resistant polyethylene. Removable non-slip grates makes for easy cleaning.

920 mm x 720 mm x 175 mm (L x W x H)

Sump: 100 Litres, Weight: 15 kgs, Load: (UDL) 300 kg

Code: PTANKSP01



Spill Platform - 2 Drum

Used to contain incidental spills. Its low profile provides a safe area for all of your decanting and dispensing requirements. It can be used alone or in combination to customise your work area. 100% chemically resistant polyethylene. Removable non-slip grates makes for easy cleaning.

1260 mm x 860 mm x 150 mm (L x W x H)

Sump: 150 Litres, Weight: 20 kgs, Load: (UDL) 1000 kg

Code: PTANKSP02



Spill Platform - 4 Drum

Used to contain incidental spills. Its low profile provides a safe area for all of your decanting and dispensing requirements. It can be used alone or in combination to customise your work area. 100% chemically resistant polyethylene. Removable non-slip grates makes for easy cleaning.

1260 mm x 1660 mm x 150 mm (L x W x H)

Sump: 300 Litres, Weight: 40 kgs, Load: (UDL) 2000 kg

Code: PTANKSP04



Spill Pallet Bund - 2 Drum

Spill Pallets are portable and are used for the storage of hazardous liquids.

Suitable for holding 2 x 205 ltr drums

100% chemically resistant polyethylene. Use with a forklift or Euro pallet jack when loaded. Removable non-slip grates makes for easy cleaning. A raised lip helps to keep your load secure. Meets EPA requirements.

1220 mm x 820 mm x 330 mm (L x W x H)

Sump: 230 Litres

Load: (UDL) 650 kg

Code: PTANKSP03



Spill Pallet Bund - 4 Drum

Spill Pallets are portable and are used for the storage of hazardous liquids.

Suitable for holding 4 x 205 ltr drums

100% chemically resistant polyethylene. Use with a forklift or Euro pallet jack when loaded. Removable non-slip grates makes for easy cleaning. A raised lip helps to keep your load secure. Meets EPA requirements.

1280 mm x 1280 mm x 275 mm (L x W x H)

Sump: 230 Litres

Load: (UDL) 1250 kg

Code: PTANKSP06



20 Ltr Spill Kit

Absorbs Acids, Caustics, Oil and Fuel. Meets EPA requirements.

1 x 20 Ltr PVC Spill Kit Bag, 1 x Hazsorb 7.5 Lt bag
5 x Poly Pads – 480 mm x 430 mm heavy weight
1 x Polypropylene Absorbent Socks – 75 mm x 1.2 m
2 x Contaminated Waste Bags – 450 mm x 720 mm
1 x Dust Pan and Brush
1 x Spill Kit Sticker, 1 x Pair of Gloves
1 x Instructions
Code: IQHK0020



30 Ltr Spill Kit

Absorbs Acids, Caustics, Oil and Fuel. Meets EPA requirements.

1 x 30 Ltr PVC Spill Kit Bag, 1 x Hazsorb 7.5 Lt bag
15 x Poly Pads – 480 mm x 430 mm heavy weight
1 x Polypropylene Absorbent Socks – 75 mm x 1.2 m
3 x Contaminated Waste Bags – 450 mm x 720 mm
1 x Dust Pan and Brush,
1 x Spill Kit Sticker, 1 x Pair of Gloves
1 x Instructions
Code: IQHK0030



50 Ltr Spill Kit

Absorbs Acids, Caustics, Oil and Fuel. Meets EPA requirements.

1 x 50 Ltr PVC Spill Kit Bag, 3 x Hazsorb 7.5 Lt bag
12 x Poly Pads – 480 mm x 430 mm heavy weight
1 x Polypropylene Absorbent Socks – 75 mm x 1.2 m
1 x Poly Pillows – 450 mm x 450 mm
3 x Contaminated Waste Bags – 450 mm x 720 mm
1 x Spill Kit Sticker, 1 x Pair of Gloves
1 x Instructions
Code: IQHK0050



30 Ltr Replenishment Pack

30 Ltr Chemical Spill Kit Replenishment Pack
Code: IQHK0030R

50 Ltr Replenishment Pack

50 Ltr Chemical Spill Kit Replenishment Pack
Code: IQHK0050R

80 Ltr Spill Kit

Absorbs Acids, Caustics, Oil and Fuel. Meets EPA requirements.

1 x 80 Ltr PVC Spill Kit Bag, 1 x Hazsorb 30 Ltr bag
20 x Poly Pads – 480 mm x 430 mm heavy weight
2 x Polypropylene Absorbent Socks – 75 mm x 1.2 m
1 x Poly Pillows – 450 mm x 450 mm
3 x Contaminated Waste Bags – 450 mm x 720 mm
1 x Dust Pan and Brush
1 x Spill Kit Sticker, 1 x Pair of Gloves
1 x Instructions
Code: IQHK0080



120 Ltr Spill Kit

Absorbs Acids, Caustics, Oil and Fuel. Meets EPA requirements.

1 x 120 Ltr Wheelie Bin, 2 x Hazsorb 30 Lt bag
25 x Poly Pads – 480 mm x 430 mm heavy weight
3 x Polypropylene Absorbent Socks – 75 mm x 1.2 m
1 x Poly Pillows – 450 mm x 450 mm
7 x Contaminated Waste Bags – 450 mm x 720 mm
1 x Dust Pan and Brush
1 x Spill Kit Sticker, 2 x Pair of Gloves
1 x Spill Kit Instructions
Code: IQHK0120



240 Ltr Spill Kit

Absorbs Acids, Caustics, Oil and Fuel. Meets EPA requirements.

1 x 240 Ltr Wheelie Bin, 3 x Hazsorb 30 Lt bag
40 x Poly Pads – 480 mm x 430 mm heavy weight
4 x Polypropylene Absorbent Socks – 75 mm x 1.2 m
1 x Polypropylene Absorbent Socks – 75 mm x 3 m
1 x Poly Pillows – 450 mm x 450 mm
10 x Contaminated Waste Bags – 450 mm x 720 mm
1 x Dust Pan and Brush, 1 x Spill Kit Sticker
2 x Pair of Gloves, 1 x Spill Kit Instructions
Code: IQHK0240



80 Ltr Replenishment Pack

80 Ltr Chemical Spill Kit Replenishment Pack
Code: IQHK0080R

120 Ltr Replenishment Pack

120 Ltr Chemical Spill Kit Replenishment Pack
Code: IQHK0120R

240 Ltr Replenishment Pack

240 Ltr Chemical Spill Kit Replenishment Pack
Code: IQHK0240R

Rescue & First Aid

Lifeguard Chair - Pelican

The Pelican Lifeguard Chair has a fixed seat. Fitted with hand rails, an umbrella wheels.

Seat height 1.8m

Code: PLAW00800



Lifeguard Chair - Vista

The Vista Lifeguard Chair allows lifeguards to easily scan large pool areas. Fitted with wheels, umbrella fitting & 360-degrees swivel seat.

Seat height 1.8m

Code: PLAW00805



Economy Lifebuoy

White PVC covered foam with braided red poly grab rope.

Code: PGEN1175



Commercial Lifebuoy

Orange PVC with reflective safety tape and poly grab rope. Compliant to SOLAS96/98 EC for marine equipment.

Code: PGEN1178



Horseshoe Lifebuoy

Soft style can be used for securing around the larger figure.

570 mm x 640 mm x 100 mm (H x W x D)

Code: PGEN1179



Rescue Tube

Used to wrap around or pull a victim out of the water. Complies to Australian Standard AS 2259.

980 mm x 140 mm x 80 mm (L x W x D)

Code: PGEN1180



Safety Hook

Fits a standard 32 mm^ø aluminium telescopic handle.

Code: PSP6100



Throw Rope

Red rope in a red bag.

Rope length: 12 m

Code: PGEN1182



Throw Rope

Yellow rope in a yellow bag.

Rope length: 20 m

Code: PGEN1183



Casualty First Aid Table

Comfortable and sturdy design. made of 32 mm^ø tube steel frame, vinyl covered foam padded top with an adjustable head rest.

1820 mm x 610 mm x 780 mm (L x W x H)

Code: PGEN1228



Lifejackets

The Spiral 100N Lifejacket is made of super soft foam and is as comfortable as it is durable, great for swimming pools, sheltered and coastal waters.



Baby <15 kg

Child <20 kg

Child Large 20-30 kg

Junior 30-40 kg

Adult Small 40-60 kg

Adult Medium 50-70 kg

Adult Large 40 kg

Extra Large >40 kg

Code: PJLIF04

Code: PJLIF05

Code: PJLIF06

Code: PJLIF07

Code: PJLIF08

Code: PJLIF09

Code: PJLIF10

Code: PJLIF11

Back Board NAJO Lite

A tough, durable, impervious to all body fluids, and 100% x-ray translucent. Hand holds are recessed to allow clearance when picking up the back board. It has two handles at the tapered end to allow for more stable transport and also has angled edges for log-rolling. The board has an opening down the lower half to immobilize each leg separately if so desired. Supplied with pins, straps sold separately.

1830 mm x 405 mm x 44 mm (L x W x D) Weight: 6.5 kg. Load limit 204 kg
Code: PGEN1208



Spinal Board

Made of advanced composite material to provide a strong rigid surface with smooth durable finish. Board is neutrally buoyant for effective water rescue work. Raised hand holds allows the users to select appropriate lifting points. Easy slide feature allows for smooth and efficient patient movement. Compatible with basket stretchers and X-ray translucent. Supplied with pins & 3 quick release straps.

1780 mm x 425 mm x 30 mm (L x W x D) Weight: 8 kg. Load limit 175 kg
Code: PGEN1205



Spinal Board Laeradl Baxstrap

Suitable for water rescue work. No seams make it easy to clean. Raised hand holds makes it easy to pick up. Radiolucent for clear view of the spine, MRI/CT scan compatible. Supplied with pins, straps sold separately.

1830 mm x 410 mm x 65 mm (L x W x D) Weight: 5.6 kg
Code: PGEN1202



Spine & Back Board Spider Straps

A 10 point 5 strap system used to secure patients to spinal and back boards. Colour coded for rapid immobilisation. Suitable for all boards.

165 cm (L)
Webbing rating: 1588 kg
Code: PGEN1212



Spine & Back Board Strap

Can be used with back boards with pins. Fitted with Speedclips. (3 required per board)

Code: PGEN1208A



Head Immobiliser

Universal sizing easily adjusts to hold the patients head in the position found. Dual purpose head supports tapered on one side for use with a flat back board or scoop stretchers 38 to 48 cm.

Waterproof plastic coating and will not interfere with X-rays

250 mm x 390 mm x 150 mm (L x W x H)
Code: PGEN1225



Wiz Loc Collar

Universal design provides a collar capable of fitting the vast majority of patients. The unique self centre ring mandibular support allows you to virtually custom fit to each patient.

Fits most except small children
Code: PGEN1220



Paediatric Stiffneck Collar

Suitable for small children
Code: PGEN1221



Baby Stiffneck Collar

Suitable for babies. (No Neck)
Code: PGEN1222



Resuscitation

Pocket Mask

Pocket mask with case.
Code: PGEN1245



Re-useable Resuscitator

Silicone bag valve mask resuscitator. Designed for effective manual resuscitation. 100% Latex free silicone. The high polished silicone bag, I/E valve housing and mask allow the operator to view critical function areas. The textured surface identifies the grip area for maximum stroke volume delivery while assisting in a sure grip. Cleaning the units is simplified with easy disassembly and re-assembly of components.
Adult Code: PGEN1285



Disposable Resuscitator

Designed for effective manual resuscitation. 100% Latex free PVC. The high polished PVC bag, I/E valve housing and mask allow the operator to view critical function areas. The textured surface identifies the grip area for maximum stroke volume delivery while assisting in a sure grip. Completely disposable eliminates the need to clean, disinfect or sterilize the device. The possibility of cross-contamination is eliminated.
Sizes:
Infant Code: PGEN1286
Child Code: PGEN1289
Adult Code: PGEN1287



OXY Therapy Kit

Australian Standard
Suitable for the delivery of oxygen.

Kit contains:

- 1 x multifold regulator
- 3 x adult masks
- 3 x child therapy masks
- Pocket mask with O₂ inlet, face strap and case
- 1 x cylinder spanner

(Oxygen bottle not included)

Contents Only

Code: PGEN1265

Bag suits Oxy Resuscitation Kit

Code: PGEN1248

Available in Red, Blue or Green.

(Oxygen bottle not included)



OXY Resuscitation Kit

Australian Standard

Developed as an emergency resuscitation kit and can be utilised by a range of users. The kit also provides for the supply of oxygen therapy kit.

Kit contains:

- 1 x multifold regulator
- 1 x adult resuscitator with reservoir bag
- 1 x extension hose and mask
- 3 x adult masks
- 3 x child therapy masks
- Pocket mask with O₂ inlet, face strap and case
- Airway sizes 1 to 5
- 1 x cylinder spanner

(Oxygen bottle not included)

Contents Only

Code: PGEN1266

Bag suits Oxy Resuscitation Kit

Code: PGEN1248

Available in Red, Blue or Green.

(Oxygen bottle not included)



OXY Rescue Kit

Australian Standard

For by trained professionals in the delivery of oxygen resuscitation. This kit has the benefit of a venturi suction system.

Kit contains:

- 1 x multifold regulator with 2 high pressure outlets
- 1 x Oxy demand valve with mask and tubing
- Oxygen powered suction unit
- 3 x adult masks
- 3 x child therapy masks
- Pocket mask with O₂ inlet, face strap and case
- Airway sizes 1 to 5
- 1 x cylinder spanner

(Oxygen bottle not included)

Contents Only

Code: PGEN1267

Bag suits Oxy Resuscitation Kit

Code: PGEN1262

Available in Red or Blue.

(Oxygen bottle not included)



Defibrillator & CPR Training Manikins

HeartStart FRx Defibrillator

The HeartStart FRx Defibrillator is a semi-automatic external defibrillator that is rugged, reliable & designed to be easy to use for those first to arrive at an emergency situation. It incorporates a number of features to ensure readiness with minimum maintenance. It's simple to operate, with minimal training. The clear & confident voice instructions coach the first aider through each steps of first aid defibrillation & CPR. The HeartStart FRx Defibrillator is always ready with comprehensive automatic self-tests of all vital functions on a daily, weekly & monthly schedule. Child key allows it to be suitable for use on children.

Includes:

1 x HeartStart FRx Defibrillator, 1 x User Guide, 1 x Battery Pack, 1 x Defibrillator electrode Set, 1 x Carry Case, 1 x Poster

HeartStart FRx Defibrillator Code: PGEN1300

Options:

HeartStart FRx Defibrillator Child Key Code: PGEN1305

HeartStart FRx Defibrillator Training Unit Code: PGEN1310



CPR Pal Manikin Ambu

Ideal for CPR training and it is excellent for teaching basic life support. It's sturdy, but light and easy to transport. It uses a simple, hygienic system to prevent cross-infection. Real life feel and look.

Includes

5 x mouth nose pieces

100 x airways

Carry case and instructions

Ambu CPR Pal Manikin

Code: PGEN1230

Replacement mouth/nose pieces

Code: PGEN1238

Replacement Airway Bags 20/pack

Code: PGEN1239



Baby Anne Manikin Laerdal

A user friendly infant basic life support manikin.

Lifelike infant CPR trainer.

- Realistic chest compression and rise
- Inexpensive and easy to maintain airway system
- Foreign body airway obstruction feature
- Head tilt/chin lift required to open the airway

Includes

1 x manikin

6 x airways

10 x foreign body practice objects

Carry case and instructions

Code: PGEN1234



Little Junior Manikin Laerdal

Developed to provide a low-cost alternative for effective child CPR training without compromising realism. Little Junior continues in the same tradition as the popular Little Anne and Baby Anne Manikins.

- Airway can be opened using head/chin lift or jaw thrust technique
- Compression "clicker" provides audible confirmation of adequate compression depth
- Economical and disposable airways for quick & easy cleanup
- Removable, reusable faces.

Includes:

1 x manikin/training mat

2 x faces

2 x airways

1 x bottle of manikin disinfectant Carry case and instructions

Code: PGEN1233



Little Anne CPR Manikin Laerdal

A realistic, inexpensive, lightweight adult CPR trainer that offers all the essential features.

- Airway can be opened using head/chin lift or jaw thrust technique
- Compression "clicker" provides audible confirmation of adequate compression depth.
- Compression spring for consistent resistance.
- Economical and disposable airways for quick & easy cleanup.
- Removable and reusable faces.

Includes:

1 x manikin/training mat

2 x faces

2 x airways

1 x bottle of manikin disinfectant Carry case and instructions


Little Anne CPR Manikin

Code: PGEN1232

Replacement mouth/nose pieces 24/pack

Code: PGEN1240





Maintenance & Cleaning

Paint Coatings

Commercial Robotic Automatic
Pool Cleaners

Domestic Robotic Pool Cleaners

Manual Pool Cleaning &
Accessories

Filtration Media

Repairs & Tools

Amenity Cleaning

Maintenance
& Cleaning

Commercial Robotic Automatic Pool Cleaners



Dolphin W20

The Dolphin W 20 is recommended for commercial pools 15m. Advance to thorough and fast automated cleaning of shallow pools, with the only robotic pool cleaner that can work in water that is just 20 cm (8 in) deep. The Dolphin W 20 cleans toddler and paddling pools with standard or beach entry, and decorative pools of any shape. This unique pool cleaner delivers efficient pool cleaning in commercial and public environments.

Scrubs, brushes, vacuums and filters the entire pool floor.

Scanning

Systematic and accurate scanning — Intelligent scanning technology, with a built-in gyro. Flexible navigation for efficient and complete coverage of the pool floor regardless of shape.

Identifies walls and avoids obstacles. Advanced scanning system ensures optimal coverage of the entire pool floor. Gyroscopically tracking system enables accurate and effective scanning. Dual motor manoeuvrability for precise performance. Features obstacle escape. Suitable for beach entry pools.

Specifications:

Cycle Time:	1 – 3 hrs
Cable:	18 m, Swivel on cable
Filtration:	Ultra Fine Filter
Brushes:	2 Active PVC Brushes
Remote Control:	Basic selectable regular/faster cycle time, manual navigation
Weight:	10 kg
Caddy:	No
Warranty:	24 months

Dolphin W20 Code: PCLEMDW20



Dolphin Liberty

Battery-powered cordless robotic pool cleaner recommended for pools up to 15 m & have an irregular shape &/or have in-pool obstacles, such as island, pillars & bridges.

Scanning: – Gyroscopically tracking system enables accurate & effective scanning. Dual motor manoeuvrability for precise performance. Features obstacle escape. Suitable for beach entry pools.

Filtration – Large self contained inner ultra fine Porosity filter bag collects dirt, debris & even fine dust particles. User-friendly top access to the filter bags. User friendly top access to the filter bags.

Specifications:

Cycle Time:	1 / 1.25 / 1.5 hrs
Cable:	2.5 m
Min. working depth:	40 cm
Filtration:	Dual-level filtration for fine & rough dirt
Brushes:	Combination for all terrains or Wonder Brushes
Weight:	13.2 kg
Suction rate:	17 m ³ per hour
Motor unit voltage:	24 VDC
Charger:	Digital switch-mode charger
Caddy:	Included
Warranty:	24 months on all parts 12 months on the battery
Recharge time:	2 – 4 hrs

Dolphin Liberty with Combination Brushes Code: PCLEMD060

Dolphin Liberty with Wonder Brushes Code: PCLEMD065



Dolphin Wave 75

Recommended for commercial pools 10 – 20 m. Scrubs, brushes, vacuums & filters the entire pool floor, walls & waterline. Triple active brushing with patented double speed active brush.

Scanning – Gyroscopically tracking system enables accurate & effective scanning. Dual motor manoeuvrability for precise performance. Features obstacle escape. Suitable for beach entry pools.

Filtration – Large self contained inner ultra fine Porosity filter bag collects dirt, debris & even fine dust particles.

Safety – Motor protection mechanism in case of overload & out of water. Low voltage reduces energy consumption. Auto shut off at end of cycle time.

Specifications:

Cycle Time:	2 / 3 / 4 hrs
Cable:	24 m, Swivel on cable
Min. working depth:	40 cm
Filtration:	Fine Porosity
Brushes:	Combination for all terrain or Wonder Brushes
Remote Control:	Parameters, cleaning programs & manual manoeuvring
Weight:	10.5 kg
Unit Dimensions:	40 x 40 x 28 cm (L x W x H)
Suction rate:	17 m ³ hour
Motor unit voltage:	27 VDC
Power Supply	
Digital switch-mode:	Output <30 VDC, IP 54
Caddy:	Included
Warranty:	24 months on all parts

Dolphin Wave 75 with Combination Brushes Code: PCLEMD075

Dolphin Wave 75 with Wonder Brushes Code: PCLEMD077

Dolphin Wave 100

Recommended for commercial pools 20m – 25 m.
Scrubs, brushes, vacuums & filters the entire pool floor, walls & waterline.

Scanning: – Gyroscopically tracking system enables accurate & effective scanning. Dual motor manoeuvrability for precise performance. Features obstacle escape. Suitable for beach entry pools.

Filtration: – Large self contained inner ultra fine Porosity filter bag collects dirt, debris & even fine dust particles.

Safety: – Motor protection mechanism in case of overload & out of water. Low voltage reduces energy consumption. Auto shut off at end of cycle time.

Specifications:

Cycle Time:	4 / 6 / 8 hrs
Cable:	30 m, Swivel on cable
Filtration:	Dual level filtration
Brushes:	Combination for all terrains or Wonder Brushes
Remote Control:	Parameters, cleaning programs & manual manoeuvring
Weight:	12 kg
Unit Dimensions:	40 x 40 x 28 cm (L x W x H)
Suction rate:	17 m³ per hour
Motor unit voltage:	27 VDC
Power Supply	
Digital switch-mode:	Output <30 VDC, IP 54
Caddy:	Included
Warranty:	24 months on all parts



Dolphin Wave 100 with Combined Brushes Code: PCLEMD160

Dolphin Wave 100 with Wonder Brushes Code: PCLEMD175

Dolphin Expert Pro

Recommended for commercial pools 25 – 50 m.
Scrubs, brushes, vacuums & filters the entire pool floor, walls & waterline.

Scanning: – Intelligent navigation system ensures thorough coverage of every pool type & shape in minimum time. Features obstacle escape. Suitable for beach entry pools.

Filtration: – Two large self contained ultra fine micronic filter bags collect dirt, debris & even fine dust particles.

Safety: – Motor protection mechanism in case of overload & out of water. Low voltage reduces energy consumption. Auto shut off at end of cycle time.

Specifications:

Cycle Time:	4 / 6 / 8 hrs
Cable:	40 m, Swivel on cable
Filtration:	Dual level filtration for fine & rough dirt
Brushes:	Combination for all terrains
Remote Control:	Parameters, cleaning programs & manual Manoeuvring
Weight:	20 kg
Suction rate:	32 m³ per hour
Motor unit voltage:	27 VDC
Power Supply	
Digital switch-mode:	Output <30 VDC, IP 54 Full
Caddy:	Included
Warranty:	24 months on all parts



Dolphin Expert Pro with Combined Brushes Code: PCLEMD200

Dolphin Expert Pro with Wonder Brushes Code: PCLEMD250

Dolphin WaveXL

Recommended for commercial pool 25 – 60 m.
Scrubs, brushes, vacuums & filters entire pool floor.

Scanning: – Intelligent navigation system ensures thorough coverage in minimum time. Features obstacle escape. Suitable for beach entry pools.

Brushing: – Active brushing system with rotating brushes designed to brush, scrub & remove dirt & algae from the pool floor, slopes, edges & corners.

Filtration: – High filtration capacity & super suction power through two easy to replace disposable or standard filter bags. User friendly top access to the filter bags.

Dolphin WaveXL – 50 m Code: PCLEMD300

Dolphin WaveXL – 60 m Code: PCLEMD310

Full details and specifications available at our web site.

MMI (Maytronics Machine Interface): – User-friendly control panel enabling control of cycle time, operation delay, navigational & scanning system, diagnosis of technical function & parameters.

Specifications:

Cycle Time:	1 – 8 hrs
Cable:	43 m or 50 m
Filtration:	Triple-level pool filtration option for fine & rough dirt
Brushes:	Add on extra active brush
MMI:	Interactive Digital Interface
Remote Control:	Manual Manoeuvring
Weight:	25 kg
Suction rate	40 m³ per hour
Power Supply	
Digital switch-mode:	Output <40 VDC
Caddy:	Included
Warranty:	24 months on all parts



Domestic Robotic Pool Cleaners



Dolphin E10

The Dolphin E10 is ideal for small pools up to 8 m in length for above ground pools too.

Pool Coverage – Floor only

Brushing

2 x PVC Active brushes spin at twice the speed of the robot, resulting in enhanced all surface cleaning

Filtration – Easy clean canister

In The Box

Dolphin E10 robot with floating cable
Power supply unit
Documentation

Specifications

Cycle Time:	1.5 hours
Cable length:	12 m with floating cable
Filtration:	Easy clean canister
Brushes:	PVC
Cleans:	Floor
Weight:	6.3 kg
Warranty:	2 year manufacturers warranty (Limited)

Dolphin E10 Domestic Automatic Pool Cleaner – Standard Code: PCLEMD010



Dolphin X25

The Dolphin X25 is ideal for small pools up to 10 m in length.

Pool Coverage – Floor, Walls and Waterline

Mobility System – Standard

Brushing

2 x PVC Active brushes spin at twice the speed of the robot, resulting in enhanced all surface cleaning

Filtration – Easy clean net canister

In The Box

Dolphin E25 robot and floating cable
Power supply unit, Documentation

Specifications

Cycle Time:	2 hours
Cable length:	15 m with float cable & swivel
Filtration:	Easy clean net canister
Brushes:	PVC
Cleans:	Floor and Wall
Suction rate:	5,000 ltr/hr
Beach Entry:	Yes
Motor unit voltage:	24 VDC
Weight:	.5 kg
Warranty:	2 year manufacturers warranty (Limited)

Dolphin X25 Domestic Automatic Pool Cleaner Code: PCLEMDX25



Dolphin X30

The Dolphin X30 is ideal for pools up to 12 m in length.

Pool Coverage – Floor, Walls and Waterline

Mobility System – Power Stream

Brushing

2 x PVC Active brushes spin at twice the speed of the robot, resulting in enhanced all surface cleaning

Filtration – Easy clean net & choice of ultra-fine filter level

In The Box

Dolphin E30 robot and floating cable
Power supply unit, Documentation

Specifications

Cycle Time:	2 hours
Cable length:	8 m with float cable & swivel
Filtration:	Easy clean net & choice of ultra-fine filter level
Brushes:	PVC
Cleans:	Floor, Walls and Waterline
Suction rate:	15,000 ltr/hr
Beach Entry:	Yes
Motor unit voltage:	24 VDC
Weight:	7.5 kg
Warranty:	2 year manufacturers warranty (Limited)

Dolphin X30 Domestic Automatic Pool Cleaner Code: PCLEMDX30

Full details and specifications available at our web site.

Dolphin X40 Plus

The Dolphin X40 Plus is ideal for pools up to 12 m in length.

Pool Coverage – Floor, Walls and Waterline

Mobility System – Power Stream

Brushing

2 x PVC Active brushes spin at twice the speed of the robot, resulting in enhanced all surface cleaning

Filtration – Multi-Layer filter for fine and rough debris

Navigation

MyDolphin Smartphone Remote Control Unit

In The Box

Dolphin E40 robot and floating cable

Power supply unit, Pro Caddy, Documentation

Specifications

Cycle Time: 2 hours

Cable length: 8 m with float cable & swivel

Filtration: Multi-Layer filter for fine & rough debris

Brushes: PVC

Cleans: Floor, Walls and Waterline

Suction rate: 5,000 ltr/hr

Beach Entry: Yes

Motor unit voltage: 24 VDC

Weight: 7.5 kg

Warranty: 2 year manufacturers warranty



Dolphin X40 Plus Domestic Automatic Pool Cleaner Code: PCLEMDX40P

Dolphin Swash CL

Dolphin Swash CL is a cleaning wonder. Recommended for domestic swimming pools up to 12 m.

Scanning: – Efficient scanning & filtering ensures accurate & effective cleaning of any pool shape, type & size. Optimal time division between the walls & the floor ensures the most effective coverage & cleaning of the entire pool.

Brushing: – Scrubs the floor & walls. Vacuums & filters the entire pool.

Filtration: – Filter bag porosity – Ultra fine Micronic filtration. Self contained inner filter bag collects dirt, debris & fine dust particles.

Specifications:

Cycle Time: 2.5 hrs

Cable : 18 m with floating cable

Brushes: PVC or Wonder Brush

Cleans: Floor & Walls

Suction rate: 7,000 ltr/hr

Motor unit voltage: 24 VDC

Power Supply Output: <30 VDC IP54

Digital switch mode

Caddy: Included

Weight: 10 kg

Warranty: 24 months on all parts



Dolphin Swash CL with PVC Brushes Code: PCLEMD020

Dolphin Swash CL with Wonder Brushes Code: PCLEMD025

Dolphin Swash TC Pro

Dolphin Swash TC Pro dual motor has extended maneuvering capabilities for exceptional pool coverage. Recommended for domestic swimming pools up to 15 m.

Scanning – Efficient scanning & filtering ensures accurate & effective cleaning of any pool shape, type & size. Optimal time division between the walls & the floor ensures the most effective coverage & cleaning of the entire pool.

Filtration – Filter Bag porosity – Ultra fine Micronic filtration. Self contained inner filter bag collects dirt, debris & even fine dust particles.

Specifications:

Cycle Time: 1 / 2 / 3 hrs

Cable: 18 m with floating cable

Brushes: PVC or Wonder Brush

Cleans: Floor, Walls & Waterline

Remote Control: Cleaning programs

Suction rate: 7,000 ltr/hr

Motor: Dual Drive

Motor unit voltage: 24 VDC

Power Supply Output: <30 VDC IP54

Digital switch mode

Caddy: Included

Weight: 11 kg

Warranty: 24 months on all parts



Dolphin Swash TC Pro with PVC Brushes Code: PCLEMD030

Dolphin Swash TC Pro with Wonder Brushes Code: PCLEMD035

Full details and specifications available at our web site.

Manual Pool Cleaning & Accessories



Portable Suction Cleaning Unit

The portable suction unit is extremely quiet, economical to run & designed to suit either 40 mm or 50 mm commercial vac hose by using hose fittings. There are two models to choose from, with or without filter. Both units have an GT1200 1200 watt self priming high volume flow rate pump (1 H.P) & a giant plastic removable basket with a clear lid, mounted on a 316 stainless steel trolley fitted with large pneumatic go anywhere tyres. The filter is a C75 cartridge. Available in three phase power option on request.

A. Portable Suction Unit

Code: PCLE5100


B. Portable Suction Unit with filter

Code: PCLE5150

(Hoses & fitting sold separately. We advise using 50 mm hose & fittings)


Fairlock Vac Head

Made of strong plastic & features front & rear flaps which pivot to allow the vac head into the corners, adjustable brush. Replaceable parts are available. Suits 38 mm, 40 mm & 50 mm hose.
460 mm (L) Weight: 2.7 kg
Code: PACC6000



Aussie Gold Vac Head

Made of strong flexible plastic. Fitted with a swivel chromed alloy handle, urethane ball bearing wheels with adjustable height. It is also fitted with bottom scrapers for a better clean. It's fixed wheels makes it suited to a slope. Suits 38 mm, 40 mm & 50 mm hose.
470 mm (L) Weight: 2.8 kg
Code: PACC4000



IQ Suction Hose

IQ Heavy Duty Hose
(cuffs & joiners extra)
20 m x 38 mm
20 m x 51 mm

Code: PHOS54100
Code: PHOS56100



IQ Suction Hose Hose Cuffs

38 mm
51 mm

Code: PHOS58000
Code: PHOS58100



IQ Suction Hose Hose Joiners

38 mm
51 mm

Code: PHOS58105
Code: PHOS58110



PVC Cam Lock Fittings

BSP thread for hoses, vac heads & suction units.

Type F Male Adaptor Male

C. 40 mm

Code: PHOS57520

D. 50 mm

Code: PHOS57500

Type C Female Coupler/ Hose Tail

E. 40 mm

Code: PHOS57525

F. 50 mm

Code: PHOS57510

Bush

G. 50 mm Male x 40 mm Female Code: PHOS57515

Adaptor

H. Type A 50 mm M x 50 mm F Code: PHOS57545



Leaf Shovel

Well suited to commercial use due to its one piece heavy duty construction. Fits telescopic handles. Code: PACC1012



Leaf Rake

A.B.S. plastic. Fits telescopic handles. Code: PCRM754



Leaf Skimmer

A.B.S. plastic. Fits telescopic handles. Code: PCSM756



Curved Brush

Nylon bristle. Fits telescopic handles. 450 mm (L) Code: PCBM418



Algae Brush

Stainless steel bristle. Fits telescopic handles. 225 mm (L) Code: PCBM206



Telescopic Aluminium Handles & Wishbones

I. Handle with Outerlock Cam - 2.44/4.8 m

Code: PHAN51030

J. Handle with Wishbone - 3.66/7.3 m

Code: PHAN51018

J. Handle with Wishbone - 5.0/9.8 m


Code: PHAN51027

K. 3 piece Handle with Wishbone & Outerlock Cam 2.4/4.8/7.2 m

Code: PHAN51035

L. Replacement Wishbone

Code: PCPT813



Filtration Media



Glass Filtration Media

IQ Recycled Glass requires 20% less glass than sand.

- Environmentally friendly
- Eliminates porous bacteria growth inside the tank
- Deep bed filter penetration
- Reduces chemical consumption
- Electrostatic filtration charge for finer filtration
- Water saving properties via less backwashing
- Saves energy via more efficient filtration
- Filters down to approx. 3 microns
- Life expectancy will exceed 10 years


Size:

15 kg Bag Grade 1 Fine

15 kg Bag Grade 2 Course

Code: THERAG6001

Code: THERAG6003



Diatomaceous Earth

For coating DE filter pads.

Diatomaceous Earth (DE filter powder)

Application:

Follow instructions on box or filter manufacturers instructions

Sizes:

4.5 kg ctn

11.3 kg ctn

Code: IQDE4045

Code: IQDE4011

Watercrete

Multi purpose patching cement that sets in five minutes. Underwater, no problem. Bonds to Concrete, Masonry, Wood, Steel & Fibreglass. Suitable for drinking water. Doesn't contain Calcium Chloride. The major advantage of Watercrete is simple, it achieves it's initial set in five minutes, even underwater or in very wet conditions, which makes it extremely convenient & useful product where speed is essential &/or water prevents repairs with ordinary concrete. It has the same strength as concrete & is very simple to use. Just mix Watercrete straight from pack with water until it's like a putty, & it's ready to use.

Initial set 5 minutes. Curing set 15-30 minutes. Compressive strength of 2,000 psi or greater in 24 hours. Maximum strength in 28 days. Non toxic.

750 g Code: TQUIC75

4.5 kg Code: TQUIC45

10 kg Code: TQUIC10



Epoxy Adhesive

High strength structural paste adhesive with medium gap filling capacity. Use it on Concrete, Brick, Masonry, Rubber, Aluminium, Steel, Wood, Laminates, Plastics etc. Set time 35 minutes. 60% of ultimate strength in 24 hours, full cure in 7 days. Easy to use, mix 2 parts 'A' to one part 'B' by weight or volume, mix & it's ready to use.

Bond tiles underwater, grout bolts & studs, bond old concrete to new concrete, wet or dry, ground it, drill it, saw it or polish it, repair cracks by filling & injection. Great for lane rope anchors & Backstroke Posts.

600 g Code: PP13GP001

1.5 litre Code: PP13GP002

3 litre Code: PP13GP003



Emerkit

A two part easy to use epoxy that can be moulded in virtually any shape. Use it in or out of the water, sets like concrete. Repair pools without emptying the pool. Emerkit has outstanding electrical properties making it an excellent product to use for electrical repairs.

Adheres to Concrete, Metal, Aluminium, Fibreglass, Glass, Timber & most rigid plastics. Repair, build, seal, fill & bond it.

Seals leaks in roofs, windows, pipes, water & fuel tanks.

No drip no fuss. Simply clean, rip, mix & fix. Sets in 2 1/2 hours, full strength in 24 hours. No shrinkage, cleans up with water.

1.2 kg White 8 sets/pack Code: PMRE108



Aqua Fix-It

Underwater epoxy polymer putty is a no mess, non-toxic instant repair system that can be used on a damp, wet or underwater repair situations to build or repair substrates or pipes. Use on metal, fibreglass, concrete, glass, ceramic tile, glass & piping material in fresh or salt water.

Simply cut, clean, mix & apply. Completely cures in 60 minutes. Can be sanded, filed, drilled, machined & painted.

Supplied in a resealable tube.

114 g tube Code: PMRP834



Drum Cap Tap

Allows liquid to be poured without that annoying "glug".

Simply screw on to 15, 20 or 25 litre drums.

Code: IQTC1001



Cap Spanner

Used to remove hard to get off caps, also has a bung screwdriver.

Code: PMVT807



Suction Anchor

Used for the temporary anchoring of inflatables. Can be used on the side or on the bottom of the pool.

Plastic twin 100 mm cups lever action.

Code: PANCHOR



Paint Coatings



Before



After

Swiftvulc Chlorinated Rubber Paint

Swiftvulc Chlorinated Rubber paint is a single pack immersion & protective flexible coating. It has excellent resistance to UV rays. The ease of re-coating, its durability, chemical, mould, algae, fungi & bacterial growth resistance are ideal for many applications including concrete, fibreglass swimming pools, fish ponds, sewage, water treatment plants & reservoirs. Also may be used on some metal applications.

Coverage: 9 square metre's per litre

Available in 1 litre, 4 litres & 20 litres

Colours include:

Pale Blue
Dolphin
Mid Blue
Deep Blue
Black
White
SVX Thinners
Retarder Thinners



Before



After

Swiftvulc SwiftEpoxy High Build 2 Pack Paint

SwiftEpoxy is designed for immersion. It has a hard, smooth gloss surface which compliments the operations of pool cleaning equipment. High build differs from other epoxy paints in that it has fine ceramic particles in it, which gives the surface minute highs & lows allowing for future repainting without sandblasting to get a key. Use as a single coat or double coat system.

Coverage: 8 square metre's per litre

Available in 4 litre packs

Colours:

Glacier Blue
Pacific Blue
Atlantic Blue
Warm White
Black
Abyss
Sea Change
Stone
SVX Thinners
Primer 5 ltr pack



Degreaser

EC-101 degreaser is water based formulated for the removal of grease, oil, body fats, sun tan lotion & other contaminants from the pool surface before painting to aid adhesion. Can be used as a general purpose degreaser for cleaning pathways, garage floors, bathrooms, change rooms, kitchens, engines & machinery. Environmentally friendly. Contains no acids, non-costic & bio-degradable. 5 litre Code: PPA15300D

Utility Pads

Use to clean & scrub pool walls, floors & public amenities.

White - Fine

Code: CD00DP3

Blue - Medium

Code: CD00DP1

Brown - Coarse

Code: CD00DP2



Utility Pad Holder

Broom handle required

Code: CD00DB

Broom Handles

Broom Handle 1.52 m x 25 mm Code: HBR015225

Broom Handle 1.8 m x 25 mm Code: HBR018225



Utility Pad Holder

H& held

Code: CD00DH



Scrub with Squeegee

A versatile brush squeegee combo. Use to scrub pool grating, tiles & floors then squeegee dry, supplied with handle.

Code: B2491



Rubbish Clean Up Clamp

Pick up rubbish without bending down with the use of the 1 metre long clamps

Code: B010563B



Olympia Rubbish Bin

Polythene rubbish bins resistant to most chemicals & will not rust or corrode from waste food or drink contact. The surfaces are smooth & easy to clean. Small round waste bin with inward dished lid. Ideal for use in & around the pool area or indoor environments.

60 litre capacity.

365 mm^ø x 730 mm (W x H)

Colours: Red, Dark Blue, Light Blue, Dark Grey, Light Grey Yellow or Beige

Code: GBINPLB07



Capricorn Rubbish Bin

An attractive styled rubbish bin of simple open top design with inward dished top. Ideal for use in & around the pool area or indoor environments.

65 litre capacity.

350 mm^ø x 770 mm (W x H)

Colours: Red, Dark Blue, Light Blue, Dark Grey, Light Grey Yellow or Beige

Code: GBINPLB06





Chemical Dosing & Controllers

Granudos

Controllers

Chemical Storage

Chemical
Dosing &
Controllers

Granudos

Granudos 10-CPR Touch

Granudos 10-CPR Touch swimming pool disinfection system using IQ Granu-Chlor 700 granulated Calcium Hypochlorite and IQ Granu-cid acid with flocculant dosing is completely controlled by the autocontrol system CPR Touch for free chlorine, pH, redox and temperature. IQ Granu-Chlor 700 granulated Calcium Hypochlorite is dosed directly from the integrated hopper. IQ Granu-cid acid is dosed within the system from the container to correct the pH and to avoid scaling. IQ Granu-Chlor 700 Calcium Hypochlorite and IQ Granu-cid are dosed separately at intervals to the dissolving system from where the very low concentrated chlorine solution is conveyed by a venturi nozzle to the pool water. The dosing of the chemicals is controlled directly by the integrated autocontrol system. The booster pump of the Granudos works also as metering water pump. The metering water is returned into the cycle via the dissolving system. The autocontrol system and the peristaltic pumps for flocculent and acid are integrated well accessible under a transparent cover at the front of the unit. Unit is self cleaning.

Housing with retention tub: Solid one part rotational sintered polyethylene shape containing all functional parts.

Chlorine dosing: Dosing hopper for chlorine granulate for 15 kg, dosing motor, dosing screw, knocker to support the dosing

Acid dosing: Peristaltic dosing pump, suction lance with empty report of the canister, dosing valve 3/8" in the dissolving system

Flocculent dosing: Peristaltic dosing pump, suction lance with empty report of the canister, dosing valve 1/2"

Dissolving system: Pre-filter d75, flushing tank, booster pump app. 1000 l/h at 1,2 bar, venturi, mixing cyclone. Monitoring of the pump by pressure switch. Monitoring of the suction performance of the venturi. Level switch min/max flushing tank



Control techniques:

- Coloured 7" Touch-Graphic display to indicate the current data and status of the unit
- Faults and alarms are illustrated by self-explaining icons
- All control parameters are adjustable to ensure optimal pool conditions
- Integrated test programmes for all functions
- Proportional control characteristic to ensure compliance with the selected set points
- Start-up automatic with pH preference dosing
- Input for external release, shock chlorination and ECO mode
- Alarm relay with non-volt changeover contact
- Operation languages: German and English Interface: Modbus TCP, USB for data export

Remote indication: The measuring values, the current status, faults and alarms can be remote indicated by every browser driven device (e.g. computer or smartphone)

Measuring cell:

- Compact acrylic glass block to take the electrodes, flow regulator and sample water valve. Pressure resistant design for measuring water recirculation
- pH-electrode with high reliability reference system
- REDOX electrode with large and self-cleaning platinum round plate
- Free chlorine electrode consisting of: large and self-cleaning surface round gold plate and counter electrode with reference system Ag/AgCl
- Temperature sensor for temperature measurement
- Sample water valve

Suitable for Pools: 10,000 – 400,000 ltrs

Electrical Supply: 230V/AC 50 Hz

Power Supply: 0.33 kW

Water Supply: DN25

Water outlet to injection point: DN20

Chlorine max output: 1 kg/h

Acid max output: 1 l/h

Pre-pressure Min.: 0.2 bar

Back-pressure Max.: 1.2 bar

Dimensions: 125 x 70 x 50 cm (H x W x D)

Weight: approx. 40 kgs

Code: GR24660

Full details and specifications available at our web site.

GRANUDOS 45/100-CPR TOUCH

Granudos 45/100-CPR Touch swimming pool disinfection system using IQ Granu-Chlor 700 granulated Calcium Hypochlorite and IQ Granu-cid acid dosing is completely controlled by the autocontrol system CPR Touch for free chlorine, pH, redox and temperature.

For the disinfection and pH regulation of swimming pool water. Chlorine dosing directly from the chemical drum. IQ Granu-cid acid is dosed into the system directly from the canister to correct the pH and to avoid scaling. IQ Granu-Chlor 700 granulated Calcium Hypochlorite and IQ Granu-cid acid are dosed separately at intervals to the dissolving system from where the chlorine solution is conveyed by a venturi nozzle to the pool water. The dosing of the chemicals is controlled directly by the integrated autocontrol system. The booster pump of the Granudos works also as metering water pump. The metering water is returned into the cycle via the dissolving system. The autocontrol system is mounted well accessible at the unit. Unit is self cleaning.

Vertical support: Rotating drum carrier steel, zinc and blue powder coated, drum fixing device with clamp bands and safety belt

Chlorine dosing: Dosing hopper to be screwed on the chemical drum. Dosing motor, dosing screw, knocker to support the dosing. Capacitive switch for empty monitoring of the drum

Acid dosing: Peristaltic dosing pump, suction lance with empty report of the canister, dosing valve 3/8" in the dissolving system

Dissolving system: Pre-filter d 75, flushing tank, booster pump app. 1000 l/h at 1.2 bar, venturi, mixing cyclone. Monitoring of the pump by pressure switch. Monitoring of the suction performance of the venturi. Level monitoring of the flushing tank

Control techniques:

- Coloured 7" Touch-Graphic display to indicate the current data and status of the unit
- Faults and alarms are illustrated by self-explaining icons
- All control parameters are adjustable to ensure optimal pool conditions
- Integrated test programmes for all functions
- Proportional control characteristic to ensure compliance with the selected set points
- Start-up automatic with pH preference dosing
- Input for external release, shock chlorination and ECO mode
- Alarm relay with non-volt changeover contact
- Operation languages: German and English

Interface: Modbus TCP, USB for data export

Remote indication: The measuring values, the current status, faults and alarms can be remote indicated by every browser driven device (e.g. computer or smartphone)

Measuring cell

- Compact acrylic glass block to take the electrodes, flow regulator and sample water valve. Pressure resistant design for measuring water recirculation
- pH-electrode with high reliability reference system
- REDOX electrode with large and self-cleaning platinum round plate
- Free chlorine electrode consisting of: large and self-cleaning surface round gold plate and counter electrode with reference system Ag/AgCl
- Temperature sensor for temperature measurement
- Sample water valve

Dimensions: 180 x 60 x 70 cm (H x W x D)

Weight: approx. 55 kgs

Power: 230 V / AC 50 Hz

Power Supply: 0.3 kW

Water Supply: DN25

Water outlet to injection Point: DN20

Pre-pressure Min.: 0.2 bar

Back-pressure Max: 1.2 bar



45-CPR Touch

Suitable for Pools: 400,000 – 750,000 ltrs

Chlorine max output: 2 kg/h

Acid max output: 3 l/h

Code: GR24661

100-CPR Touch

Suitable for Pools: 500,000 – 4,000,000 ltrs

Chlorine max output: 4 kg/h

Acid max output: 3 l/h

Code: GR24749

Full details and specifications available at our web site.

Granudos

Granudos GR15

Swimming pool disinfection system using IQ Granu-Chlor 700 granulated Calcium Hypochlorite and IQ Granu-cid acid controlled by the auto control system POOL-PR for pH and ORP

IQ Granu-Chlor 700 granulated Calcium Hypochlorite is dosed directly from the integrated hopper. IQ Granu-cid acid is dosed within the system from the container to correct the pH and to aid in cleaning. IQ Granu-Chlor 700 Calcium Hypochlorite and IQ Granu-cid are dosed separately at intervals to the dissolving system from where the very low concentrated chlorine solution is conveyed by a venturi nozzle to the pool water.



Housing

Solid one part rotational sintered blue PE shape containing all functional parts

Auto Control System

This system controls pH and ORP with very simple operation. Program switch with 8 operation and service programs.

Proportional dosing for both Chlorine and Acid. Operational functions are indicated by LED's.

Measuring of pH-value and ORP

The probes for pH and ORP are fitted within the flushing tank.

Suitable for Pools: 1,000 – 400,000 ltrs

Chlorine max output: 2.5 kg/h

Acid max output: 2.5 l/h

Hopper Size: 15 kg

Weight: approx. 25 kg

Dimensions: 95 x 40 x 40 cm (H x W x D)

Power: 230 VAC single phase, 0.2 kW

Supply Pressure: 0.6-1.5 bar

Counter Pressure: 0-1.2 bar dependent on supply pressure
water flow with booster pump approx. 600 l/h at 1 bar

Code: GR18416

Granudos 10-S4

Swimming pool disinfection system using IQ Granu-Chlor 700 granulated Calcium Hypochlorite and IQ Granu-cid acid controlled manually or by any external control system with an on/off output.

IQ Granu-Chlor 700 granulated Calcium Hypochlorite is dosed directly from the integrated hopper. IQ Granu-cid acid is dosed within the system from the container to correct the pH and to aid in cleaning. IQ Granu-Chlor 700 Calcium Hypochlorite and IQ Granu-cid are dosed separately at intervals to the dissolving system from where the very low concentrated chlorine solution is conveyed by a venturi nozzle to the pool water. Unit is self cleaning.



Housing

Solid one part rotational sintered blue PE shape containing all functional parts

Suitable for Pools: 1,000 – 400,000 ltrs

Hopper Size: 15 kg

Chlorine max output: 2 kg/h

Acid max output: 1 l/h

Dimensions: 80 x 60 x 50 cm (H x W x D)

Weight: approx. 35 kg

Power: 230 VAC single phase, 0.3 kW

Supply Pressure: 0.2-1.5 bar

Counter Pressure: 0-1.5 bar dependent on supply pressure
water flow with booster pump: approx. 800 l/h at 1.2 bar

Code: GCSH8115

Full details and specifications available at our web site.

Granudos 45-S4 & 100-S4

IQ Granu-Chlor 700 granulated Calcium Hypochlorite is dosed directly from the integrated hopper. IQ Granu-cid acid is dosed within the system from the container to correct the pH and to aid in cleaning. IQ Granu-Chlor 700 Calcium Hypochlorite and IQ Granu-cid are dosed separately at intervals to the dissolving system from where the very low concentrated chlorine solution is conveyed by a venturi nozzle to the pool water. Unit is self cleaning.

Drum Support

Rotating drum carrier steel, zinc and blue powder coated, drum fixing device with clamp bands and safety belt.

45-S4

Suitable for Pools: 400,000 – 750,000 ltrs

Chlorine max output: 4 kg/h

Acid max output: 2 l/h

Code: GCSH8045

100-S4

Suitable for Pools: 500,000 – 4,000,000 ltrs

Chlorine max output: 8 kg/h

Acid max output: 3.5 l/h

Code: GCSH8100

Dimensions: 130 x 60 x 70 cm (H x W x D)

Weight: approx. 50 kgs

Power: 230 VAC single phase, 0.3 kW

Supply Pressure: 0.2-1.5 bar

Counter Pressure: 0-1.5 bar dependent on supply pressure water flow with booster pump approx. 1000 l/h at 1.2 bar



Full details and specifications available at our web site.

Chemical Storage

BL Series Storage Tanks

The BL series chemical storage tanks are constructed using one piece moulded polyethylene, features a domed top with moulded tie down lugs and moulded flats for drainage outlets. Ideal for indoor or outdoor usage with an all weather design. Style 4 has an elongated flat top area fitted with an access hole and cover. Standard colour is Natural (translucent white) Black is also available.

BL1000	Code: PTANKS003
BL1500	Code: PTANKS001
BL2000	Code: PTANKS004
BL2500	Code: PTANKS005
BL3000	Code: PTANKS050



CS Series Storage Tanks

The CS series chemical storage tank is an economical design with a lift off flat lid allowing easy access. Standard colour is Natural (translucent white) Black is also available.

CS200	Code: PTANKB010
CS500	Code: PTANKS015
CS750	Code: PTANKS020
CS1100	Code: PTANKS002



CR Series Storage Drums


Dome top moulded featuring a heavy duty screw top 150 mm^Ø lid. 25 litre moulded increments on the side of the drum makes gauging how much is in the drum easy. Natural (translucent white).

CR100DOM	Code: PTANKS010
CR220DOM	Code: PTANKS012
CR330DOM	Code: PTANKS013




Tank & Drum Size Guide

	Volume (litres)	Height (mm)	Base ^Ø (mm)	Top ^Ø (mm)	Style
Chemical Drum	60	615	410	410	
CR100DOM	100	895	440	495	
CR220DOM	220	1020	590	650	
CR330DOM	330	1360	615	670	
CS200	200	760	590	685	1
CS500	500	910	848	960	1
CS750	750	965	990	1090	1
BL1000	1000	1510	1000	1000	2
CS1100	1100	1380	990	1100	1
BL1500	1800	1487	1360	1360	4
BL2000	2400	1890	1360	1360	4
BL2500	2500	1770	1500	1590	4
BL3000	3600	2060	1590	1590	4



Style 1



Style 2



Style 4

Chemical Storage Drums

A small drum where space is at a premium. Features a large screw top lid and handles.

60 ltr Black Drum	Code: PRCSPO50
60 ltr Blue Drum	Code: PRCSPO51





Timing Scoring & Training

Wireless Timing System

Basic Touch Pad Timing System

Championship Timing System

Starting Systems & Accessories

Timing Systems

Timing Accessories

Scoreboard & Video Displays

Mini Scoreboards & Accessories

Training Tools

Wireless Water Polo Scoring Systems

Clocks & Stopwatches

Underwater Camera Video
Systems

Lane Dividers

Wireless Timing System

Wireless Timing System

This is a common Wireless Timing System configuration using the Dolphin Wireless Timing System, Infinity Start System with a Dolphin Portable Mini Scoreboard.

Dolphin Wireless Timing System

Handheld wireless stopwatches for each lane (up to 3 per lane)
Starter unit, Base Station and USB cable, Dolphin Software interface,
Lanyard and Carrying Case.

Infinity Start System

Used to start races. Horn, Strobe light and limited P.A.

Tri Pod

Lifts the Infinity Start System for all to hear and see.
Also can be used on the Dolphin Portable Mini Scoreboard.

Dolphin to Infinity Kit


Cable to link the Dolphin Starter Unit to the Infinity Start System.
Includes cradle for Dolphin Starter Unit.

Dolphin Portable Mini Scoreboard

Used to display race time and results.

Dolphin Scoreboard Adaptor

Used to receive data from the Dolphin Base Station for the Scoreboard to display..



Basic Touchpad Timing System

This is a common basic Touchpad Timing System configuration using the Touchpads, Infinity Start System, System 6 Console with a Scoreboard.

System 6 Console

Co-ordinates incoming information from the start system, touchpads and backup buttons.

Touchpad System

Includes a Cable harness.
One Back-Up Push Button per lane.

Infinity or Champ Start System

Used to start races. Horn, Strobe light and P.A.

Tri Pod


Lifts the Start System for all to hear and see.

Mini Portable Scoreboard or LED-R Scoreboard

Used to display race time and results.

Sky-Fi Scoreboard Adaptor

Used to receive data from the System 6 for the Scoreboard to display.
Cable may also be used.



Championship Timing System

Championship Timing System

This is a common championship touchpad timing system configuration using the Touchpads, Champstart Start System, System 6 Console with a Scoreboard or Video Display.

System 6 Console

Co-ordinates incoming information from the start system, touchpads, relay judging platforms, backup buttons, and remote judging terminals for diving and synchronized swimming. It sends information to scoreboards, meet management software, printers, water polo horns and shot clocks.

Touchpad System

Cable harnesses are required to run touchpads, back-up buttons and relay judging pads.

Champ Start System

Used to start races. Horn, Strobe light and power to drive multiple speakers and inputs.

External Speakers

Fitted to starting platforms to allow the swimmer to hear instructions and start.

Tri Pod


Lifts the Start System.

Relay Judging Platform

Allows the timing console to compare the incoming swimmer's finish on the touchpad with the departure of the swimmer leaving the starting block.

LED-R Scoreboard or Video Display

Used to display race time and results or video.



Infinity Start System

The Infinity System is an excellent entry level start system, it features a highly visible built in orange strobe light that automatically flashes as the horn sounds, providing fair starts to hearing impaired athletes and a visual indicator for time keepers. A wired microphone included allows a limited public address to make announcements during practice and competitions. It has a false start recall feature that enables the starter to signal a false start and immediately alert competitors. The system is lightweight easy to use and portable. LED Low Battery Indicator shows battery level.

Expansion:

40W External speaker, External strobe light, Tri-pod
Ad to a System 6 Computer Console or Dolphin
Wireless Timing System.

245 mm x 360 mm x 180 mm (H x W x D)

Weight: 4.5 kg

Code: PSPL3010



Championship Start System

The Championship Start System delivers rugged durability performance. A high-powered unit makes an excellent choice for larger aquatic facilities. It can drive 2 x 10W or up to 12 x 6W individual speakers mounted under starting platforms as well as RJP speedlights for visual start signal. It includes a wired microphone. Three separate microphone inputs, two wired and an optional wireless microphone can be added. Independent volume control for each microphone input. Microphone volume is independent of start tone volume. The built-in strobe flashes with start signal. Additional external strobe lights can be added. LED Low Battery Indicator shows battery level. Can be used with the Tri pod.

337 x 330 x 146 mm (H x W x D)

Weight: 7.9 kg

Wired Code: PSPL5000

Wireless Code: PSPL5001



Tri Pod

Use the tri pod for Infinity, Championship Start systems, Portable Scoreboards and Pace / Shot Clocks. A mounting bracket is screwed to the starter unit with screws included. This allows quick removal and install onto the tri pod bracket with the use of thumbscrews. The tri pod is given sure footing with a rubber foot on each leg. The locking pin has three locking heights.

Locking Heights: 1220 mm, 1575 mm and 1880 mm

Code: PSPL3015



External Speaker

Use the external speaker on the Infinity Start Systems when the pool is wide so competitors on the far side of the pool can hear the start. Use the speaker to extend the range of the public address.

No additional power is required. The Infinity start system can power one external speaker. Just plug the jack into the external speaker jack socket and place where needed.

Power: 40 watts

Cable Length: 38 m Code: PSPL3017

Cable Length: 61 m Code: PSPL3018



External Strobe

The external strobe can be used in conjunction with your Infinity Start System or Championship Start System. Use to provide a visual start signal on the other side of the pool from the start system. Help give time keepers and officials a reliable start reference. Provides a fair start for hearing-impaired Swimmers.

When ordering, state which starting system it will be used with.

Cable Length: 35 m

Infinity Start System Code: PSPL3026

Championship Start System



Relay Judging Pad

The RJP sits on top of the starting platform and allows the timing console to compare the incoming swimmer's finish on the touchpad with the departure of the swimmer leaving the starting block. On every start, the RJP senses when the swimmer leaves the platform and compares the time to the start impulse from the Start System with 1/100th of a second accuracy.

Speedlight LEDs across the front flash simultaneously with the start tone and strobe light. All swimmers benefit from the visual signal.

RJPLD-2020 508 x 508 x 76 mm (L x W x H)

RJPLD-2024 609 x 508 x 76 mm (L x W x H)

RJPLD-2420 508 x 609 x 76 mm (L x W x H)

RJPLD-2432 813 x 609 x 76 mm (L x W x H)

RJPLD-2016 Omega Trackstart

Caddy also available



Timing Systems

Dolphin Wireless Timing System

Dolphin is a proven wireless timing system with a fully integrated Hy-Tek Meet Management interface. Dolphin provides wireless, synchronised, stopwatch-style timing for swimming competitions. It significantly reduces the amount of effort required to run a meet and manage data. By synchronising all stopwatches to the same start signal, the system has improved accuracy compared to manual stopwatches.

The Dolphin system includes

Handheld wireless stopwatches for each lane (up to 3 per lane)
Dolphin Starter unit, Base unit and USB cable, Dolphin Software Interface on USB Stick, Lanyards, batteries and a Plastic Carry Case.

Split Timing

Up to 10 split times can be recorded for each watch. The number of splits for each event is either set up manually in the Dolphin software or imported from the meet management program. Split can times are displayed on the scoreboard.

Three Modes of Operation

Electronic start system

Connect the starter unit to any CTS electronic start system. All watches will start timing with the start system signal. Each watch stops when the lane timer stops it. These times are wirelessly transmitted and saved for immediate access by Meet Manager. The starter unit is used to reset the system before the next race.

Synchronised manual start

The official with the starter unit presses the START/STOP key. All watches will start timing from this signal. Each watch stops when the lane timer stops it. These times are wirelessly transmitted and saved for immediate access by Meet Manager. The starter unit is used to reset the backup timing system before the next race.

Wireless backup timing

This mode is used for collecting backup times at major events, and is compliant with swimming ruling bodies' (FINA, NCAA, USS, NFHS, YMCA) requirements for backup timing. Lane timers start and stop the watches independently for a fully manual system. These times are wirelessly transmitted and saved for immediate access by Meet Manager if needed. The starter unit is used to reset the backup timing system before the next race.

Configurations

6 lane with 1, 2 or 3 watches per lane

8 lane with 1, 2 or 3 watches per lane

10 lane with 1, 2 or 3 watches per lane

Requirements: Hy-Tek Meet Manager and Computer



System 6 Timing Computer Console

The System 6 timing system is a multi-sport computer console that co-ordinates incoming information from the start system, touchpads, relay judging platforms, backup buttons, and remote judging terminals for diving and synchronized swimming. It sends information to scoreboards, meet management software, printers, water polo horns and shot clocks. The System 6 has been designed to meet and exceed current needs, and to easily allow for upgrades and enhancements in the future, extending the life of your investment.

Multi-sport options

Swimming and diving are standard with the System 6; optional changeable keyboard inserts and software programs are available for water polo, synchronized swimming, and training pace clock.

Enhanced Split Handling

Race split times are printed as they occur. Lap and cumulative splits are stored, and can be posted to LED matrix display scoreboards during a race. The System 6 supports unlimited splits, both near- and far-end.

Expanded Lane Capability

The System 6 can support up to 12 lanes. The System 6 is engineered for flexibility in lane shifting and lane reversal. This allows you, for example, to shift your race course to the centre lanes of your pool yet keep the lane numbering standard.

Meet Management

The System 6 is compatible with Hy-Tek Meet Manager, and many other Meet Management programs.

Rechargeable Battery

The System 6 includes a rechargeable battery for backup in case of an emergency power outage.

Add the Sky-Fi Wireless Adaptor to transmit data wirelessly to Scoreboards, Digital Pace and Shot Clocks.

Dimensions: 555 x 250 x 400 mm (W x H x D)

Display: 210 x 160 mm Backlit Colour

Weight: 4.36 kg

System 6 Code: PSPL60000

Case Code: PSPL60005



I/O Rear of System 6




Dolphin Timing System Parts



- | | |
|--------------------|----------------|
| A. Stopwatch | Code: PSPL4020 |
| B. Dolphin Starter | Code: PSPL4025 |
| C. Base Unit | Code: PSPL4030 |

Infinity Start System Parts



- | | |
|------------------------------------|-----------------|
| D. Dolphin Starter to Infinity Kit | Code: PSPL5009S |
| E. Plug Infinity to BNC | Code: PSPL5011S |
| F. Cable BNC to Mini BNC | Code: PSPL5010S |
| G. Start Microphone & cable | Code: PSPL5000S |
| H. Power Supply 230V 50Hz | Code: PSPL5006S |

Touchpad

All touchpads have an internal full face switch. Available in flat wall or gutter fitting. Gutter mount touchpads are fitted with top edge switches. Most touchpads are available with either standard or patented AquaGrip non-skid surface. All plastic construction and include a 3 metre cable with molded connector. Less than 5vDC on deck power required (electronically isolated at the timer). Available in a range of sizes from 152 x 55 cm to 240 x 90 cm (W x H x 7.6 mm T). Full details and specifications available at our web site.



Standard



AquaGrip

Touchpad Caddy

Touchpads are precision electronic instruments that require protection. The Touchpad Caddy provides safe storage and a convenient means to transport your Touchpads to the pool deck. Accommodates up to ten Touchpads.

Touchpad sizes are required at time of ordering.



Cable Harness

The cable harness is used on the pool deck to connect Touchpads, Back-Up Push Buttons, Speakers and Relay Judging Platforms. Each connection can take up to two input devices. e.g. If using one cable harness you can connect one touchpad and one back-up push button per lane per end. If you wish to have one touchpad and three back-up push buttons per lane per end you will require two cable harnesses. The cable harness is connected to the System 6 Timing Computer Console directly or using a 'Y' extension cable.

Available to suit 6, 8, 10 or 12 lanes.



Push Button

Used as primary timing device in a basic cable system or as a back up. Plugs into cable harness.

Cable Length: 1.8 m

Code: PSPL3019



Relay Judging Platform Caddy

Provides a convenient way to store and protect up to 10 Relay Judging Platforms. Optional hooks can be installed to store RJP cables. It's lightweight sturdy aluminium construction can accommodate any 508 mm or 609 mm wide RJPL.

1041 x 686 x 1194 mm (L x W x H)




Underwater Speaker

Allows the unique opportunity to coach athletes mid-pool. The underwater speaker should be used in conjunction with a Championship Start System.

Ideal for:

- Talking to swimmers underwater
- Broadcasting a recall tone
- Clearing the pool
- SCUBA instruction

Code: PSPL5000S



Scoreboards & Video Displays

Full Colour LED Video Display

Video boards display full colour scores, text, graphics, animations and logos for multiple sports. These boards are suitable for indoor and outdoor use.

Displays over 1 billion colours with four colour brightness levels.

Various sizes are available, ranging from 12 m up to 35 m.

Standard pixel spacing suggestions are:

18 mm for indoor displays (viewing distance 12 m – 54 m)

30 mm for outdoor sports stadiums (viewing distance 20 m – 90 m)

50 mm for outdoor billboards (viewing distance 33 m – 150 m)

Use your display to generate revenue for your centre by selling advertising or offering sponsorship opportunities on the board which can help pay for your investment.



LED-R Numeric Multi Line Scoreboards

Modules can be used singly or combined in multiple module scoreboard designs.

Designed specifically for the swimming pool environment, the scoreboards high-quality construction resists corrosion in any environment, giving you years of trouble free service. Signage panels can be added to the numeric scoreboard for sponsor advertising or facility/team name.

Numeric scoreboards can be set to display information for swimming, diving, water polo, synchronized swimming, track and other sports. The scoreboard may also serve as a time of day clock and pace clock.

Each one line scoreboard module includes 8 seven segment digits, 7 decimals, one colon and a non glare weathershield. Available with 8 or 10 digits.

Options for mounting include, modules may be configured vertically up to thirteen units and mounted in a corner or on a flat wall. Modules may also be configured side by side and flat wall mounted.

Colours: Red, Green, Amber, or Blue LEDs forming seven-segment digits

2480 x 356 x 102 mm (W x H x D)

BERRY COLLEGE VIKINGS			LANE	PLACE	TIME
HOME	MEN	GUEST	1		39:542
123		456	2		39:542
HOME	WOMEN	GUEST	3		39:542
789		101	4		39:542
EVENT		HEAT	5		39:542
1		1	6		39:542
LENGTHS		RECORD	7		39:542
16		1:5302	8		39:542

Mini Wall Mount Scoreboard

The Mini Wall Mount LED Scoreboard is the same as the Portable Mini LED Scoreboards but don't come with re-chargable batteries or legs. These can be mounted on a wall in-line, in a corner, side-by-side or on the Scoreboard Caddy. This is an alternative to the LED-R Multi Line Scoreboards when cost or wall space is a consideration. Can be used with the Dolphin Scoreboard Adapter, Sky-Fi Wireless Adaptor or data cable. Available in a vertical or horizontal configurations. Mounting brackets are sold separately.

1219 x 349 x 102 mm per module (W x H x D)

Viewing Distance 50 m, Digit Height: 127 mm

Data Source: Dolphin software or CTS Software.

2 Line Module Code: PSPL4510 (Shown)

EHLPT Module Code: PSPL4515

LANE	PLACE	TIME	LANE	PLACE	TIME
1		4:12.9	5		4:12.9
2		4:12.9	6		4:12.9
3		4:12.9	7		4:12.9
4		4:12.9	8		4:12.9

LANE	PLACE	TIME	LANE	PLACE	TIME
88	88	88:8888	88	88	88:8888
88	88	88:8888	88	88	88:8888
88	88	88:8888	88	88	88:8888
88	88	88:8888	88	88	88:8888

LANE	PLACE	TIME
1	7	2:00.51
2	4	1:55.94
3	2	1:52.87
4	8	2:06.29
5	1	1:50.60
6	3	1:54.60
7	6	1:58.82
8	5	1:57.32

LANE	PLACE	TIME
88	88	88:8888
88	88	88:8888
88	88	88:8888
88	88	88:8888
88	88	88:8888
88	88	88:8888
88	88	88:8888

Portable Mini Scoreboard

The Portable Mini LED Scoreboard provides the same information as two lines from the LED-R Scoreboard at a quarter of the size. These scoreboards are an excellent solution for clubs and smaller facilities who wish to display the race results. Can be used with the Dolphin Scoreboard Adapter, Sky-Fi Wireless Adaptor or data cable.


The Tri pod may be used to lift it up for maximum viewing.

1219 x 349 x 102 mm (W x H x D)


Viewing Distance 50 m

Digit Height: 127 mm

Data Source: Dolphin software or CTS Software.



Top line 6 digit display Event/Heat & bottom line 10 digit for Lane, Place, & Time
EHLPT Code: PSPL4550



Two lines 10 digits, capable of displaying either top line Event/Heat & bottom Place or 2 lines of Lane, Place & Time. with Sign panel
Code: PSPL4505

Mini Scoreboard Caddy

Designed to hold up to 5 Mini LED Scoreboards. Allows use of the scoreboard where ever required & wheeled away for safe storage when not in use. Four rubber castors with brakes are mounted on the sturdy aluminium frame for manoeuvrability. (Mini Scoreboards & Cables sold separately)

1040 x 584 x 1830 mm (W x D x H)

Holds 4 modules (shown)

Code: PSPL4520

Holds 5 modules

Code: PSPL4521



Sky-Fi Wireless Adaptor

Transmit scoreboard data wirelessly from Timing Console. Transmits data to Mini Scoreboard, Single and Multi-Line LED Scoreboards, Digital pace Clocks and Digital shot Clocks. Eliminates scoreboard data cables Ideal for Water Polo by eliminate data cables connecting shot clocks to each other.

Compatible with older timing consoles.

Frequency: 2.4 GHz

Supplied with power pack, DC2 & DC4 cables.

Code: PSPL4570S



Dolphin Scoreboard Adaptor

The Dolphin Scoreboard Adapter allows your Mini Scoreboard or LED-R Scoreboard to receive data wirelessly from the Dolphin Wireless Timing System and display race results. It shows Lane, Place and Time for each lane.

Dimensions: 107 x 64 x 23 mm (L x H x D)

Weight: 90.7 g

Wireless: 16 channels, spread spectrum

Frequency: 2.4 GHz

If using system with multiple lines of scoreboards, DC4 cables to connect scoreboard lines to each other for RS-485 data are also required.

Code: PSPL4560S



Training Tools

Train Right Training System

This unique package of training tools provides immediate visual feedback to both the coach and athlete, while offering the sound and feel of competition.

The multifunctional PC-Pro Pace Clock displays accurate feedback to coaches and athletes regarding relay exchange, start reaction, turn time and breakout times. The individual components of the system can also be utilised during competition and other training.

Included:

- 1 x PC-Pro Pace Clock
- 1 x "Mini" 76 cm x 90 cm Touchpad
- 1 x Relay Judging Platform with Speedlights 508 x 508 mm
(other sizes are available on request)
- 1 x Infinity Start System* Speedlights will not activate with the Infinity Start System.
- 1 x Tri-Pod
- 1 x Pushbutton

Training System One Lane TR-SYS-1-220

Code: PSPL65000

Options

- | | |
|--|-----------------|
| Touchpad Mini 76 x 90 cm (Add another for the far end) | Code: PSPL5800 |
| 25m Pool Touchpad Extension Cable - 30m / 100ft | Code: PSPL65010 |
| 50m Pool Touchpad Extension Cable - 50m / 165ft | Code: PSPL65015 |
| Champstart Starting System | Code: PSPL5000 |
| Tri-Pod for Pro Pace Clock | Code: PSPL3015 |
| Underwater Speaker for use with Champstart | Code: PSPL50005 |

We can customise a system that's right for you.

Full details and specifications available at our web site.



Colorado Pace Clocks

Colorado has a range of pace clocks to suit your needs. From a Basic Pace to the PC-Pro Pace Clock designed as multifunctional multi-sport display. It's large 255 mm (10") LED red digits can be adjusted for indoor or outdoor use with 15 light intensity settings. It features 15 Training modes and 16 scoreboard modes when using the CTS System 5 or System 6. This unit is portable with a handle and two legs, Can be mounted to a wall with the optional Wall Mounting Kit. Multiple clocks can be synchronised for consistency on pool deck. Internal Horn controlled by CTS Timer when connected. Use with the Ultimate Pace Clock Controller.

PC Pro Pace Clock

Pro Pace Clock Training Modes

- | | |
|--------------------------------------|-----------------------------------|
| • Simple Pace Clock | • Turn Speed Time* |
| • Lap Counter | • Breakout Time* |
| • Pace Clock with Cumulative Splits* | • Start Reaction & Breakout Time* |
| • Pace Clock with Lap Splits* | • Mid-Race Timer* |
| • Relay Exchange Time* | • Single Lane Lap Time |
| • Start Reaction Time* | (1, 2, 3, 4 or multiple laps)* |

* Requires additional equipment for timing input

Pro Pace Clock Display Modes

Displays the following information from a System 5 or System 6

- | | |
|--|-------------------------|
| • All Sports - Time of Day | • Training - Lane Times |
| • Swimming - Lane Times, Event/Heat | • Synchro - Award |
| • Diving - Dive Number & Position, Current Round/Current Diver | |
| • Water Polo - Game Clock, Shot Clock, Time Out & Team Scores | |

PC-Pro Pace Clock

Code: PSPL70000



PC Pro Pace Clock

PC Standard Pace Clock

- Simple Pace Clock
- Hi / Low Intensity setting
- No Battery - A/C only

Code: PSPL70004

PC Portable Pace Clock

- Simple Pace Clock

Displays the following information from a System 5 or System 6

- | | |
|------------------------------|-----------------|
| • Shot Clock | • Game Clock |
| • Hi / Low Intensity setting | • Internal Horn |

PC- Portable Pace Clock

Code: PSPL70003

PC Pace Clock Accessories

Tri-Pod

Code: PSPL3015

Wall Mounting Kit

Code: PSPL70010



PC Standard / PC Portable Pace Clock

Wireless Water Polo Scoring Systems

Wireless Water Polo Scoring Systems

A completely wireless scoring solution for water polo. The scoreboard can be moved to accommodate the best viewing for your audience or can be fixed on a wall. Scoreboard is enclosed by a weather proof powder coated aluminium chassis. Deck Clocks show game & shot time in a rugged polyethylene moulded plastic enclosure that is water & sun resistant & completely corrosion free. All are wireless and are controlled using either a hand held or Table Top Controller.

Scoreboard

- Weather proof powder coated aluminium chassis with high strength polycarbonate digit covers
- 25.4 cm (10") LED digits display game time & home/guest scores
- 17.8 cm (7") LED digits display period
- Dots 5 cm (2")
- Integrated horn - performs separate shot & game tones
- Integrated back-up batteries - Low battery & charging indicator (Wallmount has no battery - A/C only)

Operating distance up to 300 m

Dimension: 183 cm x 71 cm x 11 cm (W x H x D)

Colours: Black, Bright Red, Cardinal Red, Maroon, Navy Blue, Royal Blue, Purple, Forest Green, & White

Weight: 31.8 kgs - Portable

Weight: 18.1 kgs - Wallmounted



Deck Clock

- 25.4 cm (10") Amber LED digits display shot time
- 12.7 cm (5") LED Red digits display game time
- Integrated horn - performs separate shot and game tones
- Integrated back-up batteries - Low battery & charging indicator
- Use as a deck side pace/time of day clock when not being used for competition

Additional Water Polo Clocks can be added to Systems at additional cost.

Sold as a pair.

Battery or 120/240VAC, Autosensing

Operating distance up to 300 m

Dimension: 81.3 cm x 47 cm x 30.5 cm (H x W x D)

Weight: 13.6 kgs

Code: PSPL69520



Standard Handheld Controller

- Large transfective LCD screen -easily readable in all environments from darkness to bright sunlight
- Buttons with tactile dome feedback
- 2.4 GHz Wireless Handheld

2 x AA batteries, Alkaline or rechargeable

Operating distance up to 300 m

Included with all systems.



Can be replaced with a tabletop controller & RSR if required.

Table Top Controller

- Allows additional flexibility & control dots
- Large transfective LCD screen
- Buttons with tactile dome feedback
- Interchangeable keypad overlay
- 2.4 GHz Wireless Handheld
- 12 channels & 16 networks per channel

Power: external power Internal rechargeable lithium-polymer battery

Run time 24 hours between recharge

Operating distance: Up to 300 m

Code: PSPL69525



*Run/Stop/Reset Controller
RSR Code: PSPL69535*

Mobile with Caddy

Includes:

- 1 x Scoreboard
- 1 x Caddy with storage floor (not shown)
- 1 x Back-up Battery
- 2 x Deck Clocks
- 1 x Handheld Controller

Code: PSPL69500



Wallmount

Includes:

- 1 x Scoreboard
- 1 x Set Wallmount Brackets
- 2 x Deck Clocks
- 1 x Handheld Controller

Code: PSPL69505



Portable

Includes:

- 1 x Scoreboard
- 1 x Set Legs (90)cm high)
- 1 x Back-up Battery
- 2 x Deck Clocks
- 1 x Handheld Controller

Code: PSPL69510



Underwater Swim Camera Video Systems



SwimPro Basix

SwimPro Basix is an entry level static wall camera package. Used as part of the SwimPro 4Cam Package. It unfolds & neatly sits over the side of the pool wall. The camera is height & angle adjustable, suitable for any part of the pool edging, easy to use & made from SwimPro's high grade aluminium, making it robust and durable.

Can be used for: Static Wall Camera with Delayed Playback (1, 2, 10, 20 seconds etc. to 10 min for diving), End of lane, side wall stroke & style review, Turn analysis, Swimming squad recording & review, Swimming camps & general training

The SwimPro Basix package can be purchased separately & is part of our SwimPro 4Cam package. It can be used in conjunction with SwimPro PlatinumPlus, SwimProX and SwimPro FloorCam packages.

Includes:

The SwimPro 700TV line custom made camera, Universal static wall bracket, 30 metres ~100ft professional video cable



SwimPro SwimProX

The SwimProX is in high demand world wide! Developed olympic coaches and athletes at Sydney Olympic Park Aquatic Centre, the SwimProX package has proven to be a winner in professional swimming training cameras.

Can be used for: Dynamic extendable telescopic pole camera (above/below water/in front/behind/beside), A complete dynamic swimming lap recording camera (above & below water), Adjacent lane point & shoot camera (jump in lane 2, and point and shoot), Static wall camera (with/without delayed playback), Dual lane capture camera (video 2 lanes, 2 swimmers and compare) Wall stable twist camera, Zoom and pan camera (video stabilisation clips capture smooth video, like a tripod), Pool floor camera (Olympic Games' angle), Professional photography sports camera and fixed above water camera (in combination with our snap-in snap-out' camera stand), Static wall camera with delayed playback (1, 2, 10, 20 seconds etc. to 10 minutes for diving)

Includes:

The SwimProX 700TV line custom made camera, Slimline/low drag telescopic video pole, Static wall bracket with telescopic pole video stabilisation clips (fast clip in clip out system), 30 metre ~100 ft professional video cable (with 2 x dual twine strength cores), Ultra flexible 360 degree camera mount & Camera Carry Bag.



SwimPro PlatinumPlus

If you're looking for an all in one, top of the range Swimming Camera, then choose SwimPro Platinum. The all new SwimPro PlatinumPlus package will cover all angles above & below water.

Can be used for: Dynamic, extendable telescopic pole camera (above/below water/in front/behind/beside), Dual camera above and below water telescopic pole system (second camera not included in standard package.) Purchase an additional camera or use SwimPro FloorCam or Basix camera), A complete dynamic swimming lap recording camera (above & below water), Adjacent lane point & shoot camera (jump in lane 2, point and shoot), Static wall camera (with/without delayed playback), Dual lane capture camera (video 2 lanes, 2 swimmers and compare), Wall stable twist camera, Zoom and pan camera (video stabilisation clips capture smooth video; like a tripod), Pool floor camera (Olympic Games' angle), Professional photography sports camera and fixed above water camera (in combination with our 'snap-in snap-out' camera stand), Static wall camera with delayed playback (1, 2, 10, 20 seconds etc. to 10 minutes for diving)

Includes:

Super clear, industry leading 700TV line, custom made SwimPro PlatinumPlus camera, Slimline/low drag telescopic video pole, Static wall bracket with telescopic pole, video stabilisation clips (fast clip in clip out system), 30 metre ~100 ft professional video cable (with 2 x dual twine strength cores), Ultra flexible 360 degree camera mount & Camera Carry Bag. Dual camera mount for an additional SwimPro camera (popular in simultaneous above and below water videos)

Underwater Swim Camera Video Systems

SwimPro 4cam

SwimPro 4Cam covers it all. Combining the power of 4 flexible camera packages (PlatinumPlus, ProX, Basix & FloorCam), 4 different camera angles (above & below water) and the iPad + pool-deck instant software analysis ability. You can connect to 1, 2, 3 or all 4 SwimPro Cameras wirelessly on your iPad or Android device.

Applications are endless! This package was designed to offer flexibility, portability & cover all angles above & below water & it doesn't stop there. 4 cameras connect into our SwimPro IQ Recorder where instant pool-deck video analysis can be executed.

Download the Swimpro iPad App from the App Store & you will have the analysis power in your hands (including delayed playback and drawing on screen).

Includes:

1 x SwimPro PlatinumPlus, 1 x SwimProX, 1 x SwimBasix, 1 x SwimPro FloorCam,
4 x Camera Bags, 1 x SwimPro 4Cam IQ Recorder & Software,
1 x Wi-Fi Router for Wireless Connectivity, 1 x Carry Bag for IQ Recorder



IQ Recorder & Software

Advanced analysis features for 1, 2, 3 or all 4 SwimPro camera packages, drawing, illustration analysis on screen. simple, fast & easy to operate software - including one click delayed playback. Control functions remotley from any iOS®, Mac®, Android™ or Windows® device.

Includes Wi-Fi Router & Carry Bag.



SwimPro App

Live or delayed 5, 10, 20 seconds to 10 minutes delayed playback.

Touch zoom for more detail. New remote control for the SwimPro IQ Recorder (record on & off)

New draw & analyze on screen. Use your iPad® instead of a TV on pooldeck.

Delayed Playback on your iPad®

Videos from 1, 2, 3 or all 4 cameras can be viewed, paused, delayed, zoomed, drawn on etc..

Free download for iPad® from the Apple® App Store. Android™ available soon.



Stabiliser Wheel

Attach the Stabiliser Wheel to the PlatinumPlus for steady moving shots along the poolside.



Extra Camera

Attach the Extra Camera to the PlatinumPlus. Allows for two angles. Above & below the water. Supplied with 30 metre ~100 ft professional video cable. (with 2 x dual twine strength cores)



Clocks, Parts, & Stopwatch

IQ Pace Clock


Made of Perspex.

One second hand - black and red

220-240 Volts with one metre power cord.

900 mm x 900 mm

Code: PCLOCKP02



Pace Clock Parts

Motor

Suits, IQ, Pierce/Plain, Swim Tuff, Speedo® and Zoggs® pace clocks. 1 R.P.M, 240 volt

Code: PCLOCKP05

Hand

Suits IQ, Pierce/Plain, Swim Tuff, Speedo®, and Zoggs® pace clocks.

Code PCLOCKP06



Digital Quartz Stopwatch

Memory and stroke/frequency measuring functions.

In addition, the stopwatch is water and shock

resistant. Large 3 row display panel displays 10

hours in 1/100 seconds, Up to 100 Split time/Lap

times, Total elapsed time, Split time and lap time are

displayed at the same time on separate rows and can

be measured successively without releasing split or

lap time measurement. Up to 100 measurements can

be stored in memory for recall. Date & time.

Code: PSWAT898M



Portable Pace Clock

Allows you to use it wherever timing is required. It has an on/off button to conserve battery life when not in use. An extendable pull-out base plate helps keep the clock upright increasing the base footprint for stability.

Dia.: 400 mm, Body: 570 mm x 460 mm (H x W)

Power: 1 x AA Battery

Code: PCLOCKP09



Analogue Gym/Swim Clock with Second Hand

Water resistant IP55. 400 mm diameter face.

Easy to see hands and numbers.

1 x AA battery (included)

Hour, Minute and Second hands

Code: PCLOCKW50



Slimline Time of Day / Pace Clock

These Clocks offer an elegant pacing & time of day solution for your facility.

A straight forward display, the large 330 mm digits are easily visible from a distance up to 150 metre's.

Variable intensity settings allow comfortable visibility in a variety of environments & times of day or night. The clock has an integrated real time of day (RTC). Multiple clocks synchronise wirelessly so all clocks show the same time.

- High visibility Red or Amber LED digits
- Rugged powder-coated aluminum enclosures
- Tough Lexan front cover prevents damage
- 2.4GHz integrated wireless with 12 channels
- Indoor or outdoor use
- Conformal coated to protect against corrosion
- Variable intensity settings for brightness



Size: 1073 mm x 489 mm x 71 mm (W x H x D)

Weight: 6.8 kg

Code: PSPL70040 4 digit Red

Code: PSPL70045 4 digit Amber



Size: 1600 mm x 489 mm x 71 mm (W x H x D)

Weight: 9.1 kg

Code: PSPL70060 6 digit Red

Code: PSPL70065 6 digit Amber

Turn Master Pro Lane Divider

An incredibly stable temporary wall to push off from, able to withstand the impact of race speed. The Turn Master Pro has been developed to maximise lane space, creating a distinction between teaching and training areas. Placed anywhere along a wave breaking lane ropes or attach to a wet deck. (Pool side kit is required.) Coaches and Teachers have less public interference during peak times of lane usage. Transform swimming pools in any length for short course training. Use as a tool for your elite swimmers to perfect their turn.

The unique clipping system means it only takes 1 - 2 minutes to install or remove and when out of the pool the Turn Master Pro can be wheeled around for easy storage. Made of Vinyl Ester chlorine resistant fibreglass. Replacement parts are also available.

Lane width	Length	Height	Weight	
2.05 m	2.20 m	1.22 m	30 kg	Code: PLANEDIV01
2.2 m	2.40 m	1.22 m	33 kg	Code: PLANEDIV02
2.35 m	2.50 m	1.22 m	36 kg	Code: PLANEDIV03
2.50 m	2.70 m	1.22 m	40 kg	Code: PLANEDIV04
Pool side Kit for Wetdeck Pools				Code: PLANEKIT





Swimming, Fitness & Fun

Goggles

Caps

Ear Plugs, Putty, Bands & Nose Clips

Foam Mats & Rafts

Water Confidence,
Learn to Swim & Training

Swim Fins

Exa Cord Exerciser System

Fitness & Hydrotherapy

Games & Inflatables

Swim Nappies

Goggles

Bambino

eyeline® - Children

Standard lens, TPR seal, Silicone headband, UV protected

Clear Lens

PGOG22105

Smoke Lens

PGOG22107

Clear Lens/Pink Surround (not shown)

PGOG22109

Pink Lens/Purple Surround (not shown)

PGOG22104



Deluxe

eyeline® - Children / Junior / Youth

Standard lens, Foam seal, Rubber headband, UV protected

Clear Lens

PGOG22695

Red Lens

PGOG22699

Blue Lens

PGOG22696

Smoke Lens

PGOG22700

Amber Lens

PGOG22697

Orange Lens

PGOG22701

Green Lens

PGOG22698

Purple Lens

PGOG22702



Softee

eyeline® - Children / Junior / Youth

Anti fog lens, One piece design, TPR seal, Silicone headband, UV protected

Smoke Lens/Clear Frame

PGOG22465

Translucent Blue Lens/Clear Frame

PGOG22466

Translucent Purple Lens/Clear Frame

PGOG22468

Translucent Rose Lens/Clear Frame

PGOG22469

Translucent Pink Lens/Clear Frame

PGOG22470



B52

eyeline® - Youth / Medium / Adult

Standard lens, TPR seal, Rubber headband, UV protected

Clear Lens

PGOG22705

Smoke Lens

PGOG22707



Bioform

eyeline® - Youth / Medium / Adult

Anti fog lens, One piece design, TPR seal, Silicone headband, UV protected

Blue Lens/Translucent Blue Frame

PGOG22427

Smoke Lens/Translucent Smoke Frame

PGOG22428



Black Max

eyeline® - Youth / Medium / Adult

Anti fog lens, TPR seal, Silicon headband, UV protected

Smoke Lens

PGOG22205



Aqua Mate

eyeline® - Youth / Medium / Adult

Anti fog lens, TPR seal, Silicone headband, UV protected

Clear Lens

PGOG22200

Translucent Pink Lens

PGOG22204

Blue Lens

PGOG22201

Translucent Turquoise

PGOG22199



Raider

eyeline® - Multi Purpose Training/Racing

Anti fog lens, Removable TPR seal, silicone headband, UV protected

Smoke Lens

PGOG22332

Smoke Metallised Lens

PGOG22335



Latex Solid Colours

Standard Regular Weight eyeline®

White, Yellow, Red, Green, Blue, Powder Blue, Black, Navy, Purple, Daglo Green, Daglo Orange, Daglo Yellow, Daglo Pink, Orange, Maroon

Code: PCAP22100X



Children's Latex Solid Colours

Heavyweight eyeline®

White, Yellow, Royal Blue, Green, Powder Blue, Purple, Daglo Pink

Code: PCAP22150X



Silicone Solid Colours

Silicone Adult eyeline®

Aqua, Mid Blue, Mid Green, Petal Pink, Lilac, Key Lime, Maroon, Neon Orange, Neon Pink, White, Purple, Black, Silver, Mint Green, Metal Blue, Metal Green, Navy, Red, Powder Blue, Buttercup Yellow

Code: PCAP22550X



Polyester Solid Colour Kids

Solid Colour Polyester Kids eyeline®

EYSC16 Bottle Green (not shown)

EYSC19 Black (not shown)

EYSC20 Navy

EYSC21 Yellow

EYSC22 Atlantic

EYSC23 Hot Pink

EYSC24 Powder Blue

EYSC25 Tulip

EYSC26 Soda

EYSC27 Flash

EYSC28 Lipstick

EYSC29 Lilac

Code: PCAP22172

Code: PCAP22171

Code: PCAP22161

Code: PCAP22162

Code: PCAP22163

Code: PCAP22164

Code: PCAP22165

Code: PCAP22166

Code: PCAP22167

Code: PCAP22168

Code: PCAP22169

Code: PCAP22170



Lycra Solid Colour

RegularSolid Colours eyeline®

Black, Navy, Royal Blue, Yellow, Purple, Bottle Green, Powder Blue, Red, Pink

Code: PCAP22600X



Custom Printed Caps

Your logo printed.



Ear Plugs, Putty, Bands & Nose Clips

PVC Ear Plugs

eyeline®
Single Baffle Flesh Coloured
1 pair per pack
Code: PSP22130



Silicone Ear Plugs

eyeline®
1 pair per pack
Code: PSP22135



Silicone Ear Putty

eyeline®
2 pair per pack
Code: PSP22140



Latex Nose Clip

eyeline®
Code: PSP22115




Synchro Nose Clip

eyeline®
Regular Code: PSP22120
Small Code: PSP22126
Medium Code: PSP22127



Ear Bands

eyeline®
Holds ear plugs in place and keeps hair out of eyes. Neoprene
Child/Youth adjustable with Velcro® tab - Royal Code: PSP22400
Youth/Adult adjustable with Velcro® tab - Red Code: PSP22405
Adult size non adjustable - Turquoise (not shown) Code: PSP22410



Foam Pool Fun Mats

Foam Pool Fun Mats

EVA foam.
2 m x 1m x 20 mm - Orange
2 m x 1m x 30 mm - Teal
2 m x 1m x 40 mm - Blue

Code: PEYPFMB
Code: PEYPFMC
Code: PEYPFMD



Foam Pool Animal Fun Mats

EVA foam.
106 cm x 55 cm x 5.5 cm - Blue/White Dolphin
100 cm x 65 cm x 5 cm - Yellow Ghost
100 cm x 65 cm x 5 cm - Green/Yellow Turtle

Code: PEYFMC
Code: PEYFMA
Code: PEYFMD



Long Blade Fins

eyeline® Full foot rubber floating

6 - 8 Baby	Code: PFIN20995
8 - 11	Code: PFIN21000
11 - 1	Code: PFIN21005
1 - 3	Code: PFIN21010
3 - 5	Code: PFIN21015
5 - 7	Code: PFIN21020
7 - 9	Code: PFIN21025
9 - 11	Code: PFIN21030
11 - 13	Code: PFIN21035
13 - 15	Code: PFIN21036
15 - 17	Code: PFIN21037
17 - 19	Code: PFIN21038

**Short Blade Fins**

eyeline® Full foot rubber floating

11-1	Code: PFIN21060
1-3	Code: PFIN21065
3-5	Code: PFIN21070
5-7	Code: PFIN21075
7-9	Code: PFIN21080
9-11	Code: PFIN21085
11-13	Code: PFIN21090
13-15	Code: PFIN21095
15-17	Code: PFIN21096
17-19	Code: PFIN21097

**Exa Cord Exerciser System****Modular Set Regular Strength**

Tubing, hand paddles, handles, mounting loops and leg straps with carry bag
Code: PSE103RD

**Hand Paddles Lightweight Strength**

Rubber tubing with mounting loops
Code: PSE101GD

**Hand Paddles Regular Strength**

Rubber tubing with mounting loops
Code: PSE101RD

**Hand Paddles H/Duty Strength**

Rubber tubing with mounting loops
Code: PSE101BL

**Swim Exerciser Regular Strength**

5 cm wide waist belt attached to regular strength solid rubber tubing
2 m Code: PSE250
4 m Code: PSE260

**Short Swim Belt H/Duty Strength**

5 cm wide waist belt attached to a 1.2 m heavy duty strength latex rubber tubing with carry bag
Code: PSE119BL

**X-Long Swim Exerciser Regular Strength**

5 cm wide waist belt attached to a 7.5 m regular strength solid rubber tubing with carry bag
Code: PSE261

**XX-Long Swim Exerciser Regular Strength**

5 cm wide waist belt attached to a 15 m regular strength solid rubber tubing with carry bag
Code: PSE262

**Ankle Tie**

Used with or without pool buoy
Code: PSE122



Water Confidence, Learn to Swim & Training

Inflatable Bambino Wings

eyeline®

Durable low phthalate PVC & multiple air chambers with safety valves.

Size 0 up to 2 yrs or up to 15 kgs

Code: PSWM22161



Inflatable Rolo Bands®

eyeline®

Durable PVC & multiple air chambers with safety valves.

One Size 2 - 12 years or 15-50 kgs

Code: PSWM22165



Inflatable Baby Swim Seat

eyeline®

Yellow high strength low phthalate PVC & multiple air chambers with safety valves.

Size 1 for 3 - 12 months

Code: PSWM22180



Inflatable Arm Bands

eyeline®

Durable low phthalate PVC & multiple air chambers with safety valves.

Size 0 up to 2 yrs or up to 15 kgs - Green/Turtle

Size 1, 2 - 6 yrs, 15 - 30 kgs - Orange/Fish

Size 2, 2 - 12 yrs, 15 - 60 kgs - Lilac/Jelly Fish

Size 2, 2 - 12 yrs, 15 - 60 kgs - Lime/Whale

Code: PSWM22162

Code: PSWM22163

Code: PSWM22164

Code: PSWM22166



Back Bubbles

Multi-Colour eyeline® - 4 piece EVA

12 - 22 kgs

Code: PSWM22109

Multi Layer eyeline® - 4 piece EVA

12 - 22 kgs

Code: PSWM22108

Bambino eyeline® - 4 piece 1 - 2 years

8 - 16 kgs

Code: PSWM22090

Replacement Belt for 4 piece bubbles.

Code: PSP1500



Kickboards

eyeline®

Junior Sky Blue 37 x 27 x 3 cm

Regular Yellow 37 x 27 x 4 cm

Large Dark Blue 51 x 30 x 40 cm

Code: PSWM22106

Code: PSWM22100

Code: PSWM22105



Pool Buoys

eyeline®

Junior EVA

Code: PSWM22114

Regular EVA

Code: PSWM22110

Large EVA

Code: PSWM22111

Compression Moulded

Code: PSWM22112



Hand Paddles

eyeline®

Small - Sky Blue 16 cm

Code: PSWM22115

Medium - Dark Blue 18 cm

Code: PSWM22116

Large - Yellow 21 cm

Code: PSWM22117

Replacement Hand Paddle Straps set/4

Code: PSWM22120



Finger Paddles

eyeline®

Junior - Red

Code: PSWM22125

Senior - Yellow

Code: PSWM22126

Replacement Hand Paddle Straps set/4

Code: PSWM22120



SwimFin

The SwimFin® is a swimming buoyancy aid designed to cater for the beginner, intermediate and advanced swimmer. Worn on the back, it doesn't hamper or restrict the ability to move in the water. SwimFin® is a floatation device that provides as much buoyancy as the swimmer needs while helping maintain a good position in the water.

With SwimFin® the lower you are in the water the more support it will give you, as with the beginner swimmer. The higher you are in the water the less support it will give you as with an improved swimmer. SwimFin® compensates for different abilities. It's multi stroke functionality allows it to be used for front crawl, back stroke, breast stroke and fly.

Beginner

A beginner's body is lower in the water causing SwimFin® to be more submerged, giving the swimmer more uplift and support. The arms are left free for propulsion through the water.

Intermediate

As confidence and the ability grows the body position will improve, SwimFin® will raise out of the water as less support is required. Working with the swimmers natural ability but also giving the immediate support if required to.

Advanced

In a total horizontal position, SwimFin® is virtually out of the water giving very little or no support so even the better swimmers can wear it all the time, if its out of the water its no longer a buoyancy aid but the kids are having fun and because it's streamlined, will not impede movement through the water.

Weight Range: 15 kg – 30 kg

Pink Code: PSWM11005

Red Code: PSWM11020

Orange Code: PSWM11025



Zoodulz

Use for fitness, learn to swim or play.

Small – 240 mm dia apprx.

Medium – 360 mm dia apprx.

Large – 480 mm dia apprx.

XLarge – 600 mm dia apprx.

Small Code: PEXC3020

Medium Code: PEXC3021

Large Code: PEXC3022

XLarge Code: PEXC3023

Family Pack 4 (1 of each size) Code: PEXC3025

Bulk Pack 20 (5 of each size) Code: PEXC3027

Colours subject to availability.



Lymfin

A multi purpose training device. Use for Stroke correction, Rehabilitation & Hydrotherapy, Lung Conditioning or Board Paddling. Made of floating PVC Formula and 316 Stainless Steel Screws. Chlorine & Salt Water Resistant. Soft, Safe & Secure.
Black Code: PSWM5120
Blue Code: PSWM5122



Games & Inflatables

Dive Rings

Colourful weighted rings designed to stand upright on the pool floor. Each ring is the same size. 4/set
Code: PGAM1050



Flexi Stix

Colourful, weighted and numbered flexible sticks for individual and team games. 6/set
Code: PGAM1028



Dive Bricks

Rubber 2.2 kg - Black
Code: PEYRDBA

Rubber 3.5 kg - Black
Code: PEYRDBB



Swim Ring - 50 cm

Inflatable 50 cm, Max chest 60 cm
eyeline® Green/Turtle. Durable low phthalate PVC & multiple air chambers with safety valves. 3-6 years.
Code: PSWM22171



Swim Ring - 65 cm

Inflatable 65 cm
eyeline® 65 cm yellow with print.
Code: PSWM22170



Beach Ball - 50 cm

eyeline® Blue/Yellow
High strength laminated PVC.
Code: PSWM22175



Aquatic Exercise Belts

XSmall eyeline® Under 45 kg
Small eyeline® 46 - 70 kgs
Medium eyeline® 71 - 100 kgs
Large eyeline® Over 101 kgs

PEXC1000
PEXC1001
PEXC1002
PEXC1003



Replacement Belt Parts

Buckle suits XSmall - Large
Belt suits PEXC1001 Small
Belt suits PEXC1002 Medium
Belt suits PEXC1003 Large

PEXC1004
PEXC1005
PEXC1006
PEXC1007



Aquatic Rehab Bells

eyeline®
Code: PEXC1300



Aquatic Training Bells

eyeline®
Code: PEXC1250



Aqua Step

Use as an underwater step. Chlorine & UV Resistant Polyethylene, weighted with a non-slip top.


Top 800 mm x 350 mm
Base 920 mm x 460 mm
Height 210 mm
Weight 8.44 kg
Code: PAQUASTEP



Noodles

Noodles polyethylene foam 166 x 7 cm
Code: PEXC3010

Colours subject to availability.



Swim Nappies

PeeCees®

eyeline®

Nappies for non toilet trained toddlers. Ensure your pool is hygienic and accident free. Reusable and washable children's swim nappies

Navy

Small 32 - 36 cm

Code: PEYPCNS

Medium 34 - 38 cm

Code: PEYPCNM

Large 36 - 40 cm

Code: PEYPCNL

XLarge 38 - 42 cm

Code: PEYPCNX

XXLarge 40 - 44 cm

Code: PEYPCXX

XXXLarge 42 - 46 cm

Code: PEYPCN3X

XXXXLarge 44 - 48 cm

Code: PEYPCN4X



Pink

XSmall 30 - 34 cm

Code: PEYPCXS

Small 32 - 36 cm

Code: PEYPCPS

Medium 34 - 38 cm

Code: PEYPCPM

Large 36 - 40 cm

Code: PEYPCPL

XLarge 38 - 42 cm

Code: PEYPCPX



Little Swimmers®

Huggies®

Disposable children's swim nappies. The colourfast dye ensures the bright designs will not run in the pool. Unique, patented absorbent material, helps contain accident without swelling in water without bursting. Leakguards prevent side leakage. Stretch tear-away sides ensure a perfect fit and are easy to change.

Assorted colours and/or prints 12/pack 7 - 12 kg

Code: PHUGGIE00

Assorted colours and/or prints 11/pack 11 - 15 kg

Code: PHUGGIE10

Assorted colours and/or prints 10/pack 14 kg plus

Code: PHUGGIE20





Water Testing

Commercial Photometers

Commercial Tablet Reagents

Photometer Test Kit Parts &
Accessories

Pocket Testers

Test Strips

Domestic Testing

Lovibond® Commercial Photometers

Lovibond® MD100

The MD100 uses high quality interference filters with long life LEDs as a light source in a transparency sample chamber. This unit supplies accurate results very quickly and is easy to operate. It's ergonomically compact waterproof design makes it safe to use as a counter unit or on site. Testing is performed using Lovibond® tablet reagents with long term stability and a shelf life up to 10 years. (OTZ) One Time Zero allows the user to zero once and perform all tests.

The zero setting is held in memory. Scroll Memory avoids unnecessary scrolling for the required test method, the instrument memorises the last method used before switching off the instrument. When the instrument is switched on again, the scroll list comes up with the last used test method first.

Supplied in a carry case with tablet reagents, test cells, accessories, instructions and certificate of compliance. Can be used with the IRim Photometer Data Transfer Module.



Waterproof (IP68 1 hour at 0.1 metre)
4 x AAA batteries (included) approx.
17 hours or 5,000 tests.
Auto - OFF automatic switch-off
Backlit LCD display (on keypress)
Storage memory for 16 data sets
Real time clock & date
155 x 75 x 35 mm (L x W x H)
Weight basic unit approx. 260 g

5 in 1

Chlorine 0.01 - 6.0 mg/l
* 0.1 - 10 mg/l
pH 6.5 - 8.4 pH
Total Alkalinity 5 - 200 mg/l
Calcium Hardness 0 - 500 mg/l
Cyanuric Acid 2 - 160 mg/l
Code: PLOV9165T

6 in 1

Chlorine 0.01 - 6.0 mg/l
* 0.1 - 10 mg/l
Bromine 0.05 - 13 mg/l
pH 6.5 - 8.4 pH
Total Alkalinity 5 - 200 mg/l
Calcium Hardness 0 - 500 mg/l
Cyanuric Acid 2 - 160 mg/l
Code: PLOV9166T

4 in 1

Chlorine 0.01 - 6.0 mg/l
* 0.1 - 10 mg/l
pH 6.5 - 8.4 pH
Total Alkalinity 5 - 200 mg/l
Cyanuric Acid 2 - 160 mg/l
Code: PLOV9164T

* High Range tablets sold separately.

Lovibond® MD200

This unit supplies accurate results very quickly and is easy to operate. It's compact design makes it safe to use as a counter unit or on site. Testing is performed using Lovibond® tablet reagents with long term stability and a shelf life up to 10 years. (OTZ) One Time Zero allows the user to zero once and perform all tests. Scroll Memory avoids unnecessary scrolling for the required test method, the instrument memorises the last method used before switching off the instrument. When the instrument is switched on again, the scroll list comes up with the last used test method first.

Supplied in a carry case with tablet reagents, test cells, accessories, instructions and certificate of compliance. Can be used with the IRim Photometer Data Transfer Module

Waterproof (IP68 1 hour at 0.1 metre). 4 x AA batteries (included) approx. 53 hours or 15,000 tests (no backlight). Auto - OFF automatic switch-off.

Backlit LCD display (on keypress). Storage memory for 16 data sets. Real time clock & date. 190 x 110 x 55 mm (L x W x H). Weight basic unit approx. 455 g



4 in 1

Chlorine 0.01 - 6.0 mg/l
* 0.1 - 10 mg/l
pH 6.5 - 8.4 pH
Total Alkalinity 5 - 200 mg/l
Cyanuric acid 2 - 160 mg/l
Code: PLOV9154T

5 in 1

Chlorine 0.01 - 6.0 mg/l
* 0.1 - 10 mg/l
pH 6.5 - 8.4 pH
Total Alkalinity 5 - 200 mg/l
Calcium Hardness 0 - 500 mg/l
Cyanuric Acid 2 - 160 mg/l
Code: PLOV9155T

6 in 1

Chlorine 0.01 - 6.0 mg/l
* 0.1 - 10 mg/l
Bromine 0.05 - 13 mg/l
pH 6.5 - 8.4 pH
Total Alkalinity 5 - 200 mg/l
Calcium Hardness 0 - 500 mg/l
Cyanuric Acid 2 - 160 mg/l
Code: PLOV9156T

* High Range tablets sold separately.

Lovibond® PM600 & PM620

The PM600 / PM620 photometer range brings pool testing to the next level for discerning pool operators. The ergonomic, portable, waterproof design enables users to select just one unit for accurate analysis of up to 34 parameters anytime and anywhere.

The PM600 focusses on the main pool parameters required for balanced water including: Alkalinity, Bromine, Chlorine, Cyanuric Acid, Iron, Calcium Hardness, Copper, Sodium Hypochlorite, Iron, Ozone (DPD) Phosphates & pH-value. Compatible with the tried and trusted Lovibond® Tablet reagents, it is designed to be robust, reliable yet easy-to-use for any pool operator.

The PM620 extends these capabilities to include up to 34 parameter variants from Acid Demand to Urea. Its unique design enables compatibility with Lovibond® Tablet, Liquid & Powder reagents, making it one of the most flexible and complete pool photometers available today.

Both units offer a large, back-lit graphic display to aid analysis by providing on screen method prompts, information regarding test measurement range and reagent type and automatic countdown timers for accurate reaction periods. The internal memory is capable of storing up to 1000 results with date, time and sample ID. These results can be reviewed at any time and can be downloaded to a PC via an additional Infra-Red module (IRiM).

PM 600 - Supplied in a carry case with 100 tablet reagents each for Chlorine (free, combined, total), pH, Calcium Hardness, Alkalinity-M, test cells, accessories, instructions & certificate of compliance. Additional tablets for other tests required.

PM 620 - Supplied in a carry case with 100 tablet reagents each for Chlorine (free, combined, total), pH, Cyanuric Acid, Alkalinity-M, test cells, accessories, instructions & certificate of compliance. Additional tablets for other tests required.

PM600	PM620	Test	Range	Test Type	Waterproof (IP68 1 hour at 0.1 metre)
	★	Acid capacity KS4.3	0.1 - 4 mmol/l	Tablets	4 x AAA batteries (included) approx. 26 hours or 3,500 tests.
★	★	Alkalinity-M (Total)	5 - 200 mg/l	Tablets	Auto - OFF automatic switch-off
★	★	Alkalinity-M, HR	5 - 500 mg/l	Tablets	Backlit LCD display (on keypress)
	★	Aluminium	0.01 - 0.25 mg/l	Powder reagent	Storage memory for 1000 data sets
	★	Aluminium	0.01 - 0.3 mg/l	Tablets	Real time clock & date
	★	Ammonia	0.02 - 1 mg/l	Tablets	210 x 95 x 45 mm (L x W x H)
	★	Ammonia VARIO	0.01 - 0.8 mg/l	Powder reagent	Weight basic unit approx. 450 g
★	★	Bromine	0.05 - 13 mg/l	Tablets	
★	★	Chlorine	0.01 - 6 mg/l	Tablets	PM600 Code: PLOV9172T
★	★	Chlorine HR (DPD)	0.1 - 10 mg/l	Tablets	PM620 Code: PLOV9174T
	★	Chlorine	0.02 - 4 mg/l	Liquid reagent	
	★	Chlorine	0.02 - 2 mg/l	Powder reagent	
	★	Chlorine	0.1 - 8 mg/l	Powder reagent	
	★	Chlorine Dioxide	0.02 - 11 mg/l	Tablets	
★	★	Copper	0.05 - 5 mg/l	Tablets	
	★	Copper, free VARIO	0.05 - 5 mg/l	Powder reagent	
★	★	Cyanuric Acid	0 - 160 mg/l	Tablets	
★	★	Hardness, Calcium	0 - 500 mg/l	Tablets	
	★	Hardness - Total	2 - 50 mg/l	Tablets	
	★	Hardness - Total	20 - 500 mg/l	Tablets	
	★	Hydrogen Peroxide	0.03 - 3 mg/l	Tablets	
	★	Iodine	0.05 - 3.6 mg/l	Tablets	
★	★	Iron (II, III)	0.02 - 1 mg/l	Tablets	
	★	Oxygen, activ	0.1 - 10 mg/l	Tablets	
★	★	Ozone	0.02 - 2 mg/l	Tablets	
	★	PHMB (Biguanide)	2 - 60 mg/l	Tablets	
★	★	Phosphate LR, ortho	0.05 - 4 mg/l	Tablets	
	★	pH	5.2 - 6.8	Tablets	
★	★	pH	6.5 - 8.4	Tablets	
	★	pH	8.0 - 9.6	Tablets	
★	★	Sodium Hypochlorite	0.2 - 16 %	Tablets	
	★	Sulphate VARIO	5 - 100 mg/l	Powder reagent	
	★	Sulphate	5 - 100 mg/l	Tablets	
	★	Urea	0.1 - 2.5 mg/l	Tablets / Liquid reagent	



Lovibond® Commercial Tablet Reagents



Lovibond® Tablet Reagents

Lovibond® tablet reagents combine accuracy and reliability with convenience and ease of use. Stable in storage, with a very long shelf life. Lovibond® test kits contain tablet reagents individually sealed in aluminium foil pocket blister strips for protection from the effects of heat, moisture and the atmosphere. It should remain “fresh” right up to the time you push it out into the sample, no need to touch the tablet with your fingers. Most tests use just one tablet which contains all the reagents and other additives required. Lovibond® Phenol Red tablets, for example, contain a mixture of carefully balanced additives to counteract the effect of Chlorine on the pH determination. In many cases, several different tests can be carried out using the same reagent; for instance DPD No. 1 tablets are used with or without other reagents in determining concentrations of Free, Combined and Total Chlorine, Monochloramine and Dichloramine, Chlorine Dioxide, Bromine and Ozone.

Lovibond® Tablet Reagent	Pack Size	MD100 MD200	ChekitDirect	PCcheckit	PM600	PM620	Comparator/ Mini Kit	Code
Chlorine								
DPD No. 1 *	100/pack	★	★	★	★	★	★	PLOV9601R
DPD No. 1 High Range *	100/pack	★			★	★		PLOV9605R
DPD No. 3 High Range *	100/pack	★			★	★		PLOV9606R
DPD No. 1 High Calcium	100/pack	★	★	★	★	★		PLOV9718R
DPD No. 2	100/pack						★	PLOV9602R
DPD No. 3 *	100/pack	★	★	★	★	★	★	PLOV9603R
DPD No. 4	100/pack						★	PLOV9604R
Bromine								
DPD No. 1	100/pack	★	★	★	★	★	★	PLOV9601R
pH								
Phenol Red Photometer *	100/pack	★	★	★	★	★		PLOV9625R
Phenol Red	100/pack						★	PLOV9620R
Total Alkalinity								
Alka (-M)	100/pack	★	★	★	★	★		PLOV9636R
Total Alkalinity	100/pack						★	PLOV9630R
Total Alkalinity	250/bottle						★	PLOV9635R
Alka M HR Photometer *	250/pack				★	★		PLOV9638R
Calcium Hardness								
Calcio H No.1 & No.2 Photometer *	250/pack	★	★		★	★		PLOV9648R
Calcheck (use with 16mm cells)	100/pack			★				PLOV9647R
Calcium Hardness	100/pack						★	PLOV9640R
Calcium Hardness	250/pack						★	PLOV9645R
Cyanuric Acid								
CyA TEST Photometer	100/pack	★	★	★	★	★		PLOV9685R
Other Test Tablet Reagents								
Aluminium No. 1	100/pack					★	★	PLOV9655R
Aluminium No. 2	100/pack					★	★	PLOV9657R
Ammonia No. 1	100/pack					★	★	PLOV9735R
Ammonia No. 2	100/pack					★	★	PLOV9740R
Copper No. 1	100/pack				★	★		PLOV9673R
Copper No. 2	100/pack				★	★		PLOV9674R
Glycine	100/pack				★	★		PLOV9610R
Hydrogen Peroxide - LR	100/pack					★		PLOV9710R
Hydrogen Peroxide - HR	100/pack					★		PLOV9715R
Iron - LR	100/pack				★	★	★	PLOV9675R
Ozone	100/pack				★	★		PLOV9720R
Phosphate No.1 & No.2. - LR	250/pack				★	★		PLOV9725R

* May be used in Palintest® Photometers

Use DPD No 1 High Calcium Tablets if Turbidity in the water sample caused by high concentration of Calcium and/or High Conductivity.

Lovibond® Photometer Test Kit Parts & Accessories

Lovibond® Photometer Test Kit Parts

- A. Test Cell 10 ml (24 mm²) Round - Glass
- B. Test Cell 16 mm path length - Glass (Calcheck)
- C. 100 ml Plastic Shaker Tube
- D. Plastic Stirring/Crushing Rod
- E. Test Cell Cleaning Brush 10 cm
- F. Syringe 10 ml

Code: PLOV9810A
Code: PLOV9811A
Code: PLOV9930S
Code: PLOV9926S
Code: PLOV9920S
Code: PLOV9940S



IRim Photometer Data Transfer Module

The Infrared Interface Module (IRim) receives data on an infrared interface. This module allows the user to connect a specific USB printer, serial printer or a PC using a USB connector. Results can be stored on a PC using included result Logging Software or using your own Microsoft® Excel using an included template or Note Pad.

Minimum PC Requirements: Processor: Pentium 4/M or equivalent, RAM: 512 MB, OS: Windows XP, Hard Disk Space: 90 MB, CD ROM

Powered by a USB-PC or 4 x AA batteries

Code: PLOV9180T



Domestic Photometers

Aquacheck® TruTest Meter

Chlorine/Bromine, pH and Total Alkalinity

This unit gives you the ease of test strips, plus advanced digital technology. Just dip the test strip in your pool or spa, insert the reader, and get fast, accurate results in seconds. Fast, accurate results in 15 seconds with technology designed specifically for pool and spa analysis. Large LCD screen displays test results. Numerical test results and "low," "ok," or "high" indicators for Free Chlorine/Bromine, pH and Total Alkalinity. 2 x AA alkaline batteries (not included)

Memory function stores the last 9 test results

25 TruTest Digital Strips included

Code: ETTU7001

Replacement Test Strips

50/pack Code: ETTU7012



Domestic Testing

Rapid Dissolving Tablets

- DPD No. 1 - Rapid Dissolving 100/pack PTAB5120
- DPD No. 3 - Rapid Dissolving 100/pack PTAB5105
- Phenol Red - Fast Dissolving 100/pack PTAB5115



Cyanuric Acid Reagent

Cyanuric Acid Reagent 5 ltr

Code: IQCR7005



Aquacheck® Test Strips



Chlorine 4 Way

Free Chlorine, Cyanuric Acid, pH and T.Alk

Bottle	50/strip	6/ctn	ETCU7001
Blister	50/strip	12/ctn	ETCB7012
Display (18 Bottles)	50/strip	1/ctn	ETCD7020

Mixed Chlorine / Bromine 4 Way

Free Chlorine, Cyanuric Acid, pH and T.Alk

Total Bromine, pH, T.Alk. and Total Hardness

Display (9 Each)	50/strip	1/ctn	ETMD7020
------------------	----------	-------	----------



Bromine 4 Way

Total Bromine, pH, T.Alk. and Total Hardness

Bottle	50/strip	6/ctn	ETBU7001
Blister	50/strip	12/ctn	ETBB7012
Display (18 Bottles)	50/strip	1/ctn	ETBD7020

Monopersulphate 3 Way

Monopersulphate, pH, Total Alkalinity

Blister	50/strips	12/ctn	Code: ETM07012
---------	-----------	--------	----------------



Salt Titration

Salt as Sodium Chloride

400 - 7,000 mg/l

Blister	10/strip	12/ctn	Code: ETST7012
---------	----------	--------	----------------



Biguanide 3 Way

Biguanide, pH and Total Alkalinity

Use for testing Aquacadabra® and Baquacil®

Blister	25/strip	12/ctn	Code: ETBG7012
---------	----------	--------	----------------



Test Strips & Test Pillows

Silver 7 in 1

Free Chlorine, Total Chlorine, Total Bromine, pH, Total Hardness, Total Alkalinity & Cyanuric Acid.
Bottle 100/strip each
Code: ETSU7001



Borate

Use to test IQ Enhance.
Borate 0, 15, 30, 50, & 80 mg/l.
Bottle 25/strip 6/ctn
Code: ETBT7001



Copper

Use to test for Copper.
Bottle 25/strip 6/ctn
Code: ETC07001



Iron

Tests total iron including ferric Fe^{3+} & ferrous Fe^{2+}
Bottle 25/strip each
Code: ETIR7001



Total Dissolved Solids (TDS)

Used to test TDS.
Bottle 25/strip 6/ctn
Code: ETDS7001



Total Hardness

Tests low range up to 120 mg/l and high range from 250 to 1,000 mg/l.
Bottle 25/strip 6/ctn
Code: ETTH7001



Chlorine Dioxide

Measures 0-10 ppm. 50 test strips per pack. Use with IQ Pool Solutions C-5 Tablets & Liquid.
Code: VIT2999LR



IQ SmartChek Bacteria Test Strips
Test for E.coli, Pseudomonas Aeruginosa, species of Shigella, Enterobacter and many other coliform and non-coliform bacteria.
Code: ETBK7010



IQ Smart Check 5 in 1

Free Chlorine, Bromine, pH, Total Alkalinity, Total Hardness.
Bottle 50/strip 6/ctn Code: ETSC7001
Display (20 bottles) 1/ctn Code: ETS07020



IQ Phosphate Test Lab

Designed for professional pool shops.
Tests phosphates 0 to 1000mg/l.
Test tube rack with built in colour comparator,
2 x Test tubes, 100 pillow reagents
Code: ETPP7001

IQ Phosphate Reagent re-fills

Use with the IQ Phosphate Test Lab, IQ Phosphate Serviceman's kit & the AquaTrend Phosphate kit.
100 pillow Flexi Pack Code: ETP7100



IQ Phosphate Service Test Kit

Designed for mobile service vans. Test tube, colour comparison chart, 100 pillow reagents Packed in a screw cap jar. Use with Pool Solutions Nil-Phos.
Code: ETPS7001



Pocket Testers

pHTestr™20 pH Tester

Measure the pH (acidity) of pool or spa water.
Code: PPROBE220



SaltTestr™11

Measure the salt level of pool water.
Code: PPROBE355



Digital Thermometer

Water resistant, Max/Min Memory
Range: -10° - 200° C.. Accuracy $\pm 1^{\circ}$ C.
Code: PPROBE410



ORPTestr™10 ORP/Redox Tester

Measure the Oxidation/Reduction Potential (ORP) in millivolts (mV) of pool water.
Code: PPROBE420



EcoTestr TDS High

Measure the TDS level of pool water.
Code: PPROBE350



Calibration Solutions

pH 4.00	500 ml	Code: PINS51305
pH 7.00	500 ml	Code: PINS51300
Salt 5,000 ppt	500 ml	Code: PINS51310
O.R.P. 475 mV	500 ml	Code: PINS51315



Tester Guide				
Model	pHTestr 20	SaltTestr 11	ORPTestr 10	EcoTestr TDS High
LCD Display	Dual	Dual	Dual	Single
Range	-1.0 to 15.0 pH	0 to 10.00 ppt.	-999 to 1000 mV	0 to 10.000ppt
Resolution	0.01 pH	0.10 p.p.t.	1 mV	0.1 ppt
Accuracy	± 0.01 pH	$\pm 1\%$ of Full Scale	± 2 mV	$\pm 1\%$ of Full Scale ($\pm 1\%$ of above 5 ppt)
Push Button Calibration	3 point Auto	1 point Manual	± 150 mV	1 point Auto
Auto-Off	Auto-Power off after 8.5 minutes			
User Reset	Yes	n/a	Yes	Yes
ATC	Yes	Yes	No	Yes
Hold Button	Yes			
Self Diagnostic	Battery Indicator, Message Codes			
Non-Volatile Memory	Yes			
Waterproof	IP67 Waterproof Rating			
Batteries	4 x 1.5V			
Battery Life	>500 hrs	> 150 hrs	> 500 hrs	n/a
Size	16.5 cm x 3.8 cm			16.3 x 4.5 x 3 cm
Weight	90 g			
Warranty	2 year			1 year



Chemicals

Sanitisers

Adjusters & Balancers

Pool Solutions

Spa Solutions

Sanitisers

Non Stabilised

Stabilised

Pool Sanitisers - Non Stabilised



IQ Platinum Calcium Hypochlorite

For the control of algae and bacteria in swimming pools
700 g/kg available Chlorine present as Calcium Hypochlorite
Premium grade Japanese fast dissolving Calcium Hypochlorite.
Contains minimum 70% chlorine allowing lower dosage rates and minimum residue.

Suitable for Shock treatment and Super-Chlorination.
Alkaline pH 10 - 12

Application:

35 g per 10,000 litres per day (stabilised pools)
70 g per 10,000 litres per day (unstabilised pools)

Sizes:

2 kg	6/ctn	IQPL6002
4 kg	4/ctn	IQPL6004
10 kg	64/pallet	IQPL6010
40 kg	drum	IQPL6040



IQ Maxi Chlor 700 Calcium Hypochlorite

For the control of algae and bacteria in swimming pools
700 g/kg available Chlorine present as Calcium Hypochlorite (High Quality Granular)
High quality, low residue economical granular Calcium Hypochlorite containing minimum 70% available chlorine. Suitable for Shock treatment and Super-Chlorination.

Alkaline pH 10 - 12

Application:

35 g per 10,000 litres per day (stabilised pools)
70 g per 10,000 litres per day (unstabilised pools)

Sizes:

2 kg	6/ctn	MCCH6002
4 kg	4/ctn	MCCH6004
10 kg	64/pallet	MCCH6010
40 kg	drum	MCCH6040



IQ Granu-Chlor 700 Calcium Hypochlorite

For the control of algae and bacteria in swimming pools
700 g/kg available Chlorine present as Calcium Hypochlorite
Formulated specifically for use in IQ Granudos Feeder Systems.
Alkaline pH 10 - 12

Application:

Automatically dosed on demand as required.

Sizes:

10 kg	64/pallet	IQGR6010
40 kg	drum	IQGR6040

IQ Maxi Chlor 700 Calcium Hypochlorite Tablets

For the control of algae and bacteria in swimming pools
 20 g Tablets 700 g/kg available Chlorine present as Calcium Hypochlorite
 For use in floating dispenser.
 Not recommended as a Shock treatment.
 Alkaline pH 10 – 12

Application:

2 tablets per 10,000 litres per day (stabilised pools)
 4 tablets per 10,000 litres per day (unstabilised pools)

Sizes:

2 kg	6/ctn	MCCT6002
10 kg	64/pallet	MCCT6010
40 kg	drum	MCCT6040



IQ Maxi Chlor Liquid Chlorine

For the control of algae and bacteria in swimming pools
 130 g/ltr available Chlorine present as Sodium Hypochlorite
 Suitable for daily chlorination or shock treatment.
 Very Alkaline pH 12 – 13

Application:

200 ml per 10,000L per day (stabilised pools)
 400 ml per 10,000L per day (unstabilised pools)
 Application rates indicated are to be used as a guide only.

Sizes:

5 ltr	4/ctn	IQLC6005
15 ltr	48/pallet	IQLC6015
20 ltr	32/pallet	IQLC6020



Cap Spanner

Used to remove hard to get off caps, also has a bung screwdriver.
 Code: PMVT807



Drum Cap Tap

Allows liquid to be poured without that annoying "glug".
 Simply screw on to 15, 20 or 25 litre drums
 Code: IQTC1001



Pool Sanitisers - Stabilised



IQ Maxi Chlor Stabilised Granular Chlorine/Salt Boost

For the control of algae and bacteria in swimming pools
 630 g/kg available Chlorine present as Sodiumdichlorisocyanurate
 Small granular size and de-dusted. Fast dissolving leaving no residue, it is an ideal product for regular sanitising treatment of swimming pools and also as a supplementary chlorine for salt water pools.
 Slightly acidic pH 6 - 6.5

Application:

8 - 20 g per 10,000 litres per day or 25 - 30 g every other day
 Add directly to pool water or pre-dissolve in bucket of water.

Sizes:

500 g	10/ctn	MCDC6500
1 kg	6/ctn	MCDC6001
2 kg	6/ctn	MCDC6002
4 kg	4/ctn	MCDC6004
10 kg	64/pallet	MCDC6010
50 kg	drum	MCDC6050



IQ Ezi-Chlor

For the control of algae and bacteria in swimming pools
 810 g/kg available Chlorine present as Trichloroisocyanuric Acid and 100 g/kg Tetraborate Pentahydrate
 A blend of Stabilised Granular Chlorine (TCCA) and a water enhancer (Sodium Tetraborate). High Chlorine level, leaving no residue and with built in stabiliser. The regular addition of the Sodium Tetraborate enhances water quality, giving it a soft silky feel. Acidic pH 2 - 3

Application:

20 g per 10,000 litres per day
 Product must be added via the Skimmer Box with pump running.
 DO NOT add directly to the pool.

Sizes:

1 kg	6/ctn	IQEG6001
2 kg	6/ctn	IQEG6002
4 kg	4/ctn	IQEG6004
10 kg	64/pallet	IQEG6010
20 kg	drum	IQEG6020



IQ Maxi Chlor 5 in 1 Stabilised Tablets

For the control of algae and bacteria in swimming pools
 250 g Tablets
 800 g/kg available Chlorine present as Trichloroisocyanuric Acid
 250 g Tablets 7.5 g/kg Copper present as Copper Sulphate Pentahydrate also contains an in-built Clarifier (alum)
 Acidic pH 2 - 3

Application:

1 tablet per 20,000 litres placed in a floating dispenser or semi-automatic dispenser.
 Replenish as required (slow dissolving and long lasting)
 Application rates indicated are to be used as a guide only.

1 kg	12/ctn	MCST6001
2 kg	6/ctn	MCST6002
10 kg	64/pallet	MCST6010
50 kg	drum	MCST6050

IQ Maxi Chlor Stabilised Tablets

For the control of algae and bacteria in swimming pools

200 g Tablets

900 g/kg available Chlorine present as Trichloroisocyanuric Acid

Acidic pH 2 - 3

Application:

1 tablet per 20,000 litres placed in a floating dispenser or semi-automatic dispenser. Replenish as required (slow dissolving and long lasting).

Application rates indicated are to be used as a guide only.

1 kg	12/ctn	MCTC6001
2 kg	6/ctn	MCTC6002
10 kg	64/pallet	MCTC6010
50 kg	drum	MCTC6250



IQ Maxi Chlor Stabilised Mini Tablets

For the control of algae and bacteria in swimming pools

20 g Mini Tablets

900 g/kg available Chlorine present as Trichloroisocyanuric Acid

Acidic pH 2 - 3

Application:

10 tablets per 10,000 litres placed in a floating dispenser or semi-automatic dispenser. Replenish as required.

Application rates indicated are to be used as a guide only.

2 kg	6/ctn	MCMT6002
10 kg	64/pallet	MCMT6010



Shock Treatments



IQ Shock & Swim

For crystal clear water with added clarifier

372 g/kg available Chlorine present as Dichloroisocyanurate and 100 g/kg Sodium Tetraborate Pentahydrate also contains non-chlorine oxidiser and flocking agent

Its high oxidiser, low chlorine level makes it an ideal instant shock product allowing swimmers to re-enter the water within one hour of application.

Acidic pH 4 - 5

Application:

500 g weekly for pools up to 60,000 litres

1 kg per week for pools between 60 – 120,000 litres

Sizes:

500 g	10/ctn	IQSH5500
1 kg	6/ctn	IQSH5001
2 kg	6/ctn	IQSH5002
4 kg	4/ctn	IQSH5004
10 kg	64/pallet	IQSH5010



IQ Maxi Chlor Stabilised Granular Chlorine/Salt Boost

For the control of algae and bacteria in swimming pools

630 g/kg available Chlorine present as Sodiumdichlorisocyanurate

Small granular size and de-dusted. Fast dissolving leaving no residue.

An ideal product for regular sanitising treatment of swimming pools and as supplementary chlorine for salt water pools.

Slightly acidic pH 6 - 6.5

Application:

Superchlorination: 1 x 500 g bag per 50,000 litres

Sizes:

500 g	10/ctn	MCDC6500
-------	--------	----------



IQ Maxi Shock Granular Pool Chlorine

For the control of algae and bacteria in swimming pools.

700g/kg available Chlorine present as Calcium Hypochlorite

Packed for use as shock treatment or Superchlorination.

High quality, low residue economical granular Calcium Hypochlorite containing minimum 70% available chlorine.

Alkaline pH 10 - 12

Application:

4 times daily dosage for stabilised pools

(Daily dosage is 35 grams per 10,000 litres per day for stabilised pools)

2 times daily dosage for unstabilised pools

(Daily dosage is 70 grams per 10,000 litres per day unstabilised pools)

Application rates indicated are to be used as a guide only.

Consult your Pool Professional for further instructions.

Sizes:

500 g	10/ctn	MCMS6500
-------	--------	----------

IQ Shockright Plus

Chlorine free oxidiser

Active Oxygen 5.6% Blend of Persulphates

A blend of persulphates (non-chlorine oxidisers) containing 5.6% available oxygen.

Ideal for oxidising spas and chloramine reduction in swimming pools.

Its unique blend makes it suitable for all ionised pools giving a long term oxidising effect. Acidic pH 2 – 3

Application:

Spas: Initial dose 30 g per 2,000 litres then 15 g per 2,000 litres weekly or after spa use

Ionised Pools: 1 kg per 50,000 litres

Sizes:

500 g	12/ctn	IQR3500
1 kg	6/ctn	IQR3001
2 kg	6/ctn	IQR3002
5 kg	4/ctn	IQR3005
10 kg	64/pallet	IQR3010
20 kg	32/pallet	IQR3020



IQ Pool Solutions C-5 Chlorine Dioxide precursor Tablets

Sodium Chlorite and Inorganic Salts

C-5 Tablets are a blend of precursor chemicals which when added to the pool water then forms Chlorine Dioxide (ClO₂). Ideal for elimination of cryptosporidium and chloramines. Little 'down time' of swimming pool as there is no need for chlorine reduction after use.

Cryptosporidium is a parasite that can cause serious health problems such as Diarrhoea, Nausea, Vomiting, Abdominal Cramps and Fever. If the affected person has a weakened immune system the infection is more severe and may be fatal.

The usual cause of contamination is by a loose (liquid) bowel movement into the pool water. C. Parvum oocysts are best treated by a combination of chemical treatment (inactivation) and filtration (removal).

Application Rate:

See pack for details

10 kg	bucket	IPCT5100
-------	--------	----------



IQ Pool Solutions C-5 Chlorine Dioxide precursor

Chlorine Dioxide precursor

50g/l Sodium Chlorite solution

When activated with acid will form Chlorine Dioxide, a very powerful oxidiser.

Ideal for elimination of cryptosporidium and chloramines.

Little 'down time' of swimming pool as there is no need for chlorine reduction after use.

Application Rate:

See pack for details

5 ltr	4/ctn	IPCD5005
20 ltr	drum	IPCD5020



A woman in a white sports bra and shorts is performing a yoga pose on a rock in shallow water. She is standing on one leg, with the other leg bent and her foot held by her hands. Her arms are extended horizontally in opposite directions. The background shows a calm body of water and a clear blue sky. A large white semi-circle is overlaid on the right side of the image, containing the title text.

Adjusters & Balancers

Pool Adjusters and Balancers



IQ Liquid Pool Acid

Decreases pH and Total Alkalinity in swimming pool water
370 g/ltr Hydrochloric (Muriatic) Acid

Application:

Application rate will depend on the pH and Total Alkalinity level
Check label or consult your local Pool Professional.

Sizes:

5 ltr	4/ctn	IQLA4005
15 ltr	48/pallet	IQLA4015



IQ Granu-Cid Liquid Pool Acid

Decreases pH and Total Alkalinity in swimming pool water
Sulphuric Acid 35% contains Sulphuric Acid 440 g/ltr
Formulated specifically for use with IQ Granudos feeder systems.

Application:

Automatically dosed on demand as required.

Size:

15 ltr	48/pallet	IQSF6015
--------	-----------	----------



IQ pH Down

Decreases pH and Total Alkalinity in swimming pool water
Sodium Bisulphate, Dry Acid
No longer classified as a dangerous good for transportation or storage purposes.
Ideal pH should be between 7.2 - 7.8.

Application:

Application rate will depend on the pH and Total Alkalinity level
Check label or consult your local Pool Professional.

Sizes:

3 kg	6/ctn	IQDA4003
25 kg	bag	IQDA4025

IQ pH Up

Increases the pH of Swimming Pool water rapidly
Soda Ash, Sodium Carbonate (Granules / Powder)
 Ideal pH should be between 7.2 – 7.8.

Application:

per 10,000 litres:

pH Less than 6.8 add 100 g

pH 6.8–7.0 add 80 g

pH 7.0–7.2 add 40 g

Application rates indicated are only a guide

Pour directly into water prior to use or mix in a bucket of water as per the label instructions.

Allow pump to run 3 hours prior to re-testing.

Sizes:

2 kg	8/ctn	IQSA4002
25 kg	bag	IQSA4025



IQ Alkalinity Up

Increases the pH of Swimming Pool water
Sodium Bicarbonate, Buffer (Powder)
 Acts as a pH buffer preventing extreme pH shifts
 Ideal TA level is between 80 – 150 ppm

Application:

200 g will raise the Total Alkalinity by 10 ppm per 10,000 litres


Pour directly into water prior to use or mix in a bucket of water as per the label instructions.

Allow pump to run 4 hours prior to re-testing

Application rates indicated are to be used as a guide only.

Sizes:

2 kg	8/ctn	IQBF4002
4 kg	4/ctn	IQBF4004
10 kg	2/ctn	IQBF4010
10 kg	bkt	IQBF4010R
25 kg	bag	IQBF4025



IQ Water Hardener

Increases the level of Calcium (Hardness) in swimming pools and spas
Calcium Chloride
 Ideal Calcium Hardness level is between 200 – 500 ppm

Application:

100 g will raise the Calcium Hardness by 10 ppm per 10,000 litres

Product should be pre-dissolved in a bucket of water adding 2 kg to 5 litres of water. If more than 6 kg is needed per 50,000 litres of pool water dose separately and apply at least 12 hours apart.

Application rates indicated are to be used as a guide only.

Sizes:

2 kg	8/ctn	IQCC4002
4 kg	4/ctn	IQCC4004
10 kg	bkt	IQCC4010
25 kg	bag	IQCC4025



Pool Adjusters and Balancers



IQ Sunblock

Protects chlorine from ultra violet sunlight

996 g/kg Cyanuric Acid, Stabiliser

Ideal stabiliser level is 20 – 30 ppm. Do not exceed 50 ppm.

Application

200 g per 10,000 litre will raise Cyanurate level by approx. 20 ppm

Sun Block may be added directly to the pool. Pool may go cloudy for a short period but will clear within 8 hours. Sun Block may be added slowly via the skimmer box. Do not add to skimmer box if Cyclone pump is fitted. Mix in a bucket of water first & then broadcast over the entire swimming pool.

Cyanuric acid may take up to 24 – 36 hours to dissolve completely.

Application rates indicated are to be used as a guide only.

Sizes:

Fast Dissolving

1 kg	15/ctn	IQCA4001
2 kg	8/ctn	IQCA4002
3 kg	5/ctn	IQCA4003
25 kg	bag	IQCA4025

Granular

25 kg	bag	IQCA4030
-------	-----	----------



IQ Sunblock Tablets

Protects chlorine from ultra violet light

Each 500 g tablet containing 99.6% Cyanuric Acid

Ideal Stabiliser level is 20 – 30 ppm. Do not exceed 50 ppm

Application:

Apply by placing tablet in skimmer box.

500 g per 50,000 litre will raise Cyanurate level by approx 20 ppm

Application rates indicated are to be used as a guide only.

Sizes:

1 kg	12/ctn	IQCA4021
2 kg	6/ctn	IQCA4042

Pool Solutions

Algaecides

Clarifiers

Maintenance

Stain Treatment



Algaecides Solutions



IQ Black Spot Concentrated Granular Algaecide

Controls blackspot algae in pebblecrete, plaster and tiled pools

900 g/kg available Chlorine present as Trichloroisocyanuric Acid (TCCA)

For use in Pebblecrete, white plaster and tiled pools only.

DO NOT use on any artificially coloured surface.

Product has high chlorine / low pH.

Granules can be directed to specific areas and slow dissolving action of Granular Blackspot will kill and bleach Blackspot and stains.

Application:

See pack for details

Size:

1 kg	6/ctn	IQSG5005
10 kg	bucket	IQSG5010



IQ Pool Solutions Algae Eliminator

Controls algae in swimming pools

400 g/ltr Benzalkonium Chloride

Double strength 'quat' based algaecide

May also be used as a regular preventative treatment.

Not compatible with Hydrogen Peroxide – Biguanide systems

Application:

90 ml per 10,000 litres for visible algae growth

60 ml per 10,000 litres prevention dose

Water may foam immediately after adding but will clear quickly

Sizes:

1 ltr	6/ctn	IPAE5001
20 ltr	drum	IPAE5020



IQ Pool Solutions Maintenance Algaecide

Controls algae in swimming pools for up to 6 months

32 g/ltr Copper (Cu) present as Cupric Sulphate Pentahydrate

Lasting up to 6 months this is the ideal maintenance algaecide to use for the prevention of algae and for opening pools in summer.

Effective on all types of Algae including Black / Blue-Green / Mustard.

Application:

200 ml per 10,000 litres

Sizes:

1 ltr	6/ctn	IPMA5001
20 ltr	drum	IPMA5020

IQ Pool Solutions Metal Free Algaecide

Controls bacteria, viruses and protozoa in swimming pools
 Blend 300 g/ltr Poly [Oxyethylene (Dimethyliminio) Ethylene (Dimethyliminio) Ethylendichloride] 35 g/l Simazine
 Effective Green algae killer. May be used as a weekly preventative treatment.
 Popular dual action algaecide.

Application:

Heavy growth: 180 ml per 10,000 litres

Prevention: 60ml per 10,000 litres weekly

Sizes:

1 ltr	6/ctn	IPMF5001
20 ltr	drum	IPMF5020



IQ Pool Solutions Black Spot Treatment and Winteriser

Controls black spot algae and winterises
 120 g/l Copper (Cu) present as Cupric Ammonium Complex
 High strength copper based algaecide designed to remove the most stubborn Blackspot algae
 May also be used as a long life winteriser.

Application:

80 ml per 10,000 litres

Sizes:

500 ml	12/ctn	IPBW5500
1 ltr	6/ctn	IPBW5001
20 ltr	drum	IPBW5020



IQ Pool Solutions Polymax

Metal Free Concentrated Pool Algaecide
 685g/L Polymeric Quaternary Ammonium Compound
 Kills Black spot, Blue-green, Mustard and Green Algae
 Can be used in conjunction with all forms of sanitiser
 Ideal for Ionised and salt water pools

Application:

Heavy growth: 150ml per 10,000 litres

Prevention: 40ml per 10,000 litres per week

Application rates indicated are to be used as a guide only.

Sizes:

1 ltr	6/ctn	IPPM5001
20 ltr	drum	IPPM5020



Algaecides Solutions



IQ Pool Solutions Tropical Strength Algaecide

Designed to combat the most resistant algae strains.

50 g/ltr Copper (Cu) Present as a complex blend of copper salts

150 g/ltr Benzalkonium Chloride

Controls Blue-Green, Black & Mustard Algae in swimming pools.

Dual action algaecide

Non foaming

Can be used in conjunction with all forms of sanitiser.

Application:

200 ml per 10,000 litres

Sizes:

1 ltr	6/ctn	IPTS5001
20 ltr	drum	IPTS5020

Clarifier Solutions



IQ Pool Solutions Super Clear

Fast acting concentrated coagulant

Cationic Poly Electrolyte

Acts by gathering the fine particles together and trapping them in the filter.

Biodegradable, not pH dependant.

Regular use will reduce chlorine use by removing organic material from the pool water.

Application:

Clarifier dose: 40 ml per 10,000 litres

Cloudy pools: 60 ml per 10,000 litres

Sizes:

1 ltr	12/ctn	IPSC5001
20 ltr	drum	IPSC5020



IQ Pool Solutions PAC

Concentrated flocculent clears the cloudiest pools

Polyaluminium Chloride

Drops debris to pool floor from where it is vacuumed to waste

Ensure pH is between 7.5 – 7.8 for best results.

Not recommended for Cartridge or D.E. Filters.

Application:

200 ml per 10,000 litres

Size:

1 ltr	6/ctn	IPPA5001
20 ltr	drum	IPPA5020

IQ Pool Solutions Fast Floc

Concentrated flocculent with built in accelerator

Polyaluminium Chloride Complex plus Polymer

Fast acting, will clear pool water within 3 – 6 hours

Clears cloudy pools by dropping debris to the pool floor, then may be vacuumed to waste

Ensure that all algae is dead and that pH is between 7.5 – 7.8 for best results

Not recommended for Cartridge or D.E. Filters.

Application:

200 ml per 10,000 litres

Sizes:

1 ltr	6/ctn	IPFF5001
20 ltr	drum	IPFF5020



IQ Pool Solutions Pool Shimmer

For crystal clear water, eliminates body fats, oils and removes dissolved metals

Polychite

(Non toxic, biodegradable)

A concentrated, natural and biodegradable clarifier

It coagulates fine particles of suspended matter so that they may be trapped in the filter.

Removes metals, body fats and oils from the water leaving pool water crystal clear

Assist in preventing scum lines around the pool.

Application:

Maintenance: 85 ml per 10,000 litres

Newly filled pools: 170 ml per 10,000 litres

Size:

1 ltr	6/ctn	IPPS5001
20 ltr	drum	IPPS5020



IQ Pool Floc

Clears cloudy pools

Aluminium Sulphate (Granular / Powder)

Application

Raise pH to 8.2 in order to achieve best results

Dissolve Floc in a bucket of water at the rate of 400 g per 10,000 litre of pool water

Application rates indicated are to be used as a guide only.

Sizes:

2 kg	8/ctn	IQAL4002
25 kg	bag	IQAL4025



Clarifier Solutions



IQ Maxi Clear Skimmer Tablets

Clears cloudy pools fast

Aluminium Sulphate tablet

Each sock contains 5 x 25gram tablets for fast dissolving action.

Fast acting clarifier, ideal for newly filled or cloudy pools

Perfect for sand filters

pH should be between 7.2 – 7.6 for best results.

Application:

1 tablet per pool up to 50,000 litres

Sizes:

125 g (20 x 125g)	counter display	IQPA4001
500 g (4 x 125 g)	12/ctn	IQPA4004
10 kg (80 x 125 g)	bucket	IQPA4010



Super Cubes Plus

Clears cloudy pools and prevents algae growth by removing Phosphates

Gel formulation

The original Gel cube

Slow dissolving, long lasting flocculent

Keeps pool water clear for up to 30 days

Reduces high level phosphates

Application:

One Super Cube Plus in the skimmer basket treats up to 120,000 litres and lasts approximately four weeks.

Sizes:

170 g (2 x 170 g)	12/ctn	IQSCB170
90 g (48 x 90 g)	counter display	IQSC5490
170 g (Service Pack)	24/ctn	IQSC5180

IQ Pool Solutions C-5

Chlorine Dioxide precursor

50g/l Sodium Chlorite solution

When activated with acid will form Chlorine Dioxide, a very powerful oxidiser.

Ideal for elimination of cryptosporidium and chloramines.

Little 'down time' of swimming pool as there is no need for chlorine reduction after use.

Application Rate:

See pack for details

5 ltr	4/ctn	IPCD5005
20 ltr	drum	IPCD5020



IQ Pool Solutions C-5 Chlorine Dioxide precursor Tablets

Sodium Chlorite and Inorganic Salts

C-5 Tablets are a blend of precursor chemicals which when added to the pool water then forms Chlorine Dioxide (ClO₂). Ideal for elimination of cryptosporidium and chloramines. Little 'down time' of swimming pool as there is no need for chlorine reduction after use.

Cryptosporidium is a parasite that can cause serious health problems such as Diarrhoea, Nausea, Vomiting, Abdominal Cramps and Fever. If the affected person has a weakened immune system the infection is more severe and may be fatal.

The usual cause of contamination is by a loose (liquid) bowel movement into the pool water. C. Parvum oocysts are best treated by a combination of chemical treatment (inactivation) and filtration (removal).

Application Rate:

See pack for details

10 kg	bucket	IPCT5100
-------	--------	----------



IQ Pool Solutions Nil-Phos

Prevents algae growth by removing phosphates

250 g/l Lanthanum Chloride

Optimum strength to ensure rapid removal of Phosphates. Water may initially

become cloudy as Phosphates drops out but will clear. IQ Maxi Clear Tablets or Pool Solutions Super Clear are recommended to accelerate clarification.

See IQ Nil-Phos Phosphate Testing Station.

Application Rate:

Maintenance: 500ml per 50,000 litres

High Phosphates: (> 1 ppm phosphate) 1 ltr per 50,000 litres

1 ltr	6/ctn	IPNP5001
2.5 ltr	6/ctn	IPNP5025
20 ltr	drum	IPNP5020



Maintenance Solutions



IQ Pool Solutions Duck-Away

Deter ducks from swimming pools

100 g/l Benzalkonium Chloride and 23.5 g/l Alcohol Ethoxylate

Changes surface tension of water making it difficult for ducks to float.

Product is not harmful to ducks.

Application Rate:

1 litre per 10,000 litres

Sizes:

5 ltr 4/ctn IPDA5005

20 ltr drum IPDA5020



IQ Pool Solutions Stop-Cal

Assists in preventing calcium scale and reduces scale on salt cells

Acrylic Polymer Complex

Ideal for exposed aggregate surfaces such as Quartzon, Bedecrete® Pebblecrete etc.

Recommended when first filling swimming pools with "reactive" pool surfaces.

Application:

5 litres per 50,000 litres every 6 months

Size:

5 ltr 4/ctn IPCS5005



IQ Pool Solutions Cell Clean

Fast acting salt chlorinator cell cleaner solution

Phosphoric Acid and Organic Surfactants

Contains organic surfactants to aid cleaning process.

Will not damage cell plates

Re-usable up to 4 times.

Application Rate:

See pack for details

Sizes:

5 ltr 4/ctn IPCC5005

20 ltr drum IPCC5020

IQ Pool Solutions Salt Cell Protector

Reduces calcium deposits on salt cells

Magnesium Chloride

Reduces calcium scaling on salt chlorinator cells and also softens any deposits allowing easy removal of any calcium build up.

Does not contain any sulphates (sulphates attack cement and grout)

Depending on rainfall and back washing, one treatment will last up to 6 months.

Application:

5 litres per 50,000 litres every 6 months depending on rainfall and back washing

Size:

5 ltr 4/ctn IPSP5005



IQ Pool Solutions Natural Filter Cleaner & Degreaser

Breaks down oils and fats

Eco friendly, nontoxic, biodegradable

Manufactured from plant extracts, IQ Natural Filter Cleaner and Degreaser is a non-toxic, non-polluting Biodegradable cleaner. It acts by solubilising fats and oils allowing the filter medium to be easily rinsed and backwashed.

Application Rate:

See pack for details

Sizes:

1 ltr 6/ctn IPFC5001
20 ltr drum IPFC5020



IQ Pool Solutions Enhance

Enhances bather comfort

Blend of Boric Acid and Tetraborate

Softens water giving it a silky feel.

Reduces eye and skin irritations

Buffers pH from fluctuations

Improves water clarity

Application Rate:

Initial Treatment: 200 g per 1000 litres

Maintenance: 50 g per 1000 litres

Sizes:

5 kg bucket IPEH5005
10 kg bucket IPEH5010



Stain Solutions



IQ Pool Solutions Stain Remover

For the removal of coloured metal stains from swimming pools

995 g/kg Organic Acid Complex

A blend of organic acids for the removal of metal stains (copper, manganese and iron) from pool surfaces.

May also remove some scale deposits.

Removes organic stains such as leaf and algae stains

In case of metal stains, test water for metals in solution and if present use Pool Solutions Metal Magnet to prevent further staining

Application:

1 kg per 50,000 litres

May be applied in specific spots by using a sock

Size:

1 kg

6/ctn

IPSR5001



IQ Pool Solutions Metal Magnet

For the prevention of metal stains and scale in swimming pools

360 g/l Phosphoric Acid

Chelating agent that prevents stains and removes metals from pool water by sequestering.

In case of severe staining, first use Pool Solutions Stain Remover to eliminate existing stains and then Metal Magnet to prevent them returning.

Application:

500ml per 50,000 litres

Size:

1 ltr

6/ctn

IPMM5001

20 ltr

drum

IPMM5020

The background of the cover is a photograph of a person relaxing in a hot tub. The person's legs are visible in the upper right, and their head with blonde hair and a white flower in it is in the lower left. A large white semi-circle is on the right side, containing the title and product list. A teal semi-circle is on the far right edge.

Spa Solutions

Sanitisers

Adjusters & Balancers

Maintenance

Shock Treatment

Fragrances

Spa Kits

Spa
Solutions

Spa Solutions



IQ Spa Solutions Spa Brom Tablets

For the control of algae and bacteria in spa, pools and hot tubs
 650 g/kg available Bromine 280 g/kg available Chlorine
 present as Bromochlorodimethylhydantoin
 Ideal sanitiser for water greater than 26° C, Bromine is not pH dependant.
 Acidic pH 4 - 5

Application:

1 Tablet (15g tablet) per 1,000 litres

Application rates indicated are to be used as a guide only.

Sizes:

1 kg	6/ctn	IQSB1001
2 kg	6/ctn	IQSB1002
10 kg	bucket	IQSB1010
20 kg	drum	IQSB1020



IQ Spa Solutions Lithium Hypochlorite

For the control of algae and bacteria in pools and spas
 350 g/kg available Chlorine present as Lithium Hypochlorite
 Fully soluble, No residue
 Can be used for daily chlorination or shock treatment.
 Alkaline pH 10.5 - 11

Application:

12 g per 1,000 litres of Spa water

Application rates indicated are to be used as a guide only.

Sizes:

500 g	12/ctn	QLH3500
1 kg	6/ctn	QLH3001
2 kg	6/ctn	QLH3002
10 kg	bucket	QLH3010



IQ Spa Solutions Spa Start & Balance

Ensures spa water is balanced

Contains Monopersulphate

A unique formulation designed to balance Spa water. Raises Calcium Hardness, Total alkalinity and pH. It contains non-chlorine Oxidisers to combat any organic contaminants. Coagulates suspended solids. Provides scale and corrosion protection. Reduces iron and copper staining.

Alkaline pH 10 - 11

Application:

300 g per 1,000 litres of Spa water

Sizes:

500 g	12/ctn	IQSS2500
1.25 kg	6/ctn	IQSS2125
10 kg	bucket	IQSS2010

IQ Spa Solutions Alkalinity Up

Increases total alkalinity and pH levels in spas

Sodium Bicarbonate, Buffer (Powder)

Acts as a pH buffer preventing extreme pH shifts

Ideal TA level is between 80 – 150 ppm

Application:

200 g will raise the Total Alkalinity by 10 ppm per 10,000 litres

Size:

500 g

12/ctn

IQTA2500



IQ Spa Solutions pH Down

Decreases pH and total alkalinity levels in spas

Sodium Bisulphate, Dry Acid (Granules / Powder)

No longer classified as a dangerous good for transportation or storage purposes.

Ideal pH should be between 7.2 – 7.8.

Application:

Application rate will depend on the pH and Total Alkalinity level

Check label or consult your local Pool Professional.

Size:

500 g

12/ctn

IQDA4500



IQ Spa Solutions Water Hardener

Increases calcium hardness levels in spas

Calcium Chloride

Ideal Calcium Hardness level is between 200 – 300 ppm

Application:

10 g increases Calcium Hardness by 10 ppm per 1,000 litres

Dosage rates indicated are only a guide

Product should be pre-dissolved in a bucket of water.

Size:

500 g

12/ctn

IQCC4500





IQ Spa Solutions Chlorine Neutraliser

Lowers Chlorine and Bromine levels in pools and spa's

985 g/kg Sodium Thiosulphate

Does NOT reduce combined Chlorine.

Be careful not to overdose as it may then be difficult to achieve residual chlorine level.

Application:

10 g per 10,000 litres reduces 1 ppm chlorine

Sizes:

500 g	12/ctn	IPCN4250
25 kg	bag	IPCN4025



IQ Spa Solutions Spa Bath & Cartridge Clean

For cleaning of spa bath systems, pipes and cartridges

Alkaline Salts 28 g/kg available Chlorine present as Sodium

Dichloroisocyanurate

Removes build up of oils, grease and other contaminants from pipe work in Spas, Spa Baths and filter cartridges.

Application:

Use before emptying spa or spa bath by following instructions on pack.

Filter cartridges may be cleaned by soaking in a bucket containing a solution of Spa Bath & Cartridge Cleaner.

Sizes:

125 g	(20) counter display	IQSC3020
1 kg	12/ctn	IQSC3001



IQ Spa Solutions Shockright Plus

Chlorine free oxidiser

Active Oxygen 5.6% Blend of Persulphates

A blend of persulphates (non-chlorine oxidisers) containing 5.6% available oxygen. Ideal for oxidising spas and chloramine reduction in swimming pools.

Its unique blend makes it suitable for all Ionised pools giving a long term oxidising effect. Acidic pH 2 - 3

Application:

Spas: Initial dose 30 g per 2,000 litres then 15 g per 2,000 litres weekly or after spa use.

Ionised Pools: 1 kg per 50,000 litres

Sizes:

500 g	12/ctn	IQSR3500
1 kg	6/ctn	IQSR3001
2 kg	6/ctn	IQSR3002
5 kg	4/ctn	IQSR3005
10 kg	64/pallet	IQSR3010
20 kg	32/pallet	IQSR3020

IQ Spa Solutions Spa Enhance

Enhances bather comfort

Blend of Boric Acid and Tetraborate and Rose fragrance

Gives Spa water a soft, silky feeling while also adding a pleasant Rose fragrance to the water. The addition of Spa Enhance will help maintain better water balance and prevent fluctuations of pH level.

Application:

200 g per 1,000 litres

Size:

1 kg

6/ctn

IQEH5001



IQ Flat n Foam

Foam control for spa and hot tubs

Suppresses foaming in Spas, Hot Tubs, Hydrotherapy pools and Fountains.

Compatible with all sanitisers and other spa chemicals.

Application:

Add 1-3 capfuls direct to main foam areas

Size:

500 ml

12/ctn

IQFF5500



IQ Shimmer and Shine

Water polisher

Chitosan (crushed crustacean shells)

Shimmer & Shine is a natural, biodegradable clarifier.

It coagulates fine particles of suspended matter so they may be trapped in the filter.

Removes metals, body fats and oils from the water leaving spa water crystal clear.

Application:

10 ml per 1,500 litres

Size:

500 ml

12/ctn

IQSS5500



Genie Fragrance

Spa fragrances

Designed for spas, hot Tubs and spa baths.

Available in 6 different fragrances.

Floral, Wildflower, Spicy Citrus, Misty, Calypso, Green Apple

Application:

When required

Sizes:

50 ml

24/ctn

IQGB5050

400 ml

12/ctn

IQGF4000



Pool & Spa Start Up Kits



IQ Pool Start Up Kit

Everything a Pool owner needs to start up a new Pool.

Kit contains:

- 1 x 2 kg IQ Water Hardener
- 1 x 3 kg IQ pH Down
- 1 x 4 kg Alkalinity Up
- 1 x 125 g IQ Maxi Clear Skimmer Tablets
- 2 x 500 g Shock & Swim
- 1 x 2 kg Sun Block
- 1 x 500 ml Water Sample Bottle

Code: IQSU4000



IQ Lithium Spa Starter Pack

Everything a Spa owner needs to start up a new Spa or when refilling with fresh water.

The Lithium Spa Starter Kit contains:

- 500 g IQ Spa Start & Balance
- 500 g Shockright Plus
- 500 g Lithium Hypochlorite
- 125 g IQ Spa Bath & Cartridge Clean
- 50 ml Genie Spa Fragrance
- Spa Water Test Strips

Easy to follow Start-Up Instructions

Code: BZSK0006



IQ Nature 2® Spa Starter Pack


Everything a Spa owner needs to start up a new Spa or when refilling with fresh water.

The NATURE 2® Spa Starter Kit contains:

- NATURE 2® Spa Purifier
- 500 g IQ Spa Start & Balance
- 500 g Shockright Plus
- 500 g Lithium Hypochlorite
- 125 g IQ Spa Bath & Cartridge Clean
- 50 ml Genie Spa Fragrance
- Spa Water Test Strips

Easy to follow Start-Up Instructions

Code: BZSK0005



NATURE 2® Spa Purifier

A water sanitising system that uses trace mineral elements to kill bacteria and algae in your Spa. The silver when combined with a small amount of chlorine will kill bacteria much faster than chlorine alone.

Nature 2® Spa purifiers are simple to install, long lasting (4 months) and compatible with Ozone.

Code: BZSP0001

