


ADDENDUM TO SAFETY DATA SHEET

This SDS is prepared in the internationally recognised GHS format. This addendum provides information specifically for this product according to Safe Work Australia and should not be detached but rather read in conjunction with the SDS which follows and remains integral to the attached SDS.

Identification			
Product name	(CELITE = C) AQUA-CEL [®] , C269, C503 (ALL), C535, C545, C552, C560, C566, C578P, C580, X-6, X-7 - Flux Calcined Diatomaceous Earth		
Date of Issue	31 August 2018		Page 00 of 3
Supplement to Section 1: Identification to the material and the supplier			
Company	Filchem Australia Pty Limited		
Australian Address	Unit 2, 7 Salisbury Rd, Castle Hill NSW 2154 Australia		
Telephone	02 9899 4633	Fax	02 9899 9824
Supplement to Section 2: Hazard Identification			
Hazardous nature	 <p>DANGER - CAUSES DAMAGE TO LUNGS THROUGH PROLONGED OR REPEATED EXPOSURE BY INHALATION. THIS PRODUCT CONTAINS CRYSTALLINE SILICA (CS) WHICH IS CONSIDERED A HAZARD BY INHALATION.</p> <p>Classified in accordance with the Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(2004)] 3rd Edition, Safe Work Australia</p>		
Supplement to Section 14: Transport Information			
Class / Subsidiary risk	Not classified as hazardous or dangerous good according to ADG7 (7th Edition) for Transporting.		
Hazchem			
Supplement to Section 15: Regulatory Information			
Poisons schedule	Not a scheduled poison under the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP)		
Occupational Exposure Standards	See Section 3 and Section 8		
AICS	All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempted		
Other			
Authorised By and Date			
	Steven Ware 31 August, 2018		



SAFETY DATA SHEET #2410
REVISION #10
DATE REVISED: 08/31/2018

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name(s): (CELITE® = C) AQUA-CEL®, C269, C503 (ALL), C535, C545, C552, C560, C566, C578P, C580, X-6, X-7

Generic Name: FLUX CALCINED DIATOMACEOUS EARTH

CAS: 68855-54-9

Chemical Name: SILICA

EINECS: 272-489-0

Manufacturer: Imerys

Formula: SiO₂

Address: 1732 North First Street, Suite 450

Telephone: (805) 737-1239

City: San Jose

State: CA

Zip: 95112

Emergency: CHEMTREC – USA: (800) 424-9300

International: +01 (703) 527-3887 (collect)

2. HAZARD IDENTIFICATION

2.1 PHYSICAL AND CHEMICAL HAZARDS:

HUMAN HEALTH:
ENVIRONMENT:

NO CLASSIFICATION.
QUARTZ: STOT RE 1 – H372.
NO CLASSIFICATION.

2.2 LABEL ELEMENTS:

• **GHS PICTOGRAM**



• **SIGNAL WORD:** DANGER

• **HAZARD STATEMENT:**

H372 CAUSES DAMAGE TO LUNGS THROUGH PROLONGED OR REPEATED EXPOSURE VIA INHALATION.

• **PRECAUTIONARY STATEMENTS:**

P260 DO NOT BREATHE DUST.

P285 IN CASE OF INADEQUATE VENTILATION WEAR RESPIRATORY PROTECTION.

P501 DISPOSE OF CONTENTS/CONTAINERS IN ACCORDANCE WITH LOCAL REGULATIONS.

LONG TERM EXPOSURE TO CRYSTALLINE SILICA CAN CAUSE LUNG INJURY (SILICOSIS). IARC AND NTP HAVE DETERMINED THAT CRYSTALLINE SILICA INHALED FROM OCCUPATIONAL SOURCES CAN CAUSE CANCER IN HUMANS. RISK OF INJURY IS DEPENDENT ON THE DURATION AND LEVEL OF EXPOSURE.

3. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME:	CAS NUMBER:	%	PEL AND TLV (except as noted)
FLUX CALCINED DIATOMACEOUS EARTH (DE)	68855-54-9	100	
THIS PRODUCT MAY CONTAIN UP TO 54% CRYSTALLINE SILICA:			
CRISTOBALITE	14464-46-1	< 50	.025mg/M ₃ RESPIRABLE CRISTOBALITE, ACGIH
QUARTZ	14808-60-7	< 4	.025mg/M ₃ RESPIRABLE QUARTZ, ACGIH

4. FIRST AID MEASURES

Inhalation: REMOVE TO FRESH AIR. DRINK WATER TO CLEAR THROAT AND BLOW NOSE TO EVACUATE DUST.

Eyes: FLUSH EYES WITH LARGE QUANTITIES OF WATER. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.

Skin Contact: NA

Skin Absorption: NA

Ingestion: NA

5. FIRE FIGHTING MEASURES

Flash Point (Method): NONFLAMMABLE

NFPA Flammable/Combustible Liquid Classification: NA

Flammable Limits: LEL: NA UEL: NA

Auto-Ignition Temperature: NA

Extinguishing Media: NA

Unusual Fire or Explosion Hazards: NONE

Special Fire-Fighting Procedure: NONE

6. ACCIDENTAL RELEASE MEASURES

Procedure for Spill/ Leak: VACUUM CLEAN DUST WITH EQUIPMENT FITTED WITH HEPA FILTER. USE A DUST SUPPRESSANT SUCH AS WATER IF SWEEPING IS NECESSARY.

7. HANDLING AND STORAGE

MINIMIZE DUST GENERATION AND ACCUMULATION. AVOID BREATHING DUST. AVOID CONTACT WITH EYES. SEAL BROKEN BAGS IMMEDIATELY. CONTINUE TO FOLLOW ALL SDS/ LABEL WARNING WHEN HANDLING EMPTY CONTAINERS.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Goggles: GOGGLES OR SAFETY GLASSES WITH SIDESHIELDS ARE RECOMMENDED.

Gloves: NOT NORMALLY REQUIRED.

Respirator: <10X PEL, USE AN N95 QUARTER OR HALF MASK RESPIRATOR; <50X PEL, USE A FULL FACE RESPIRATOR EQUIPPED WITH N95 FILTERS; <200X PEL, USE A POWERED AIR PURIFYING RESPIRATOR (POSITIVE PRESSURE) WITH N95 FILTERS; >200X PEL, USE A FULL FACE, TYPE C SUPPLIED AIR RESPIRATOR (CONTINUOUS FLOW MODE).

Ventilation: USE SUFFICIENT NATURAL OR MECHANICAL VENTILATION TO KEEP DUST LEVEL BELOW PEL.

ACGIH TLV – .025 mg/M³ RESPIRABLE CRISTOBALITE / QUARTZ DUST.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: FINE WHITE POWDER, NO ODOR.

Boiling Point:	NA	Evaporation Rate (=1):	NA	Specific Gravity (water = 1):	2.3
Vapor Pressure:	NA	Melting Point:	ND	% Volatile by Volume:	NIL
Water Solubility (%):	NEGLIGIBLE	Vapor Density (Air=1):	NA	pH:	9.0-10.5

10. STABILITY AND REACTIVITY

MATERIAL IS STABLE.

HAZARDOUS POLYMERIZATION CANNOT OCCUR

Chemical Incompatibilities: HYDROFLUORIC ACID

Conditions to Avoid: NONE IN DESIGNED USE.

11. TOXICOLOGY INFORMATION

Summary: THIS PRODUCT CONTAINS CRYSTALLINE SILICA (CS), WHICH IS CONSIDERED A HAZARD BY INHALATION. IARC HAS CLASSIFIED CS AS CARCINOGENIC FOR HUMANS (GROUP 1). CS IS LISTED BY NTP AS A KNOWN HUMAN CARCINOGEN. CS IS ALSO A KNOWN CAUSE OF SILICOSIS, A NONCANCEROUS LUNG DISEASE.

12. ECOLOGICAL INFORMATION

GENERALLY CONSIDERED CHEMICALLY INERT IN THE ENVIRONMENT. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY HAVE SIGNIFICANTLY DIFFERENT CHARACTERISTICS BASED ON THE CONTAMINANT AND SHOULD BE EVALUATED ACCORDINGLY

13. DISPOSAL CONSIDERATIONS

WASTE IS NOT HAZARDOUS AS DEFINED BY RCRA (40 CFR 261). OTHER STATE AND LOCAL REGULATIONS MAY VARY, CONSULT LOCAL AGENCIES AS NEEDED. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY HAVE SIGNIFICANTLY DIFFERENT CHARACTERISTICS BASED ON THE CONTAMINANTS AND SHOULD BE EVALUATED ACCORDINGLY.

14. TRANSPORTATION INFORMATION

D.O.T. Proper Shipping Name: EARTH, DIATOMACEOUS, CRUDE OR GROUND **Hazard Classification:** Not Classified

Reportable Quantities: NA

UN (United Nations), NA (North America) Number: NA

15. REGULATORY INFORMATION

OSHA Hazard Communications Standard, 29 CFR 1910.1200: MATERIAL IS CONSIDERED HAZARDOUS, SEE SECTION 3.

RCRA: THIS MATERIAL IS NOT DEFINED AS HAZARDOUS WASTE PER 40 CFR 261.

TSCA: THIS MATERIAL IS LISTED IN THE TSCA INVENTORY, AND IS NOT OTHERWISE REGULATED BY TSCA SEC. 4, 5, 6, 7 OR 12.

CERCLA: MATERIAL IS NOT REPORTABLE UNDER CERCLA, LOCAL REQUIREMENTS MAY VARY.


SARA: 311/312 HAZARD CATEGORIES -IMMEDIATE AND DELAYED HEALTH, 313 REPORTABLE INGREDIENTS - NONE.

Canada: THIS PRODUCT IS LISTED ON THE DSL.

California Proposition 65: WARNING THIS PRODUCT CAN EXPOSE YOU TO CHEMICALS INCLUDING CRYSTALLINE SILICA, WHICH IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER. FOR MORE INFORMATION GO TO www.P65Warnings.com.

EU (REGULATION (EC) N° ° 1272/2008): THIS MATERIAL IS LABELED AND SUPPORTED ACCORDINGLY WITH GHS STANDARDS.

European Inventory of Existing Chemicals (EINECS): ALL OF THE COMPONENTS OF THIS PRODUCT ARE INCLUDED ON EINECS.

16. OTHER INFORMATION

NFPA FIRE HAZARD SYMBOL*
See NFPA 704 for detailed explanation.



HEALTH	*	1
FLAMMABLE		0
PHYSICAL HAZARD		0
PERSONAL PROTECTION		E

Revisions Made Since Last Version: Includes OSHA Haz Com 2012 compliance with GHS format.

Revised California Proposition 65 language in Section #15.

As of the date of preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state law(s). However, no warranty or representation with respect to such information is intended or given. Always assume that unless this document is viewed on the Imerys Filtration website (www.imerys-filtration.com), this document may not be fully current and up-to-date. End of SDS.