

# Poolside Fittings & Accessories

Wave Breaking Lane Ropes

Lane Rope Storage

Starting Platforms

Ladders & Grab Rails

Backstroke, False Start Posts,  
Sockets & Accessories

Equipment Storage

Matting

Grating

Learn To Swim Platforms

Lane Divider

Water Polo

Pool Blankets & Rollers

Water Features & Play

## Wave Breaking Lane Ropes

### Swimplex 110 mm

110 mm<sup>ø</sup>. Stainless steel cable with UV stabilised polypropylene discs that interlock and have strengthened ribs giving them a heavy duty finish whilst being pool blanket friendly. Specify colour configuration.

Colours: Red, Yellow Blue, Green, Black and White with white floats.

Lanes are assembled with tensioner sold separately.

25 metre Code: PLA51000S

50 metre Code: PLA51015S



### Anti Midi 110

110 mm<sup>ø</sup>. Stainless steel cable with UV stabilised co-polymer polypropylene discs and high density polyethylene floats. Lanes are assembled with Anti Super Tensioner included. Standard colour configuration is 5 m Red ends then 1 m White and 1 m Blue discs alternating in the centre with Grey donut floats between every second disc. 25 m ropes have the 15 m positions marked. 50 m ropes have the 15 m, 25 m and 35 m positions marked.

Other lengths and/colour combination available on request.

Colours: Red, Blue, White Yellow/Gold, Green and Black.

25 metre Code: PLA00110A

50 metre Code: PLA00142A



### Anti Myti 125

125 mm<sup>ø</sup>. Combining the advantages of the large Maxi150 lane with the proven economy and performance of the Midi 110 lanes. Stainless steel cable with UV stabilised copolymer polypropylene discs and high density polyethylene floats. Lanes are assembled with Anti Super Tensioner included. Standard colour configuration is 5 m Red ends then 1 m White and 1 m Blue discs alternating in the centre with Grey donut floats between every second disc. 25 m ropes have the 15 m positions marked. 50 m ropes have the 15 m, 25 m and 35 m positions marked.

Colours: Red, Blue, White Yellow/Gold, Green and Black.

25 metre Code: PLA00120A

50 metre Code: PLA00143A



### Anti Maxi 150

150 mm<sup>ø</sup>. Designed for even greater performance and to meet the exacting requirements of the latest international rules. Supplied as a kit with Anti Super Tensioner. Stainless steel cable with UV stabilised co-polymer polypropylene discs and high density polyethylene floats. Standard colour configuration is 5 m Red ends then 1 m White and 1 m Blue discs alternating in the centre with Grey donut floats between every second disc. 25 m ropes have the 15 m positions marked. 50 m ropes have the 15 m, 25 m and 35 m positions marked.

Other lengths and/colour combination available on request.

Colours: Red, Blue, White Yellow/Gold, Green and Black.

25 metre Code: PLA00130A

50 metre Code: PLA00144A



### IQ Tensioner

Cover is moulded black HDPE (high density polyethylene) with ribs for extra grip and comfort. The barrel is 304 stainless steel with a brass ferrule. A threaded rod allows lengthening or shortening with a swivel hook attached. To attach the cable, the cover is simply forced along the stainless steel barrel which allows access to the clamp with three grub screws. Slide the cable into the barrel and tighten the grub screws. Reposition the cover to hide the clamp keeping cable ends away from hands.

Sleeve 285 mm (L) Threaded Rod and Hook 195 mm (L)

Code: PLA51018S



### Anti Super Tensioner

Stainless steel with brass ferrule and glass filled polycarbonate body construction. A threaded rod allows lengthening or shortening with a swivel hook attached. To attach the cable, unscrew the end cap and attach the cable to the short clamp set then replace end cap to hide cable end keeping it away from hands.

Body including lock nut 230 mm (L)

Threaded Rod and Hook 200 mm (L)

Code: PLA00160A





### Lane Rope Reel - 980 - Powder Coated Aluminium

Constructed from Powder Coated Aluminium fitted with castors & brakes. Solarguard cover is supplied with each reel. Easy to assemble.

2230 mm x 1200 mm x 1580 mm (L x W x H)

Holds: 150 m x 110 mm  
150 m x 125 mm  
100 m x 150 mm

Code: PLAW00810



### Lane Rope Reel - 1220 - Aluminium

Constructed from Powder Coated Aluminium fitted with castors & brakes. Solarguard cover is supplied with each reel. Easy to assemble.

2230 mm x 1200 mm x 1800 mm (L x W x H)

Holds: 150 m x 110 mm  
150 m x 125 mm  
100 m x 150 mm

Code: PLAW00813



### Lane Rope Reel - 980 - Stainless Steel

Stainless Steel frame. Fitted with castors & brakes. Solarguard cover is supplied with each reel. Easy to assemble.

2200 mm x 1300 mm x 1500 mm (L x W x H)

Holds: 150 m x 110 mm  
150 m x 125 mm  
100 m x 150 mm

Code: PLAW00812

### Low Profile Stainless Steel

Constructed from stainless steel with a mirror finish. Fitted with castors and brakes. Easy to assemble.


1300 mm x 1250 mm (H x W)

1750 mm (L) Holds 150 m x 110 mm

2100 mm (L) Holds 200 m x 110 mm

Code: PLA51029W

Code: PLA51028W



### Lane Saver

The Lane Saver provides for safe and quick removal and installation of Wave Breaking lane ropes. The Lane Saver is designed to be placed onto the pool deck and allows for smooth and unhindered movement of lanes that could otherwise be damaged by the sharp pool edge.

Code: PLAW00600





## Wave Breaking Lane Rope Parts


### Wave Breaking Cables & Fittings

- |  |                     |
|--|---------------------|
| A. Stainless Steel "D" Shackle                 | Code: PSP54015      |
| B. Stainless Steel "S" Hook                    | Code: PSP54020      |
| C. Stainless Steel Thimble                     | Code: PSP54031      |
| D. Cable Ferrule/Swage for Crimping            | Code: PSP54032      |
| E. Stainless Steel Short Clamp Set             | Code: PSP54034      |
| F. Stainless Steel Cable with "S" Hooks fitted | 25 m Code: PSP54035 |
|  | 33 m Code: PSP54040 |
|  | 50 m Code: PSP54045 |
| W. Stainless Steel S Hook & Long Clamp Set     | Code: PSP54033      |
| X. Stainless Steel Snap Hook & Long Clamp Set  | Code: PSP54030      |



### Wave Breaking Discs & Floats

- Swimplex Lane Rope Disc 110 mm<sup>ø</sup> 12 disc/1 float per metre
- |                  |                 |
|------------------|-----------------|
| G. Disc - Black  | Code: PSP54009S |
| H. Disc - White  | Code: PSP54008S |
| I. Disc - Red    | Code: PSP54005S |
| J. Disc - Yellow | Code: PSP54006S |
| K. Disc - Blue   | Code: PSP54007S |
| L. Disc - Green  | Code: PSP54010S |
| M. Float - White | Code: PSP54000S |
- Black, White, Red, Yellow/Gold, Blue, Green
- |   |                 |
|---|-----------------|
| N. Anti Lane Rope Disc 110 mm <sup>ø</sup> 12 disc/6 float per metre  | Code: PLAW00115 |
| O. Anti Lane Rope Disc 125 mm <sup>ø</sup> 12 disc/6 floats per metre | Code: PLAW00125 |
| P. Anti Lane Rope Disc 150 mm <sup>ø</sup> 10 disc/5 floats per metre | Code: PLAW00135 |
| Q. Anti Lane Rope Float / Donut                                       | Code: PLAW00104 |



## Training Lane Ropes & Parts

### Anti Mini 65 Training Rope

- R. 65 mm<sup>ø</sup>. A small lane rope used for small pools or where an area is to be roped off. Stainless steel cable with UV stabilised co-polymer polypropylene discs and high density polyethylene floats. Lanes are assembled with tensioner included. Specify colour configuration. Other lengths available on request. Colours: Red, Blue, White Yellow/Gold, Green and Black.
- |  |                 |
|--|-----------------|
| 25 metre   | Code: PLA00100A |
| 50 metre   | Code: PLA00140A |
| S. Anti Lane Rope Disc 65 mm 12 disc/2 float per metre | Code: PLAW00105 |
| Q. Anti Lane Rope Float / Donut                        | Code: PLAW00104 |



### Standard Lane Rope

- T. 6 mm<sup>ø</sup> orange polyethylene centre rope with 75 mm<sup>ø</sup> hard orange foam floats one metre apart with a knot either side to prevent the floats sliding. Snap hooks and/or tension springs sold separately.
- |                                   |                 |
|-----------------------------------|-----------------|
| 25 metre                          | Code: PLA51040S |
| 33 metre                          | Code: PLA51050S |
| 50 metre                          | Code: PLA51055S |
| Per metre                         | Code: PLA51039S |
| U. Stainless Steel Tension Spring | Code: PSP55080  |
| V. Stainless Steel Snap Hook      | Code: PSP55075  |



## IQ Swim Swim Teaching Platform - Standard

The IQ Swim Teaching Platform is strong, easy to clean, lightweight, stable, UV stabilised and easy to assemble. It has a clear UV stabilised polycarbonate top to comply with Royal Life's guidelines. Under the sea characters are stuck on the platform base giving reassurance of where to stand. Chemicals and humidity have no effect on the plastic. Suitable around chlorine or salt water pools. Two sets of legs are included so you can choose the base height at 500 mm or 650 mm. There are two sizes to choose from, small 470mm or the larger 600mm wide. Assembles in minutes.

Small 1200 mm x 470mm (L x W)  
Large 1200 mm x 600mm (L x W)

Code: PSTOR212  
Code: PSTOR222



Under the sea characters



## IQ Swim Swim Teaching Platform - Back Rail

The IQ Swim Teaching Platform is strong, easy to clean, lightweight, stable, UV stabilised and easy to assemble. It has a clear UV stabilised polycarbonate top to comply with Royal Life's guidelines. Under the sea characters are stuck on the platform base giving reassurance of where to stand. Chemicals and humidity have no effect on the plastic. Suitable around chlorine or salt water pools. Two sets of legs are included so you can choose the base height at 500 mm or 650 mm. There are two sizes to choose from, small 470mm or the larger 600mm wide. The back rail gives a visual reference point and marks the rear of the platform. Assembles in minutes.

Small 1200 mm x 470mm (L x W)  
Large 1200 mm x 600mm (L x W)

Code: PSTOR213  
Code: PSTOR223



## IQ Swim Swim Teaching Platform - Complete

The IQ Swim Teaching Platform is strong, easy to clean, lightweight, stable, UV stabilised and easy to assemble. It has a clear UV stabilised polycarbonate top to comply with Royal Life's guidelines. Under the sea characters are stuck on the platform base giving reassurance of where to stand. Chemicals and humidity have no effect on the plastic. Suitable around chlorine or salt water pools. Two sets of legs are included so you can choose the base height at 500 mm or 650 mm. There are two sizes to choose from, small 470mm or the larger 600mm wide. The back rail gives a visual reference point and marks the rear & sides of the platform. Assembles in minutes.

Small 1200 mm x 470mm (L x W)  
Large 1200 mm x 600mm (L x W)

Code: PSTOR214  
Code: PSTOR224



## Toddler Swim Island

1200 mm

This platform features a red fibreglass top with a non-slip finish for safety & visibility. It has a PVC centre rail giving distinction between teaching areas or visual reference point that can be removed for stacking making storage easy. The swim island has two wheels making it very manoeuvrable & easy to get in & out of the water. Adjusting the height is done by cutting the legs to the desired length. Using an off cut of piping, two platforms can be joined forming a platform 2.4 m in length. Assembly required.

Weight: 25 kg  
1220 mm x 1200 mm (L x W)  
Base Height: 200 mm - 800 mm (Cut to height)  
Code: PISLAND04

1800 mm

Has all the features of the 1200 mm platform but the rail can be placed in the centre or to the rear of the platform. A side rail kit is also available.


Weight: 40 kg  
1820 mm x 1200 mm (L x W)  
Base Height: 200 mm - 1100 mm (Cut to height)  
Code: PISLAND05



## Starting Platforms


### SPU

Universal design to suit flat deck pools.  
Height from coping: 500 mm  
Top: 500 mm x 500 mm  
Flanged Code: PSP6000  
Removable Code: PSP6002




### SPL

A low profile platform used where deck to water level exceeds 200 mm.  
Height from coping: 330 mm  
Top: 500 mm x 500 mm  
Flanged Code: PSP6005  
Removable Code: PSP6007




### SP2

For pools with narrow coping with extended rear legs.  
Height from coping: 420 mm  
Top: 500 mm x 500 mm  
Flanged Code: PSP6010  
Removable Code: PSP6012




### SP3

For pools with overflow at the end of the pool.  
Height from coping: 600 mm  
Top: 500 mm x 500 mm  
Removable Code: PSP6013




### SP5

Single post installation. Flanged for bolting to deck.  
Height from coping: 400 mm  
Top: 500 mm x 500 mm  
Flanged Code: PSP6021



### SX-220

Fibreglass reinforced plastic construction. The platform has an access port at the rear allowing access to the mounting bolts. Features a stainless steel backstroke handle.  
Height from coping: 370 mm  
Top: 500 mm x 500 mm  
Fixed Code: PSP59010S



## SX-750

T316 stainless steel 38 mm<sup>ø</sup> with 500 mm x 500 mm non-slip pattern fibreglass top with numbers. Has 2 adjustable feet with lock nuts to compensate for an uneven surface.

2 x 150 mm deck sockets sold separately.

Height from coping: 400 mm

Top: 500 mm x 500 mm

Removable Code: PSP59015S

Deck Sockets Code: PSP59016S



## SX-2000


Single post design. Mirror polished T316 stainless steel with a solid backstroke handles. Has a 500 mm x 500 mm non-slip pattern fibreglass top with numbers. Bolts to deck.

Height from coping: 365 mm

Top: 500 mm x 500 mm

Flanged

Code: PSP59000S



## Anti 600 Block

Fibreglass construction with a fixed Trackstart. Access port at the rear allowing access to the mounting bolts. Supplied with SafeStart handles & Dynaset anchors.

Fixed Trackstart

Code: PLAW00050

Fixed Trackstart - Removable

Code: PLAW00051



## Anti 650 Block

The Anti 650 MTS (Movable Track Start) Block is an excellent training block.

Fibreglass construction with a movable Trackstart. There is an access panel at the rear to allow access to the fixing bolts or timing equipment.

It has a durable non-slip True Tread top. Compatible with Colorado timing Systems

Movable Trackstart

Code: PLAW00060

Movable Trackstart - Removable

Code: PLAW00061



## Anti Velocity & Velocity Longreach Block

The Velocity Starting Block is an elite competition platform with a track start, adjustable to 5 positions. The extended reach base is suitable for pools with overflow gutters. Both have durable non-slip True Tread top.

The Trackstart can tuck under the block when not required.

Compatible with Colorado timing Systems

Velocity Movable Trackstart

Code: PLAW00085

Velocity Longreach Movable Trackstart

Code: PLAW00090



Velocity



Velocity Longreach

## SP & SX Platform Caps

Suits SP and SX Series Platforms.

Fitted with a silicone strip that prevents damage to the edge.

530 x 530 x 340 mm (L x W x H)

Code: PSIGNCAP1



## Anti Platform Caps

Designed to sit on top of the Anti platform between the handles.

600 x 410 x 230 mm (L x W x H)

Code: PSIGNCAP6



## Anti Platform Cover

Solarguard to cover entire platform.

Fits most platforms. Tighten with the drawstring.

700 x 600 x 440-600 mm (L x W x H)

Code: PSIGNCAP8





# Commercial Ladders & Grab Rails

## LC, LUB, LW & LRB Ladder Info

Heavy gauge 1.6 mm T316 stainless steel 38 mm<sup>ø</sup> mirror polished, braced for additional strength. Fitted with white moulded treads reinforced with stainless steel rod with dome nuts for extra strength, 500 mm wide c/c.

**Standard** - Core drill and epoxied into position.

No mounts supplied, only suction buffers for the bottom.

**Flanged top only** - With welded flanges. Requires bolt and plug sets or similar, suction buffers for the bottom are supplied.

**Flanged top and bottom** - With welded flanges. Requires bolt and plug sets (3 per flange).

## Grab & Hand Rails info


Heavy gauge T316 stainless steel 38 mm<sup>ø</sup> mirror polished

**Standard** - Core drill and epoxied into position.

**Flanged** - With welded flanges.

## LC Ladder

2 Step	Standard	PSP606001
	Top Flange	PSP6060FT
	Top & Bottom Flange	PSP606002
3 Step	Standard	PSP6060
	Top Flange	PSP6055FT
	Top & Bottom Flange	PSP6055
4 Step	Standard	PSP6061
	Top Flange	PSP6062FT
	Top & Bottom Flange	PSP6062




## LCX Ladder

Extra heavy gauge T316 stainless steel 38 mm<sup>ø</sup> mirror polished, braced for additional strength.

Treads are welded stainless steel with a non-slip pattern 500 mm wide c/c. Flanged top and bottom.

Requires bolt and plug sets or similar. (3 per flange)


3 Step	Flanged	PSP606010
4 Step	Flanged	PSP606015
5 Step	Flanged	PSP606020



## LW Ladder

Extra wide to straddle overflow gutter


2 Step	Standard	PSP606501
	Top Flange	PSP606602
	Top & Bottom Flange	PSP606601
3 Step	Standard	PSP6065
	Top Flange	PSP606603
	Top & Bottom Flange	PSP6066
4 Step	Standard	PSP6068
	Top Flange	PSP606801
	Top & Bottom Flange	PSP6069



## LUB Ladder

Narrow coping surrounds


2 Step	Standard	PSP606003
	Top Flange	PSP606005
	Top & Bottom Flange	PSP606004
3 Step	Standard	PSP6057S
	Top Flange	PSP605704
	Top & Bottom Flange	PSP6057
4 Step	Standard	PSP605702
	Top Flange	PSP605703
	Top & Bottom Flange	PSP605701



## LT Ladder

Designed for concrete pools to be used in conjunction with Grab Rails.

2 Step	Top & Bottom Flange	PSP606300
3 Step	Top & Bottom Flange	PSP606301
4 Step	Top & Bottom Flange	PSP606302
5 Step	Top & Bottom Flange	PSP606304



## G6 Grab Rails


Tear drop shape.

Includes cover plates.

Sold as a pair.

Standard PSP6075

Flanged PSP6076



## G7 Grab Rails

Long standoff, uneven rail heights.


May order 2 the same height.

Includes cover plates.

Sold as a pair.

Standard PSP6072

Flanged PSP6070





## Domestic Ladders & Grab Rails

### Ladder info

1.2 mm T316 stainless steel 38 mm<sup>ø</sup> mirror polished.  
Fitted with white moulded treads reinforced with stainless steel rod with dome nuts for extra strength, 500 mm wide c/c.

**Standard** - Core drill and epoxied into position.  
Suction buffers are included.

**Flanged top only** - With a flange mounting kit with cover plates, bolt and plastic plugs with suction buffers for the bottom.

**Flanged top and bottom** - With a flange mounting kit, cover plates, bolt and plastic plugs.

### Grab Rail info

T316 stainless steel 38 mm<sup>ø</sup> mirror polished.


**Standard** - Core drill and epoxied into position.

**Flanged** - Flanges and cover plates.

### LS Ladder

General purpose ladder for most concrete pools.


2 Step	Standard	PSP605901
	Top Flange	PSP6059FT
	Top & Bottom Flange	PSP6059
3 Step	Standard	PSP6056
	Top Flange	PSP6056FT
	Top & Bottom Flange	PSP6056S
4 Step	Standard	PSP605902
	Top Flange	PSP605903
	Top & Bottom Flange	PSP6059S



### LU Ladder

Narrow coping surrounds. Includes cover plates.


2 Step	Standard	PSP606703
	Top Flange	PSP606706
	Top & Bottom Flange	PSP606701
3 Step	Standard	PSP606704
	Top Flange	PSP606707
	Top & Bottom Flange	PSP6067
4 Step	Standard	PSP606705
	Top Flange	PSP606708
	Top & Bottom Flange	PSP606702



### LR Ladder

Cantilever for fibreglass or vinyl lined pools.


2 Step	Standard	PSP6093
	Flanged	PSP6093F
3 Step	Standard	PSP6094
	Flanged	PSP6094F
4 Step	Standard	PSP6095
	Flanged	PSP6095F



### LP Ladder

Deck mounted for pools with liners.

2 Step	PSP6077
3 Step	PSP6078
4 Step	PSP6079




### G1 Grab Rails

General purpose popular figure "4".

Includes cover plates.

Sold as a pair.

Standard	PSP6150
Flanged	PSP6155




### G2 Grab Rails

"P" style low line grab rail.

Sold as a pair.

Standard	PSP6160
Flanged	PSP6165




### G4 Grab Rails

"D" style grab rails for pools with narrow surrounds.

Includes cover plates. Sold as a pair.

Standard	PSP6170
Flanged	PSP6175




### G5 Grab Rails

In line fixing for pools with narrow surrounds.

Includes cover plates. Sold as a pair.

Standard	PSP6172
Flanged	PSP6171




# Hand Rails

## HD Hand Rails

For pools with entry steps. Supplied with cover plates


Standard	PSP6180
Flanged	PSP6185



## HS Hand Rails

Stair hand rail for mounting on the stairs.


1000 mm	Standard	PSP6980
1000 mm	Flanged	PSP6985
1200 mm	Standard	PSP6990S
1200 mm	Flanged	PSP6995
1500 mm	Standard	PSP7000S
1500 mm	Flanged	PSP7000



## HW Hand Rails

Stair hand rail designed to be fixed on top of the coping.


1000 mm	Standard	PSP7001
1000 mm	Flanged	PSP7002
1200 mm	Standard	PSP7003
1200 mm	Flanged	PSP7004
1500 mm	Standard	PSP7005
1500 mm	Flanged	PSP7006



## HG Hand Rail

Hand rail for a concrete pool with steps.

Standard with cover plates	PSP6189
Flanged without cover plates	PSP6190
Flanged with cover plates	PSP6191



## MPS Safety Hand Rails

38 mm<sup>ø</sup> 316 stainless steel with 100 mm<sup>ø</sup> flanges.

300 mm	Flanged	PSP6400
450 mm	Flanged	PSP6401
600 mm	Flanged	PSP6402
750 mm	Flanged	PSP6403
900 mm	Flanged	PSP6404
1200 mm	Flanged	PSP6406
2000 mm	Flanged	PSP6407
3000 mm	Flanged	PSP6408



# Ladder Parts

## Ladder Tread

Moulded ladder tread with stainless steel rod.

Size: 455 mm (L)

Code: PSP6054



## Suction Buffer

Rubber buffer used on the inside of the ladder to prevent damage to the pool wall.

Code: PSP6051



## Bolt and Plug Set

Secure ladders and grab rails into concrete.

(3 per flange are required)

Code: PSP6200



## Backstroke, False Start Posts, Anchors, Sockets & Accessories

### BP Backstroke Post

1800 mm x 38 mm<sup>ø</sup> (H x W)  
Code: PPOST5120

### BPB Backstroke Post

with bayonet locking base  
1800 mm x 38 mm<sup>ø</sup> (H x W)  
Code: PPOST5122

### FP False Start Posts

1200 mm x 38 mm<sup>ø</sup> (H x W)  
Code: PPOST5140

### FPQ False Start Post

with quick release cam  
1200 mm x 38 mm<sup>ø</sup> (H x W)  
Code: PPOST5145

### FPB False Start Post

with bayonet locking base  
1200 mm x 38 mm<sup>ø</sup> (H x W)  
Code: PPOST5147

### FPBQ False Start Post

with bayonet fitting & quick release cam  
1200 mm x 38 mm<sup>ø</sup> (H x W)  
Code: PPOST5149



BP - 1800  
FP - 1200

100

### Backstroke Flags

15.5 m - 6 Lanes Multi-Coloured  
20 m - 8 Lanes Multi-Coloured

Code: PFLG51000

Code: PFLG52000

Flags can be made to a specific length and/or colours.

Colours: Royal Blue, Dark Blue, Light Blue, Yellow, Red, Black, Orange, Green, Teal and White. Special Lengths &/or Colours per metre

Code: PFLG50500

Printed - Single sided per metre

Code: PFLG30000

Printed - Double sided per metre

Code: PFLG30010

Printed - PMS Colour matching Double sided per metre

Code: PFLG30015




### PS Post Sockets

with integrated cap  
Suits BP, FP and FPQ posts.  
316 stainless steel with earthing screw.  
100 mm x 40 mm (H x W)  
Code: PSP55000



### PSB Post Socket

with bayonet locking base & integrated cap.  
Suits BPB, FPB and FPBQ posts  
Stainless steel with earthing screw  
100 mm x 40 mm (H x W)  
Code: PSP55005



### Post Socket Cap

Code: PSP55008




### Lane Rope Anchor & Arm for Overflow Pools

Powdercoated Stainless Steel  
145 mm Rod Code: PSP55061  
205mm Rod Code: PSP55062




### LA1 Lane Rope Anchor

316 stainless steel with earthing screw.  
90 - 95 mm x 70 mm<sup>ø</sup> ID (L x W)  
Code: PSP55050




### LA2 Lane Rope Anchor

316 stainless steel with earthing screw.  
200 mm x 70 mm<sup>ø</sup> ID (L x W)  
Rear Dia. 55 mm<sup>ø</sup>  
Code: PSP55052




### LA3 Lane Rope Anchor

Tubular design  
316 stainless steel with earthing screw.  
63 mm x 70 mm<sup>ø</sup> (L x W)  
Code: PSP55053



### RP Overflow Lane Rope Anchor and Base

with bayonet locking base.  
316 stainless steel with e/screw.  
Socket 100 mm x 40 mm (H x W)  
Code: PSP55055



## Equipment Storage

### Equipment Trolley

Strong yet lightweight, UV stabilised and easy to assemble. Chemicals and humidity has no effect on the food grade plastic. Fitted with lid and rubber castors with brakes.

1250 mm x 700 mm x 900 mm (L x W x H)

Code: PSTOR150



### Equipment Storage Bin

Polypropylene equipment storage bin fitted with mid support castor plate and four 130 mm grey rubber wheel and zinc plated castors set in a diamond pattern. The lid has 2 hand grip holes with chain holes for locking. Additional holes may need drilling to lock lid.. Holes in base allow drainage.

1300 mm x 710 mm x 800 mm (L x W x H)

Code: PEQUIPBIN



### Storage Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Three tier shelves with 9 x 66 litre plastic bins.

1500 mm x 500 mm x 1400 mm (L x W x H)

Code: with 9 bins PSTOR130

Code: with no bins PSTOR131



### Multi Purpose Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Designed to accommodate up to 6 x 66 litre storage bins.

(Bins sold separately)

1390 mm x 510 mm x 1520 mm (L x W x H)

Trolley Code: PSTOR135

Bins Code: PSTOR066



### Combination Noodle Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Includes 4 x 66 litre removable plastic containers.

Holds approx. 30 Noodles plus other equipment.

1390 mm x 510 mm x 1520 mm (L x W x H)

Code: PSTOR180



### Noodle Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Includes 2 x 66 litre removable plastic containers.

Holds approx. 60 Noodles (Noodles sold separately)

1390 mm x 510 mm x 1520 mm (L x W x H)

Code: PSTOR185





## Plastic Storage Bins

Stackable 66 litre blue bins used to store equipment.  
610 mm x 420 mm x 320 mm (L x W x H)  
Code: PSTOR066



## Noodle Bag

Use for carrying and storing Noodles, Aquatic Bells and other Aqua-fitness equipment. Strong mesh construction, draw cord opening with strap.  
Holds approx. 10 pairs dumbell or 25 Noodles.  
(Noodles sold separately)  
1300 mm x 400 mm (L x W)  
Code: PCL33165



## Storage Bin - Foldable

Powder Coated Aluminum Storage Bin can collapse for storage when it is not needed.  
960 mm x 760 mm x 710 mm (L x W x H)  
Code: PSTOR050



## Shelving


Strong yet lightweight, UV stabilised and assembles in minutes without the need for tools. Chemicals and humidity has no effect on the food grade plastic. Rated to hold up to 200 kg per lineal metre. Adjustable feet keep the shelving stable.

### 3 Tier Storage Shelving (W x D x H)

- A. 1.25 m x 500 mm x 1340 mm Code: PSTOR405  
B. 2.0 m x 500 mm x 1340 mm Code: PSTOR415

### 4 Tier Storage Shelving (W x D x H)

- C. 1.25 m x 500 mm x 1850 mm Code: PSTOR425  
D. 2.0 m x 500 mm x 1850 mm Code: PSTOR435




## Plastic Seating

### Plastic Seating

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Seating can be used stand alone or fixed to the floor or wall.

2.0 m x 400 mm x 450 mm (L x W x H)  
Code: PSTOR320



# Matting

## Power Pod

Non-slip, anti-fatigue safety matting the perfect solution for slippery surfaces in wet areas, particularly around pool decks & change rooms. Designed with anti-trip bevelled edges all round. Extremely non-slip with superb grip & comfort with a non-slip backing. Deep valleys allow excellent water runoff. Easily to keep clean. Super light, easy to roll up. Impervious to chlorine, oils, acids & solvents. Power Pod will enhance the appearance of any pool or spa area.

Colours: Blue, Black, Grey, Yellow, Red, Green, Cream, Brown, Orange & Purple. Size: (L x W)

860 mm x 700 mm	Code: SMATPP01
1600 mm x 700 mm	Code: SMATPP02
1600 mm x 1000 mm	Code: SMATPP03
3100 mm x 1000 mm	Code: SMATPP04
2000 mm x 1200 mm	Code: SMATPP05
Custom size one colour (sq mtr)	Code: SMATPP08
Custom size & colours (sq mtr)	Code: SMATPP09



## Lagune


Wet area interlocking modular system is ideal for swimming pool surrounds, showers, spas, saunas, changing rooms, ramps or anywhere a non-slip wet area mat is required. Designed to allow water to drain off, providing slip resistant, safe and dry surface. Comfortable & ideal with barefoot traffic. Treated with an anti-microbial additive for protection against mould, mildew, fungi and odour-causing germs. Resistant to body oils and chemicals. Antibacterially treated UV-resistant soft vinyl.

Colour: Dark Blue, Dark Grey & Beige

Size: 200 x 200 x 9 mm (L x W x H)

25 pieces per pk = 1 sq mtr

Dark Blue	Code: SMATLAG01
Dark Grey	Code: SMATLAG02
Beige	Code: SMATLAG03




## Comfort Flow™

Ideal for wet or dry areas. Light for easier handling and is fully launderable. It provides excellent anti-fatigue properties for added comfort. Constructed of 100% high density closed cell nitrile rubber cushion, it is far superior in grease & oil resistance. Its low profile & slip resistant surface reduces slip & fall accidents. The non-skid backing keeps the mat in place.

Colours: Black

Size: (L x W x H)

860 mm x 580 mm x 11 mm	Code: SMATCOF01
1410 mm x 840 mm x 11 mm	Code: SMATCOF02
2700 mm x 840 mm x 11 mm	Code: SMATCOF03
1700 mm x 1100 mm x 11 mm	Code: SMATCOF04




## Omimat II

Ergonomic Anti-fatigue/Anti-slip is lightweight & easy to handle. Raised underside Knobs help prevent mat from moving & allow spillage drain off. Open moulded, grease resistant, low profile mat. Cleans up with soap and water. Bevelled edges & ramped corners and edges minimises incidents of mat curling up and improving safety and life of the mat. Ideally suited for wet areas, kitchens, bars, kiosk counters or any area where safety, comfort & hygiene are important.

Colours: Terracotta Red or Black

Size: 860 mm x 1420 mm x 13 mm (L x W x H)

Black	Code: SMATOMNIB
Terracotta	Code: SMATOMNIT



## Gripper

Solid bar matting from PVC joined together in a criss cross pattern. Use it when a little more grip is required. Resistant to solvents, acids, alcohol, thinners, dyes, brake fluid, petrol and chlorine. Ideal for change rooms, bars, commercial and industrial applications.

*Important: This is Not a non-slip mat. All care must be taken when using this product.*

Colours:


Black/Black

Blue on Black

Grey on Black

Size: (L x W x H)

12 m roll x 914 mm x 12 mm per mtr	SMATGRIP
12 m roll x 1200 mm x 12 mm per mtr	SMATGRIP2
Sold per metre (minimum 2 m)	



## Tubular

Extruded PVC hollow tube welded to form multi functional open grid Anti-fatigue matting. Resistant to brines, acids, alcohol, alkali, solvents, and chlorine. Cushion soft, easily cleaned. For use in change rooms and kiosks. Easy to cut.

*Important: This is Not a non-slip mat. All care must be taken when using this product.*

Colours:


Black/Black

Blue on Black

Grey on Black

Size: (L x W x H)

12 m roll x 910 mm x 12 mm per mtr	SMATTUB01
12 m roll x 1220 mm x 12 mm per mtr	SMATTUB02
Sold per metre (minimum 2 m)	



## Sure Step

Inter-lockable modules, light weight, with excellent cushion qualities. Non - slip mat, it has excellent drainage for wet areas or saunas. Built in inter-lockable system which allows control over the layout. Resistant to oils, fats & most chemicals.

Colours: Terracotta Red or Black


Size: 900 mm x 900mm x 15 mm (L x W x H)

Black

Code: SMATSUREB

Terracotta Red

Code: SMATSURET



## Sanitising Foot Bath

Keeps hygienic areas free of contamination and germs. Great for food processing plants, this mat has thousands of pliable rubber scrapers that dislodge contaminants from footwear as the shoe soles are immersed in the disinfectant solution.

Sanitising Foot Bath Mat will hold 3.8 litres of disinfectant solution - Chlorine or water the tall wall model holds 20.8 litres.

Use in vans to carry corrosive liquids as bunding to catch any liquids in the event of a spill.

SMATAN02 holds up to 6 drums.

Colour: Black


Size: (L x W x H)

800 mm x 600 mm x 13mm

Code: SMATSAN01

1000 mm x 800 mm x 63 mm

Code: SMATSAN02



## Cobblestone

Provides an effective dirt and water trap. Superior water retention qualities. 100% polypropylene solution dyed face yarn. Stain resistant non slip vinyl base with low profile borders for safety. Suitable for terrazzo, timber and vinyl floors.

Easily cleaned by sweeping, vacuuming or wet wash.

Colours: Charcoal, Blue, Green Red or Brown

Size: (L x W)

1420 mm x 860 mm

Code: SMATCOB01

1820 mm x 1220 mm

Code: SMATCOB02



Matting Use Guide								
	Power Pod	Lagune	Comfort Flow	Omimat II	Gripper	Tubular	Sure Step	Cobblestone
Non slip Matting	★	★	★	★			★	
Shower & Wet Areas	★	★	★		★	★		
Change Rooms	★	★	★	★	★	★	★	
Bar, Club, Hotel & Resort	★	★	★	★	★	★	★	
Carpet & Floor Protection								★
Behind Counters	★	★	★	★	★	★	★	
Entrances & Foyer		★						★
Factory & Industrial Work Areas				★	★	★	★	
Internal Walkways & Hallways		★			★			★
Kitchens			★	★			★	
Occupational Health & Safety	★	★	★	★			★	
Solvent, Oil & Chemical Applications	★			★	★		★	
Work comfort, Insulating & Antifatigue	★	★	★	★	★	★	★	



# Pool & Spa Grating

## Twin Swimming Pool & Spa Grating

A unique and patented swimming pool and spa grate system designed and manufactured in Italy. The Twin system is the only "Bi-Material" grating available with the base manufactured from Polypropylene and the contact surface from thermoplastic elastomer.

Manufactured to the highest standards, the Twin grating system has achieved DIN 51097 certification (Anti-slip certification for barefoot wet areas) and EN 13451-1 (Declaration of Conformity). Further tests carried out by the company have proven that Twin grating is UV resistant according to American Standard ASTM G 53/883, Salt resistant according to European Standard UNI ISO 9227/93 and has optimal standard of mechanical resistance.

Twin Grating is not only aesthetically pleasing to the eye but also comfortable to walk on.

Available in both Rigid and Flexible styles, the Twin grating can be made in any combination of colours and may even be personalised with your own logo. (Minimum quantities apply)

Full details and specifications available at our web site.



## Twin Scacco

The Scacco is available in flexible, rigid and reinforced versions with a stainless steel rod for 90° corners. Available in four widths and four heights. The length of each section is 500 mm and is composed of 21 pieces already assembled units.

Materials are polypropylene (PP) for the base and the thermoplastic elastomer (TPE) for the contact surface. The standard colours are the neutral (PP)/blue (TPE) and the white (PP)/white (TPE). Other colour available on request. (Minimum quantities apply)

The flexible version makes it possible to follow any pool profile thanks to flexible elements that permit a minimum curvature radius.







- 33 cm for the 150 model
- 40 cm for the 200 model
- 45 cm for the 250 model
- 60 cm for the 330 model

Sizes:


Length: Each section 500 mm

Width: 150 mm, 200 mm, 250 mm, 300 mm, 330 mm and 350 mm

Height: 20 mm, 25 mm, 30 mm and 35 mm



Rigid Grate



Flexible Grate

Reinforced Grate



## Wave Drain

Wave drain is an Australian made plastic grate which will suit straight or form pools. Made from a hi tech UV protected plastic, the superior outdoor performance ensures the grate will not become brittle or discoloured in the sun. Features a self draining anti-slip pattern with two interlocking pins. Can be cut to suit smaller gutters. Comes with a 5 year manufacturers warranty.

Colours: White & Black

Minimum order quantity 5 lineal metres.

Size: Each piece is 15 mm x 25 mm (T x H)

225 mm wide


250 mm wide

300 mm wide

Code: PGRATE225

Code: PGRATE250

Code: PGRATE300



## Wetdeck® Longitudinal Rigid

Australian made from UV stabilised polypropylene. Features an anti-slip pattern with three interlocking pins to avoid movement. Structural members are incorporated into the moulding eliminating the need for additional support members across the gutter. Use for straight edged pools. Comes with a 10 year manufacturers limited warranty. Can be cut and rebated to fit most applications. Extra charges apply.

Colours: Off White, Sandstone, Charcoal, Cobalt Blue, Challenge Blue, Mid Grey & Golden Yellow

Other colours available on request. (Minimum quantities apply)

Size: Each piece is 332 mm x 36 mm (L x H)

300 mm wide

350 mm wide

90° Corner 300 mm

90° Corner 350 mm


Stainless Steel angle suits longitudinal Wetdeck®

Code: PGRATE100

Code: PGRATE120

Code: PGRATE180

Code: PGRATE181



## Wetdeck® Transverse Flexible

Australian made from UV stabilised polypropylene. Features an anti-slip pattern with one interlocking slot to avoid movement. Use for free form pools. Comes with a 10 year manufacturers limited warranty. Can be cut and rebated to fit most applications. Extra charges apply.

Colour: Off White, Sandstone, Charcoal and Cobalt

Other colours available on request. (Minimum quantities apply)

Sizes: Each piece is 332 mm x 36 mm (L x H)

300 mm wide

350 mm wide

90° Corner 300 mm

90° Corner 350 mm

Code: PGRATE110

Code: PGRATE125

Code: PGRATE182

Code: PGRATE183



## Anti Grate

Australian made from UV stabilised polypropylene. Features an anti-slip pattern with three interlocking slot to avoid movement. Use for straight or free form pools. Comes with a 1 year manufacturers limited warranty. Can be cut to fit most applications. Extra charges apply.

Colour: White, Black, Red, Blue, Yellow & Green

Other colours available on request. (Minimum quantities apply)

Sizes: Each piece is 25 mm (H)

250 mm wide

300 mm wide

350 mm wide

Code: PGRATE410

Code: PGRATE411

Code: PGRATE412



# Water Polo

## Water Polo Field Markers

The Anti Polo Field is at the forefront of design and quality internationally. Marked with either 110 mm Midi, 125 mm Myti or 150 mm Maxi lanes to minimise water disturbance and wash effect on the players.

Mens / Womens field

110 mm Midi Code: PLAW00470

125 mm Myti Code: PLAW00473

150 mm Maxi Code: PLAW00475



## Anti Club Folding Goal

Full sized competition goal is designed for schools & clubs. Easy to erect & fold down for storage. Fabricated from powder coated aluminium extrusions & fibreglass. This goal has all the same patented features as the Anti Goal. Supplied flat packed with instructions.

3840 mm x 1470 mm x 1000 mm (W x D x H)

Net opening 3000 mm x 900 mm (W x H) Weight 45 kg

Code: PLAW00430



## Inflatable Flippa Goal

Perfect for school groups, kids games, practice or residential use. Quick & easy to inflate using strong & durable materials. Supplied with carry bag & pump.

Junior Goal Size: 2150 mm x 1000 mm x 1250 mm (W x D x H)

Junior Net opening 1980 mm x 870 mm (W x H) Weight 6 kg

Junior Goal Code: PLAW00440

Senior Goal Code: PLAW00445



See Timing Scoring & Training for Water Polo Scoring Systems


## Anti Pro 750 Goal

This full sized competition Goal meets all national and international specifications. This premium water polo goal features a powder coated aluminium frame, reinforced with fibreglass, and a tough, polypropylene net that is knotted at every intersection. The EVA foam floats offer superior, even flotation for maximum goal stability. Features deck transport mini wheels and external carry handles. Patented features include, Open corner net configuration to reduce the ball rebound, Air Water Displacement Shock Absorbers for maximum goal stability, Aluminium front frame cross section for maximum strength.

3840 mm x 1470 mm x 1000 mm (W x D x H) Weight 30 kg

Net opening 3000 mm x 900 mm (W x H)

Code: PLAW00420



## Anti Junior / Flippa Folding Goal

This goal is a smaller version of the Club goal. Easy to erect & fold down for storage. Fabricated from powder coated aluminium extrusions & fibreglass. The net is polypropylene cord knotted at every intersection. Ideal for kids games, practice & club use. Supplied flat packed with instructions.

3760 mm x 1200 mm x 860 mm (W x D x H)

Net opening 2000 mm x 700 mm (W x H) Weight 31 kg

Code: PLAW00435



## Wall Goal

Designed to fit on the pool edge or on movable bulkheads, where there is minimum space. Ideal for social or non international competition.

Supplied with deck hole anchors for mounting.

3150 mm x 600 mm x 1016 mm (L x W x H) Weight: 20 kg

Code: PLAW00410



## Water Polo Accessories

### Water Polo Balls

Mens - Green Code: PINF22190

Womens - Pink Code: PINF22191

Junior - Red Code: PINF22192



### Replacement Net

Net suit the Anti Pro Goal

Code: PLAW00413


Club & Flippa Goals

Code: PLAW00414



## Foam Blanket

The ThermoTech™ foam blanket is made of 3 mm thick, cross-linked PE closed cell Polyolefin foam. This foam consists of 3 layers, is flame-bonded each side to a UV-stabilised, waterproof, non-toxic and chemical resistant blue woven PE material called Canvacon. It has an R-value (thermal resistance) of 0.088 m<sup>2</sup>/K. It is covered by a 5 year pro-rate warranty. Installations with symmetrical pools can invert the blanket to get an extended life span. The blankets come complete with full edge binding, end reinforcing, and haul cords are installed onto the blanket. Covered by a manufactures 5 year pro-rata warranty. If wind is a problem the blankets can be fitted with wind skirts at additional cost. Exact pool measurements, roller attachment points and any intrusions into the water will need to be supplied prior to manufacture.



## Bubble Blanket

The Bubble blanket is made from commercial grade PE (Polyethylene). UltraDome™ Series 8 is a 500 micron thick translucent blue bubble material, allowing maximum transmission of warming solar radiation into the pool water while also efficiently insulating against heat escaping. In an outdoor pool, they can warm the water by up to 8°C. It has an R-value (thermal resistance) of 0.067 m<sup>2</sup>/K, thermal conductivity of 0.080W/mk and a weight of 460g/m<sup>2</sup>. It comes complete with full edge binding and end reinforcing, cords, flotation rod, multi point attachment and an attached over cover to protect your investment when on the roller. A floating haul cord is supplied to enable ease of operation. If wind is a problem the blankets can be fitted with wind skirts at additional cost. Covered by a manufactures 5 year pro-rata warranty. Exact pool measurements, roller attachment points and any intrusions into the water will need to be supplied prior to manufacture.



## ST125 & AT125 Roller

Suitable for blankets 20 m long and up to 6.7 m wide. The "T" frame is made of 316 stainless steel or powder coated aluminium complete with Delrin bearings and stainless steel castors and brakes. The main spindle is manufactured from 125 mm x 2.0 mm clear anodised aluminium tube. To each end of the spindle is fitted a cast aluminium machined axle housings, complete with 25 mm machined stainless steel axles. Stainless steel studs attach the 520 mm anodised white powder coated cast aluminium heavy duty hand wheel is attached. This enables easy single person operation or use with a the Pool Blanket Retriever. Outriggers can be fitted to accommodate wide coping or starting platforms at additional cost. Covered by a manufactures 10 year pro-rata warranty.



## ST125 & AT152 Roller

Suitable for blankets 25 m long and up to 6.7 m wide. "T" frame is made of 316 stainless steel or powder coated aluminium complete with Delrin bearings and stainless steel castors and brakes. The main spindle is manufactured from 152 mm x 2.0 mm clear anodised aluminium tube, to each end of the spindle is fitted a cast aluminium machined axle housings, complete with 25 mm machined stainless steel axles. Stainless steel studs attach the 680 mm anodised white powder coated cast aluminium heavy duty hand wheel is attached. This enables easy single person operation or use with a the Pool Blanket Retriever. Outriggers can be fitted to accommodate wide coping or starting platforms at additional cost. Covered by a manufactures 10 year pro-rata warranty.



## SA203 & AT203 Roller

Suitable for blankets 50 m long and up to 6.7 m wide. The "A" frame is made of 316 stainless steel or powder coated aluminium complete with Delrin bearings and stainless steel castors with brakes. The main spindle is manufactured from 203 mm x 3.0 mm clear anodised aluminium tube. to each end of the spindle is fitted a cast aluminium machined axle housings, complete with 25 mm machined stainless steel axles. Stainless steel studs attach the 910 mm anodised white powder coated cast aluminium heavy duty hand wheel is attached. This enables easy single person operation or use with a the Pool Blanket Retriever. Outriggers can be fitted to accommodate wide coping or starting platforms at additional cost. Covered by a manufactures 10 year pro-rata warranty.





## Suitmate Swim Costume Water Extractor



### Suitmate Swim Costume Water Extractor

Removes 95% of a costume's water in 8 seconds leaving them nearly drip free.

Perfect for Fitness Centres, Swimming Pools, Hotels & Resorts.

If your customers squeeze a quick swim in during lunch, giving the costume a quick spin before heading back to the office will help eliminate that damp cossie feeling.

Helps protect facilities from water damage

Increases patron satisfaction.

Operates safely without heat.

Easy to install.

Stainless steel and durable plastic construction.

58 cm x 38 cm x 38 cm (H x W x D)

25 kg

Code: PSUITMATE

## Water Features & Play



### Raindome

Fabricated from GRP to provide an exuberant water curtain feature for recreational pools. Height can be adjusted on site. Water flows up the central stem and then over the surface to provide an all-round curtain.

Colours: Red, Blue or Yellow top with a white stem.

2.1 m x 1.2 m<sup>ø</sup> (H x W) Code: PLAW00510

2.1 m x 1.6 m<sup>ø</sup> (H x W) Code: PLAW00520

2.1 m x 2.0 m<sup>ø</sup> (H x W) Code: PLAW00525



### Water Pole Flip Cones

Tipsy-turvy buckets fill with water and spill over each other in an active water feature full of colour and surprise.

Approx. 4 m high

Flow Rate: 1.5 ltr/sec, 20 - 50 mm pipe.

Code: PLAW00550

### Frog Slide

A substantial slide with character. Highly attractive to younger visitors. Reinforced GRP construction for extra strength. It can be placed in a wading pool or on the pool deck. Use with or without water flowing on the side.

1.9 m x 2.8 m x 3.8 m (H x W x D)

Weight: 380 kg

Code: PLAW00580



### Elephant Slide

Perfect for smaller children. Constructed of UV stabilized, fibreglass reinforced plastic (GRP) for exceptional smoothness and durability, the slide can be placed in a pool's wading area or directly on the pool deck with no anchoring required. Code: PLAW00530

