

CHEMICALS



SANITISERS

ADJUSTERS & BALANCERS

POOL SOLUTIONS

SPA SOLUTIONS

Theralux Active™ Essential Earth Minerals

Water. Made irresistible.

The moment you immerse yourself in our special blend of magnesium-rich minerals, you'll fall in love with your pool all over again.

Experience the world's purest mineral water in your own backyard. Drawing on the active cleansing properties of natural minerals, our gentle, odour-free formula nourishes the skin by actively maintaining the body's moisture balance. Your skin feels fresh, radiant and hydrated after every swim.

Available in pool, spa and bath pack sizes.



Moisturises and hydrates



Helps soothe and relax muscles



Naturally detoxifies body and mind



Increases water clarity



theralux | POOL WATER AT ITS BEST

theralux | POOL WATER AT ITS BEST™

Refer page 103 for details.

SANITISERS

NON STABILISED

STABILISED

SHOCK TREATMENT

Pool Sanitisers - Non Stabilised



IQ Platinum Calcium Hypochlorite

For the control of algae & bacteria in swimming pools
 700 g/kg available Chlorine present as Calcium Hypochlorite
 Premium grade Japanese fast dissolving Calcium Hypochlorite.
 Contains minimum 70% chlorine allowing lower dosage rates & minimum residue.
 Suitable for Shock treatment & Super-Chlorination.
 Alkaline pH 10 - 12

Application:

35 g per 10,000 litres per day (stabilised pools)
 70 g per 10,000 litres per day (unstabilised pools)

Sizes:

2 kg	6/ctn	IQPL6002
4 kg	4/ctn	IQPL6004
10 kg	64/pallet	IQPL6010



IQ Maxi Chlor 700 Calcium Hypochlorite

For the control of algae & bacteria in swimming pools
 700 g/kg available Chlorine present as Calcium Hypochlorite (High Quality Granular)
 High quality, low residue economical granular Calcium Hypochlorite containing
 minimum 70% available chlorine. Suitable for Shock treatment & Super-
 Chlorination.
 Alkaline pH 10 - 12

Application:

35 g per 10,000 litres per day (stabilised pools)
 70 g per 10,000 litres per day (unstabilised pools)

Sizes:

2 kg	6/ctn	MCCH6002
4 kg	4/ctn	MCCH6004
10 kg	64/pallet	MCCH6010



IQ Granu-Chlor 700 Calcium Hypochlorite

For the control of algae & bacteria in swimming pools
 700 g/kg available Chlorine present as Calcium Hypochlorite
 Formulated specifically for use in IQ Granudos Feeder Systems.
 Alkaline pH 10 - 12

Application:

Automatically dosed on demand as required.

Sizes:

10 kg	64/pallet	IQGR6010
-------	-----------	----------

IQ Maxi Chlor 700 Calcium Hypochlorite Tablets

For the control of algae & bacteria in swimming pools
 20 g Tablets 700 g/kg available Chlorine present as Calcium Hypochlorite
 For use in floating dispenser.
 Not recommended as a Shock treatment.
 Alkaline pH 10 - 12

Application:

2 tablets per 10,000 litres per day (stabilised pools)
 4 tablets per 10,000 litres per day (unstabilised pools)

Sizes:

2 kg	6/ctn	MCCT6002
10 kg	64/pallet	MCCT6010
40 kg	drum	MCCT6040



IQ Maxi Chlor Liquid Chlorine

For the control of algae & bacteria in swimming pools
 130 g/ltr available Chlorine present as Sodium Hypochlorite
 Suitable for daily chlorination or shock treatment.
 Very Alkaline pH 12 - 13

Application:

200 ml per 10,000L per day (stabilised pools)
 400 ml per 10,000L per day (unstabilised pools)
 Application rates indicated are to be used as a guide only.

Sizes:

15 ltr	48/pallet	IQLC6015
20 ltr	32/pallet	IQLC6020



Cap Spanner

Used to loosen hard to remove drum caps, also has a bung screwdriver.
 Code: PMVT807



Drum Cap Tap

For easy dispensing of liquid chlorine and acid. Suits 15 & 20 litre drums.
 Code: IQTC1001



Pool Sanitisers - Stabilised

IQ Maxi Chlor Stabilised Granular Chlorine/Salt Boost

For the control of algae & bacteria in swimming pools
 630 g/kg available Chlorine present as Sodiumdichlorisocyanurate
 Small granular size & de-dusted. Fast dissolving leaving no residue, it is an ideal product for regular sanitising treatment of swimming pools & also as a supplementary chlorine for salt water pools.
 Slightly acidic pH 6 - 6.5

Application:
 8 - 20 g per 10,000 litres per day or 25 - 30 g every other day
 Add directly to pool water or pre-dissolve in bucket of water.

Sizes:		
500 g	10/ctn	MCDC6500
1 kg	6/ctn	MCDC6001
2 kg	6/ctn	MCDC6002
4 kg	4/ctn	MCDC6004
10 kg	64/pallet	MCDC6010
25 kg	drum	MCDC6025



IQ Ezi-Chlor

For the control of algae & bacteria in swimming pools
 810 g/kg available Chlorine present as Trichloroisocyanuric Acid & 100 g/kg Tetraborate Pentahydrate
 A blend of Stabilised Granular Chlorine (TCCA) & a water enhancer (Sodium Tetraborate). High Chlorine level, leaving no residue & with built in stabiliser. The regular addition of the Sodium Tetraborate enhances water quality, giving it a soft silky feel. Acidic pH 2 - 3

Application:
 20 g per 10,000 litres per day
 Product must be added via the Skimmer Box with pump running.
 DO NOT add directly to the pool.

Sizes:		
1 kg	6/ctn	IQEG6001
2 kg	6/ctn	IQEG6002
4 kg	4/ctn	IQEG6004
10 kg	64/pallet	IQEG6010



IQ Maxi Chlor 5 in 1 Stabilised Tablets

For the control of algae & bacteria in swimming pools
 250 g Tablets
 800 g/kg available Chlorine present as Trichloroisocyanuric Acid
 250 g Tablets 7.5 g/kg Copper present as Copper Sulphate Pentahydrate also contains an in-built Clarifier (alum)
 Acidic pH 2 - 3

Application:
 1 tablet per 20,000 litres placed in a floating dispenser or semi-automatic dispenser.
 Replenish as required (slow dissolving & long lasting)
 Application rates indicated are to be used as a guide only.

1 kg	12/ctn	MCST6001
2 kg	6/ctn	MCST6002
10 kg	64/pallet	MCST6010



IQ Maxi Chlor Stabilised Tablets

For the control of algae & bacteria in swimming pools

200 g Tablets

900 g/kg available Chlorine present as Trichloroisocyanuric Acid

Acidic pH 2 - 3

Application:

1 tablet per 20,000 litres placed in a floating dispenser or semi-automatic dispenser. Replenish as required (slow dissolving & long lasting).

Application rates indicated are to be used as a guide only.

1 kg	12/ctn	MCTC6001
2 kg	6/ctn	MCTC6002
10 kg	64/pallet	MCTC6010



IQ Maxi Chlor Stabilised Mini Tablets

For the control of algae & bacteria in swimming pools

20 g Mini Tablets

900 g/kg available Chlorine present as Trichloroisocyanuric Acid

Acidic pH 2 - 3

Application:

10 tablets per 10,000 litres placed in a floating dispenser or semi-automatic dispenser. Replenish as required.

Application rates indicated are to be used as a guide only.

2 kg	6/ctn	MCMT6002
10 kg	64/pallet	MCMT6010



Shock Treatment



IQ Shock & Swim

For crystal clear water with added clarifier

372 g/kg available Chlorine present as Dichloroisocyanurate &

100 g/kg Sodium Tetraborate Pentahydrate also contains non-chlorine oxidiser & floccing agent

Its high oxidiser, low chlorine level makes it an ideal instant shock product allowing swimmers to re-enter the water within one hour of application.

Acidic pH 4 - 5

Application:

500 g weekly for pools up to 60,000 litres

1 kg per week for pools between 60 – 120,000 litres

Sizes:

500 g	10/ctn	IQSH5500
1 kg	6/ctn	IQSH5001
2 kg	6/ctn	IQSH5002
4 kg	4/ctn	IQSH5004
10 kg	64/pallet	IQSH5010



IQ Maxi Chlor Stabilised Granular Chlorine/Salt Boost

For the control of algae & bacteria in swimming pools

630 g/kg available Chlorine present as Sodiumdichlorisocyanurate

Small granular size & de-dusted. Fast dissolving leaving no residue.

An ideal product for regular sanitising treatment of swimming pools & as supplementary chlorine for salt water pools.

Slightly acidic pH 6 - 6.5

Application:

Superchlorination: 1 x 500 g bag per 50,000 litres

Size:

500 g	10/ctn	MCDC6500
-------	--------	----------



IQ Shockright Plus

Chlorine free oxidiser

Active Oxygen 5.6% Blend of Persulphates

A blend of persulphates (non-chlorine oxidisers) containing 5.6% available oxygen. Ideal for oxidising spas & chloramine reduction in swimming pools.

Its unique blend makes it suitable for all Ionised pools giving a long term oxidising effect. Acidic pH 2 - 3

Application:

Spas: Initial dose 30 g per 2,000 litres then 15 g per 2,000 litres weekly or after spa use

Ionised Pools: 1 kg per 50,000 litres

Sizes:

500 g	12/ctn	IQSR3500
1 kg	6/ctn	IQSR3001
2 kg	6/ctn	IQSR3002
5 kg	4/ctn	IQSR3005
10 kg	64/pallet	IQSR3010
20 kg	32/pallet	IQSR3020

ADJUSTERS & BALANCERS



Pool Adjusters & Balancers



IQ Liquid Pool Acid

Decreases pH & Total Alkalinity in swimming pool water
370 g/ltr Hydrochloric (Muriatic) Acid

Application:

Application rate will depend on the pH & Total Alkalinity level
Check label or consult your local Pool Professional.

Sizes:

5 ltr	4/ctn	IQLA4005
15 ltr	48/pallet	IQLA4015



IQ Granu-Cid Liquid Pool Acid

Decreases pH & Total Alkalinity in swimming pool water
Sulphuric Acid 35% contains Sulphuric Acid 440 g/ltr
Formulated specifically for use with IQ Granudos feeder systems.

Application:

Automatically dosed on demand as required.

Size:

15 ltr	48/pallet	IQSF6015
--------	-----------	----------



IQ Low Fume Acid

Decreases pH & Total Alkalinity in swimming pool water
370 g/ltr Hydrochloric (Muriatic) Acid

Application:

Application rate will depend on the pH & Total Alkalinity level
Check label or consult your local Pool Professional.

Sizes:

5 ltr	4/ctn	IQLA4005
15 ltr	48/pallet	IQLA4015

IQ pH Down

Decreases pH & Total Alkalinity in swimming pool water

Sodium Bisulphate, Dry Acid

No longer classified as a dangerous good for transportation or storage purposes.

Ideal pH should be between 7.2 – 7.8.

Application:

Application rate will depend on the pH & Total Alkalinity level

Check label or consult your local Pool Professional.

Sizes:

3 kg	6/ctn	IQDA4003
25 kg	bag	IQDA4025



IQ pH Up

Increases the pH of Swimming Pool water rapidly

Soda Ash, Sodium Carbonate (Granules / Powder)

Ideal pH should be between 7.2 – 7.8.

Application:

per 10,000 litres:

pH Less than 6.8 add 100 g

pH 6.8-7.0 add 80 g

pH 7.0-7.2 add 40 g

Application rates indicated are only a guide

Pour directly into water prior to use or mix in a bucket of water as per the label instructions.

Allow pump to run 3 hours prior to re-testing.

Sizes:

2 kg	8/ctn	IQSA4002
25 kg	bag	IQSA4025



IQ Alkalinity Up

Increases the pH of Swimming Pool water

Sodium Bicarbonate, Buffer (Powder)

Acts as a pH buffer preventing extreme pH shifts

Ideal TA level is between 80 – 150 ppm

Application:

200 g will raise the Total Alkalinity by 10 ppm per 10,000 litres


Pour directly into water prior to use or mix in a bucket of water as per the label instructions.

Allow pump to run 4 hours prior to re-testing

Application rates indicated are to be used as a guide only.

Sizes:

2 kg	8/ctn	IQBF4002
4 kg	4/ctn	IQBF4004
10 kg	2/ctn	IQBF4010
10 kg	bkt	IQBF4010R
25 kg	bag	IQBF4025



Pool Adjusters & Balancers



IQ Water Hardener

Increases the level of Calcium (Hardness) in swimming pools & spas
Calcium Chloride

Ideal Calcium Hardness level is between 200 – 500 ppm

Application:

200 g will raise the Calcium Hardness by 10 ppm per 10,000 litres

Product should be pre-dissolved in a bucket of water adding 2 kg to 5 litres of water. If more than 6 kg is needed per 50,000 litres of pool water dose separately & apply at least 12 hours apart.

Application rates indicated are to be used as a guide only.

Sizes:

2 kg	8/ctn	IQCC4002
4 kg	4/ctn	IQCC4004
10 kg	bkt	IQCC4010
25 kg	bag	IQCC4025



IQ Sunblock

Protects chlorine from ultra violet sunlight.

996 g/kg Cyanuric Acid, Stabiliser

Ideal stabiliser level is 20 – 30 ppm. Do not exceed 50 ppm.

Application

100 g per 10,000 litre will raise Cyanurate level by approx. 10 ppm. Sun Block may be added directly to the pool. Pool may go cloudy for a short period but will clear within 8 hours. Sun Block may be added slowly via the skimmer box.

Do not add to skimmer box if Cyclone pump is fitted. Mix in a bucket of water first & then broadcast over the entire swimming pool.

Cyanuric acid may take up to 24 – 36 hours to dissolve completely.

Application rates indicated are to be used as a guide only.

Fast Dissolving Sizes:

1 kg	15/ctn	IQCA4001
2 kg	8/ctn	IQCA4002
3 kg	5/ctn	IQCA4003
25 kg	bag	IQCA4025
25 kg Granular	bag	IQCA4030



IQ Sunblock Tablets

Protects chlorine from ultra violet light. Easy to dose tablets.

Each 500 g tablet containing 99.6% Cyanuric Acid

Ideal Stabiliser level is 20 – 30 ppm. Do not exceed 50 ppm

Application:

Apply by placing tablet in skimmer box.

500 g per 50,000 litre will raise Cyanurate level by approx 10 ppm

Application rates indicated are to be used as a guide only.

Sizes:

1 kg	12/ctn	IQCA4021
2 kg	6/ctn	IQCA4042

POOL SOLUTIONS

ALGAECIDES

CLARIFIERS

MAINTENANCE

STAIN TREATMENT



Algaecides Solutions



IQ Black Spot Concentrated Granular Algaecide

Controls blackspot algae in pebblecrete, plaster & tiled pools

900 g/kg available Chlorine present as Trichloroisocyanuric Acid (TCCA)

For use in Pebblecrete, white plaster & tiled pools only.

DO NOT use on any artificially coloured surface.

Product has high chlorine / low pH.

Granules can be directed to specific areas & slow dissolving action of Granular Blackspot Treatment will kill & bleach Blackspot & stains.

Application:

See pack for details

Sizes:

1 kg	6/ctn	IQSG5005
10 kg	bucket	IQSG5010



IQ Pool Solutions Algae Eliminator

Controls algae in swimming pools

400 g/ltr Benzalkonium Chloride

Double strength 'quat' based algaecide

May also be used as a regular preventative treatment.

Not compatible with Hydrogen Peroxide – Biguanide systems

Application:

90 ml per 10,000 litres for visible algae growth

60 ml per 10,000 litres prevention dose

Water may foam immediately after adding but will clear quickly

Sizes:

1 ltr	6/ctn	IPAE5001
20 ltr	drum	IPAE5020



IQ Pool Solutions Maintenance Algaecide

Controls algae in swimming pools for up to 6 months

32 g/ltr Copper (Cu) present as Cupric Sulphate Pentahydrate

Lasting up to 6 months this is the ideal maintenance algaecide to use for the prevention of algae & for opening pools in summer.

Effective on all types of Algae including Black / Blue-Green / Mustard.

Application:

200 ml per 10,000 litres

Sizes:

1 ltr	6/ctn	IPMA5001
20 ltr	drum	IPMA5020

IQ Pool Solutions Metal Free Algaecide

Controls bacteria, viruses & protozoa in swimming pools

Blend 300 g/ltr Poly [Oxyethylene (Dimethyliminio) Ethylene (Dimethyliminio)

Ethylendichloride] 35 g/l Simazine

Effective killer of Green & Mustard algae. May be used as a weekly preventative treatment. Popular dual action algaecide.

Application:

Heavy growth: 180 ml per 10,000 litres

Prevention: 60ml per 10,000 litres weekly

Sizes:

1 ltr	6/ctn	IPMF5001
20 ltr	drum	IPMF5020



IQ Pool Solutions Black Spot Treatment & Winteriser

Controls black spot algae & winterises

120 g/l Copper (Cu) present as Cupric Ammonium Complex

High strength long lasting copper based algaecide designed to remove the most stubborn Blackspot algae.

May also be used as a long life winteriser.

Application:

80 ml per 10,000 litres

Sizes:

500 ml	12/ctn	IPBW5500
1 ltr	6/ctn	IPBW5001
20 ltr	drum	IPBW5020



IQ Pool Solutions Polymax

Metal Free Concentrated Pool Algaecide

685g/L Polymeric Quaternary Ammonium Compound

Kills Black spot, Blue-green, Mustard & Green Algae.

Can be used in conjunction with all forms of sanitiser.

Ideal for Ionised & salt water pools & aids in clarifying the pool.

Application:

Heavy growth: 150ml per 10,000 litres

Prevention: 40ml per 10,000 litres per week

Application rates indicated are to be used as a guide only.

Sizes:

1 ltr	6/ctn	IPPM5001
20 ltr	drum	IPPM5020



IQ Pool Solutions Tropical Strength Algaecide

Designed to combat the most resistant algae strains.

50 g/ltr Copper (Cu) Present as a complex blend of copper salts

150 g/ltr Benzalkonium Chloride

Controls Blue-Green, Black & Mustard Algae in swimming pools.

Dual action algaecide

Non foaming

Can be used in conjunction with all forms of sanitiser.

Application:

200 ml per 10,000 litres

Sizes:

1 ltr	6/ctn	IPTS5001
20 ltr	drum	IPTS5020



Clarifier Solutions



IQ Pool Solutions Super Clear

Fast acting concentrated coagulant

Cationic Poly Electrolyte

Acts by gathering the fine particles together & trapping them in the filter.

Biodegradable, not pH dependant.

Regular use will reduce chlorine use by removing organic material from the pool water.

Application:

Clarifier dose: 40 ml per 10,000 litres

Cloudy pools: 60 ml per 10,000 litres

Sizes:

1 ltr	12/ctn	IPSC5001
20 ltr	drum	IPSC5020



IQ Pool Solutions Pool Shimmer

For crystal clear water, eliminates body fats, oils & removes dissolved metals

Polychite (Non toxic, biodegradable)

A concentrated, natural & biodegradable clarifier

It coagulates fine particles of suspended matter so that they may be trapped in the filter. Removes metals, body fats & oils from the water leaving pool water crystal clear Assist in preventing scum lines around the pool.

Application:

Maintenance: 85 ml per 10,000 litres

Newly filled pools: 170 ml per 10,000 litres

Size:

1 ltr	6/ctn	IPPS5001
20 ltr	drum	IPPS5020



IQ Pool Solutions PAC

Concentrated flocculent clears the cloudiest pools

Polyaluminium Chloride

Drops debris to pool floor from where it is vacuumed to waste

Ensure pH is between 7.5 – 7.8 for best results.

Not recommended for Cartridge or D.E. Filters.

Application:

200 ml per 10,000 litres

Size:

1 ltr	6/ctn	IPPA5001
20 ltr	drum	IPPA5020



IQ Pool Solutions Fast Flocc

Concentrated flocculent with built in accelerator

Polyaluminium Chloride Complex plus Polymer

Fast acting, will clear pool water within 3 – 6 hours

Clears cloudy pools by dropping debris to the pool floor, then may be vacuumed to waste

Ensure that all algae is dead & that pH is between 7.5 – 7.8 for best results

Not recommended for Cartridge or D.E. Filters.

Application:

200 ml per 10,000 litres

Sizes:

1 ltr	6/ctn	IPFF5001
20 ltr	drum	IPFF5020

IQ Pool Floc

Clears cloudy pools
Aluminium Sulphate (Granular / Powder)

Application

Raise pH to 8.2 in order to achieve best results

Dissolve Floc in a bucket of water at the rate of 400 g per 10,000 litre of pool water

Application rates indicated are to be used as a guide only.

Sizes:

2 kg	8/ctn	IQAL4002
25 kg	bag	IQAL4025



IQ Maxi Clear Skimmer Tablets

Clears cloudy pools fast

Aluminium Sulphate tablet

Each sock contains 5 x 25gram tablets for fast dissolving action.

Fast acting clarifier, ideal for newly filled or cloudy pools

Perfect for sand filters

pH should be between 7.2 – 7.6 for best results.

Application:

1 tablet per pool up to 50,000 litres

Sizes:

125 g (20 x 125g)	counter display	IQPA4001
10 kg (80 x 125 g)	carton	IQPA4010



Super Cubes Plus

Clears cloudy pools & prevents algae growth by removing Phosphates

Gel formulation

The original Gel cube

Slow dissolving, long lasting flocculent

Keeps pool water clear for up to 30 days

Reduces high level phosphates

Application:

One Super Cube Plus in the skimmer basket treats up to 120,000 litres & lasts approximately four weeks.

Sizes:

170 g (2 x 170 g)	12/ctn	IQSCB170
90 g (24 x 90 g)	counter display	IQSC5424
170 g (Service Pack)	24/ctn	IQSC5180





IQ Pool Solutions C-5 Chlorine Dioxide Precursor Tablets

APVMA Approved for use by commercial operators for control of bacteria & protozoa including Cryptosporidium spp, & biofilm in swimming pools.

C-5 Tablets are a blend of precursor chemicals which when added to the pool water then forms Chlorine Dioxide (ClO₂) Ideal for elimination of cryptosporidium & chloramines. Little 'down time' of swimming pool as there is no need for chlorine reduction after use.

The effectiveness of removal by filtration will depend on the efficiency of the filtration system (filter media/ filter bed depth, condition/ filtration rate etc.). Coagulation will assist in optimizing the filtration of Oocysts.

An alternative method that is also recommended by Health Departments around the world is the use of Chlorine Dioxide. This may be used as both a preventative and an in-activator of existing Oocysts. It is generally accepted that a CT value of just 70 (using Chlorine Dioxide) will result in the inactivation of 99.9% of Oocysts. C-5 Tablets is a Chlorine Dioxide precursor which when activated will form Chlorine Dioxide in the pool water.

Use Chlorine Dioxide Test Strips to ensure chlorine dioxide levels are maintained during treatment.

100 g/kg Chlorine Dioxide present 200g/kg Sodium Chlorite

Does Rates

Application rate C-5 to achieve ClO₂ (ppm)

ppm	10,000 ltrs	50,000 ltrs	500,000 ltrs	1,000,000 ltrs
0.4	N/A	2 Tablets	20 Tablets	40 Tablets
1.0	1 Tablet	5 Tablets	50 Tablets	100 Tablets

Sizes:

2 kg	20 tablets	IPCT5102
10 kg	100 tablets	IPCT5100



IQ Pool Solutions Natural Filter Cleaner & Degreaser

Breaks down oils and fats

100% Natural Ingredients, Eco friendly, nontoxic, biodegradable

IQ Natural Filter Cleaner is a non-polluting water soluble cleaner that is readily Bio-degradable. It is very effective in removing oils and fats by breaking them down and solubilising them allowing the filter media to be easily cleaned by rinsing. Ideal for cartridge and DE filters.

Application Rate:

See pack for details

Sizes:

1 ltr	6/ctn	IPFC5001
20 ltr	drum	IPFC5020

IQ Pool Solutions Spray On Natural Filter Cleaner & Degreaser

Breaks down oils and fats

100% Natural Ingredients, Eco friendly, nontoxic, biodegradable

IQ Natural Filter Cleaner is a non-polluting water soluble cleaner that is readily Bio-degradable. It is very effective in removing oils and fats by breaking them down and solubilising them allowing the filter media to be easily cleaned by rinsing. Ideal for cartridge and DE filters.

Application Rate:

See pack for details

Sizes

750 ml	6/ctn	IPFC5750
--------	-------	----------



IQ Pool Solutions Tile and Vinyl Cleaner

Powerful remover of stains & scum lines.

Alkaline Salts

Suitable for use with Swimming Pools, Spas, Showers, Tiles & Vinyl.

Can be used on any surface type, ideal for the removal of scum lines & stains on tiles & vinyl surfaces.

Application Rate:

Spray as required

750 mltr	8/ctn	IPTV5075
----------	-------	----------

5 ltr	4/ctn	IPTV5005
-------	-------	----------



IQ Pool Solutions Duck-Away

Deter ducks from swimming pools

100 g/l Benzalkonium Chloride & 23.5 g/l Alcohol Ethoxylate

Changes surface tension of water making it difficult for ducks to float.

Product is not harmful to ducks.

Application Rate:

1 litre per 10,000 litres

Sizes:

5 ltr	4/ctn	IPDA5005
-------	-------	----------

20 ltr	drum	IPDA5020
--------	------	----------



Maintenance Solutions



IQ Pool Solutions Nil-Phos

Prevents algae growth by removing phosphates

250 g/l Lanthanum Chloride

Optimum strength to ensure rapid removal of Phosphates. Water may initially become cloudy as Phosphates drops out but will clear. IQ Maxi Clear Tablets or Pool Solutions Super Clear are recommended to accelerate clarification.

See IQ Nil-Phos Phosphate Testing Station.

Application Rate:

Maintenance: 500ml per 50,000 litres

High Phosphates: (> 1 ppm phosphate) 1 ltr per 50,000 litres

1 ltr	6/ctn	IPNP5001
2.5 ltr	6/ctn	IPNP5025
20 ltr	drum	IPNP5020



IQ Pool Solutions Nil-Phos Plus

Concentrated Phosphate Remover

Lanthanum Chloride

Removes high levels of Phosphates & reduces clouding of swimming pool water during phosphate removal process. Compatible with all pool chemicals & filters.

See IQ Nil-Phos Phosphate Testing Station.

Application Rate:

Phosphate levels up to 2 ppm: 100ml per 10,000 litres

Phosphate levels up to 6 ppm: 200ml per 10,000 litres

1 ltr	6/ctn	IPNPP001
2.5 ltr	6/ctn	IPNPP025
20 ltr	drum	IPNPP020



IQ Pool Solutions Stop-Cal

Assists in preventing calcium scale & reduces scale on salt cells

Acrylic Polymer Complex

Ideal for exposed aggregate surfaces such as Quartzon, Bedecrete® Pebblecrete etc.

Recommended when first filling swimming pools with "reactive" pool surfaces.

Application:

5 litres per 50,000 litres every 6 months

Size:		
5 ltr	4/ctn	IPCS5005

IQ Pool Solutions Cell Clean

Fast acting salt chlorinator cell cleaner solution
Phosphoric Acid & Organic Surfactants
 Contains organic surfactants to aid cleaning process.
 Will not damage cell plates
 Re-usable up to 4 times.

Application Rate:
 See pack for details

Sizes:
 5 ltr 4/ctn IPCC5005
 20 ltr drum IPCC5020



IQ Pool Solutions Salt Cell Protector

Reduces calcium deposits on salt cells
Magnesium Chloride
 Reduces calcium scaling on salt chlorinator cells & also softens any deposits allowing easy removal of any calcium build up.
 Does not contain any sulphates (sulphates attack cement & grout)
 Depending on rainfall & back washing, one treatment will last up to 6 months.

Application:
 5 litres per 50,000 litres every 6 months depending on rainfall & back washing

Size:
 5 ltr 4/ctn IPSP5005



Theralux Active™ Essential Earth Minerals

Water softener + pH buffer + magnesium
 Theralux Active™ Essential Earth Minerals, is a unique blend of natural occurring minerals that when added to a salt chlorinated pool enhances water quality & provides health & wellbeing benefits to the bather. Soft & natural feeling water, moisturise your skin as you swim, gentle on sensitive skin, provide a natural relief to muscular complaints, relax your nervous system, produce a mild floccing agent enhancing water quality

Application Rate:
 Initial Treatment: 4 kg per 10,000 litres
 Maintenance: 2 kg per 10,000 litres (Every 6 months)

Size:
 15 ltr bag IP6M015



Stain Solutions



IQ Pool Solutions Stain Remover

For the removal of coloured metal stains from swimming pools

995 g/kg Organic Acid Complex

A blend of organic acids for the removal of metal stains (copper, manganese & iron) from pool surfaces.

May also remove some scale deposits.

Removes organic stains such as leaf & algae stains

In case of metal stains, test water for metals in solution & if present use Pool Solutions Metal Magnet to prevent further staining

Application:

1 kg per 50,000 litres

May be applied in specific spots by using a sock

Size:

1 kg

6/ctn

IPSR5001



IQ Pool Solutions Metal Magnet

For the prevention of metal stains & scale in swimming pools

360 g/l Phosphoric Acid

Chelating agent that prevents stains & removes metals from pool water by sequestering.

In case of severe staining, first use Pool Solutions Stain Remover to eliminate existing stains & then Metal Magnet to prevent them returning.

Application:

500ml per 50,000 litres

Size:

1 ltr

6/ctn

IPMM5001

20 ltr

drum

IPMM5020



A close-up, low-angle shot of a woman with blonde hair relaxing in a hot tub. She has her eyes closed and a serene expression, leaning back against the tiled edge of the tub. The water is bubbling vigorously around her, creating a sense of relaxation and warmth. The background is softly blurred, showing more of the hot tub and a hint of an outdoor setting.

SPA SOLUTIONS

SANITISERS & SHOCK
TREATMENT

ADJUSTERS & BALANCERS

MAINTENANCE

SPECIALITY PRODUCTS POOL
& SPA START UP KITS

ESSENTIAL EARTH BATH
MINERALS

WATER TREATMENT TABLETS

Spa Solutions - Sanitisers / Shock Treatment



IQ Spa Solutions Spa Brom Tablets

For the control of algae & bacteria in spa, pools & hot tubs
 650 g/kg available Bromine 280 g/kg available Chlorine
 present as Bromochlorodimethylhydantoin
 Ideal sanitiser for water greater than 26° C, Bromine is not pH dependant.
 Acidic pH 4 – 5

Application:

1 Tablet (15g tablet) per 1,000 litres

Application rates indicated are to be used as a guide only.

Sizes:

1 kg	6/ctn	IQSB1001
2 kg	6/ctn	IQSB1002
10 kg	bucket	IQSB1010



IQ Theralux Spa Shock & Sanitiser

IQ Theralux Spa Shock & Sanitiser is a high oxidiser & a low chlorine level product, making it an ideal instant shock that allows swimmers to re-enter the water within one hour of application. This product is a multi-purpose sanitiser & will kill germs fast, clarify & condition the spa water providing a soft bathing experience. This is the perfect product to create healthy water that is also soft and gentle.

IQ Theralux Spa Shock & Sanitiser contains:

Tetraborate – Softens, clarifies & hinders the growth of algae.

Non-Chlorine Oxidiser – Removes unwanted organics, combined chlorines freeing up your chlorines ability to effectively sanitise the water.

Clarifying Agent – Gathers fine particles together making them bigger enough to be trapped in the filter. Not suitable for commercial spa installations.

Application: (Alternate Days)

8 g per 1,000 litres of water

80 g per 10,000 litres of water

Sizes:

1 kg	6/ctn	IPSS6001
2 kg	6/ctn	IPSS6002
10 kg	bucket	IPSS6010



IQ Spa Solutions Shockright Plus

Chlorine free oxidiser

Active Oxygen 5.6% Blend of Persulphates

A blend of persulphates (non-chlorine oxidisers) containing 5.6% available oxygen.

Ideal for oxidising spas & chloramine reduction in swimming pools.

Its unique blend makes it suitable for all Ionised pools giving a long term oxidising effect. Acidic pH 2 – 3

Application: Spas: Initial dose 30 g per 2,000 litres then 15 g per 2,000 litres weekly or after spa use. Ionised Pools: 1 kg per 50,000 litres

Sizes:

500 g	12/ctn	IQSR3500
1 kg	6/ctn	IQSR3001
2 kg	6/ctn	IQSR3002
5 kg	4/ctn	IQSR3005
10 kg	64/pallet	IQSR3010
20 kg	32/pallet	IQSR3020

IQ Spa Solutions Spa Start & Balance

Ensures spa water is balanced

Contains Monopersulphate

A unique formulation designed to balance Spa water. Raises Calcium Hardness, Total alkalinity & pH. It contains non-chlorine Oxidisers to combat any organic contaminants. Coagulates suspended solids. Provides scale & corrosion protection. Reduces iron & copper staining.

Alkaline pH 10 – 11

Application:

300 g per 1,000 litres of Spa water

Sizes:

500 g	12/ctn	IQSS2500
1.25 kg	6/ctn	IQSS2125



IQ Spa Solutions Alkalinity Up

Increases total alkalinity & pH levels in spas

Sodium Bicarbonate, Buffer (Powder)

Acts as a pH buffer preventing extreme pH shifts

Ideal TA level is between 80 – 150 ppm

Application:

200 g will raise the Total Alkalinity by 10 ppm per 10,000 litres

Size:

500 g	12/ctn	IQTA2500
-------	--------	----------



IQ Spa Solutions pH Down

Decreases pH & total alkalinity levels in spas

Sodium Bisulphate, Dry Acid (Granules / Powder)

No longer classified as a dangerous good for transportation or storage purposes.

Ideal pH should be between 7.2 – 7.8.

Application:

Application rate will depend on the pH & Total Alkalinity level

Check label or consult your local Pool Professional.

Size:

500 g	12/ctn	IQDA4500
-------	--------	----------



Spa Solutions - Adjusters & Balancers / Maintenance



IQ Spa Solutions Water Hardener

Increases calcium hardness levels in spas

Calcium Chloride

Ideal Calcium Hardness level is between 200 – 300 ppm

Application:

10 g increases Calcium Hardness by 10 ppm per 1,000 litres

Dosage rates indicated are only a guide

Product should be pre-dissolved in a bucket of water.

Size:

500 g

12/ctn

IQCC4500



IQ Spa Solutions BioFresh Tablets

Prevents & eliminates bio-film. Keeps your spa fresh & healthier for longer

Chlorine Dioxide Precursor. Sodium Chlorite & inorganic salt

Prevents & eliminates bio-film from spas. Easy peel & pop dosing method. A simple all year round maintenance product. Keeps spa healthier for longer. Hot Tubs & Spas, by their very nature are breeding grounds for all types of bugs & pathogens. Bacteria love hot water & multiply much faster than in cold water. Correct levels of sanitiser (Chlorine, Bromine, etc.) reduce the risks of the infection but the most common area of potential bacterial growth is the most ignored of overlooked - the pipes & tubes carrying the water. These are collection points for bio-film.

Bio-film is made up of a collection of oils, fats, solid matter, organics & bacteria. Bio-film may be present on any surface the has constant contact with water & Hot Tubs & Spas are particularly prone to the collection of bio-film. It is extremely important to understand that bio-film will not be removed by even high levels of sanitiser such as Chlorine or Bromine.

Each tablet contains a unique blend of chemicals which, when added to the spa water react together to form Chlorine Dioxide which will then attack & destroy the bio-film in the spa pipes & equipment.

Application: Regular:

Use will prevent bio-film from forming, keeping your spa healthier for longer.

Simply peel a tablet from the foil & pop it into the skimmer of the spa once a month or for spas in frequent use / commercial spa, use once every two weeks.

Size:

4 x 20g

6/ctn

IPBF5004

10 x 20g

6/ctn

IPBF5010

4 x 100g

6/ctn

IPBF5104

IQ Spa Solutions Chlorine Neutraliser

Lowers Chlorine & Bromine levels in pools & spa's

985 g/kg Sodium Thiosulphate

Does NOT reduce combined Chlorine.

Be careful not to overdose as it may then be difficult to achieve residual chlorine level.

Application:

10 g per 10,000 litres reduces 1 ppm chlorine

Sizes:

500 g	12/ctn	IPCN4250
25 kg	bag	IPCN4025



IQ Spa Solutions Spa Bath & Cartridge Clean

For cleaning of spa bath systems, pipes & cartridges

Alkaline Salts 28 g/kg available Chlorine present as Sodium

Dichloroisocyanurate

Removes build up of oils, grease & other contaminants from pipe work in Spas, Spa Baths & filter cartridges.

Application:

Use before emptying spa or spa bath by following instructions on pack.

Filter cartridges may be cleaned by soaking in a bucket containing a solution of Spa Bath & Cartridge Cleaner.

Sizes:

1 kg	12/ctn	IQSC3001
10 kg	bkt	IQSC3010



IQ Theralux Enhanced Mineral Additive for Spas

Magnesium enriched minerals to enhance bather comfort.

Produces soft & natural feeling water. Moisturises your skin. Reduces eye & skin irritation. Provides natural relief to muscular complaints. Relaxes your nervous system. Conditions your hair.

Easy to use, distribute Theralux Enhanced Mineral Additive evenly around the Spa.

The additive may take up to 12 hours to dissolve. but after that jump in & reward your body. (it say's thanks.)

Initial Application:

1 kg per 1,500 litres of Spa water

Application rates indicated are to be used as a guide only.

Test with the Theralux Enhanced Mineral Additive Test Strips.

100 g per 1500 ltrs of spa water

Theralux Enhanced Mineral Additive is compatible with all types of sanitising systems.

Sizes:

1 kg	6/ctn	IPEM6001
------	-------	----------



Spa Solutions - Speciality Products



Natural Cartridge Filter Cleaner & Degreaser for Spas & Hot Tubs

Breaks down oils and fats

100% Natural Ingredients, Eco friendly, nontoxic, biodegradable

IQ Natural Filter Cleaner is a non-polluting water soluble cleaner that is readily Bio-degradable. It is very effective in removing oils and fats by breaking them down and solubilising them allowing the filter media to be easily cleaned by rinsing.

Application:

See pack for details

Size:

500 ml

12/ctn

IPFC5500



IQ Flat 'n Foam

Foam control for spa & hot tubs

Suppresses foaming in Spas, Hot Tubs, Hydrotherapy pools & Fountains.

Compatible with all sanitisers & other spa chemicals.

Application:

Add 1-3 capfuls direct to main foam areas

Size:

500 ml

12/ctn

IQFF5500



IQ Shimmer & Shine

Water polisher

Chitosan

Shimmer & Shine is a natural, biodegradable clarifier.

It coagulates fine particles of suspended matter so they may be trapped in the filter.

Removes metals, body fats & oils from the water leaving spa water crystal clear.

Application:

10 ml per 1,500 litres

Size:

500 ml

12/ctn

IQSS5500



Genie Fragrance

Spa fragrances

Designed for spas, hot Tubs & spa baths.

Available in 6 different fragrances.

Floral, Wildflower, Spicy Citrus, Misty, Calypso, Green Apple

Application:

When required

Sizes:

50 ml

24/ctn

IQGB5050

400 ml

12/ctn

IQGF4000

IQ Pool Start Up Kit

Everything a Pool owner needs to start up a new Pool.

Kit contains:

- 1 x 2 kg IQ Water Hardener
 - 1 x 3 kg IQ pH Down
 - 1 x 4 kg Alkalinity Up
 - 1 x 125 g IQ Maxi Clear Skimmer Tablets
 - 2 x 500 g Shock & Swim
 - 1 x 2 kg Sun Block
 - 1 x 500 ml Water Sample Bottle
- Code: IQSU4000



Essential Earth Bath Minerals

Essential Earth Bath Minerals

Magnesium Chloride Flakes

Relax & recover with unscented, magnesium rich bath minerals.

Moisturises & hydrates skin, Helps soothe & relax muscles, promotes stress relief, helps absorption & sleep.

Application:

100 g in bath

Size:

200 g	30/ctn	EEBM6200
1 kg	6/ctn	EEBM6001



Water Treatment Tablets

Bio-Pure Water Treatment Tablets

Makes water safe to drink after 12 to 48 hours.

Ideal for Boats, Caravans, Water Tanks and Water Features.

Application:

1 x 1 g tablet per 200 litres of water

1 x 20 g tablet per 2000 litres of water

Size:

12 x 1 g Tablets	IPBP5012
5 x 20 g Tablets	IPBP5005
100 x 1 g Tablets	IPBP5100

