

# POOL & SPA ACCESSIBILITY

AQUATIC LIFTS

AQUATIC LIFTS &  
ACCESSORIES

AQUATIC WHEELCHAIRS

HYDROTHERAPY PLINTH &  
HYDROTHERAPY CHAIR



# Aquatic Lifts

## Splash Aquatic Lift

The Splash Aquatic Lift is designed for swimming facilities seeking to provide user friendly access to their swimming pools. The Splash is battery powered & operated by a screw driven actuator. The design & durability of the system ensures consistent operation & minimises service problems.

Virtually maintenance free. The components are made from corrosion resistant materials, including powder coated aluminium & stainless steel. The unique seat of the lift was specifically designed to provide the user with the greatest possible safety, comfort & ease of transfer.

The hand control is water resistant, & allows either the user or the attendant to control its operation with ease. It has a rotation of 344 degrees. The LiftOperator control box and battery are water resistant. If the lift is stored for long periods, an optional cover is available for purchase and is recommended to use to protect the system.

The standard moulded plastic footrest is removable & will float upwards to prevent damage if the user lowers the chair too low over the deck.

A sling option is also available. The sling can be used instead of the seat by undoing two bolts and removing the arm and seat assembly and replacing it with the Sling Jib. The Sling is then attached to the sling jib. The sling and Jib can be retrofitted to existing Splash, Pal and Pal2 lifts.

Maximum lifting capacity: 181.5 kg\*.

\*Lifting capacity of the Extended Reach model is 136 kg.

Included with each lift: Hand Controller, Footrest, Caddie, Seat with Arm Rests, Battery with cover, Battery Charger & Seat Belt Assembly.

Splash Standard – Suits most applications – (Max. 740 mm from pool edge no fall)

Splash Extended Reach – For pools requiring a longer reach

– (Max. 1170 mm from pool edge no fall)

Models :

Standard Aquatic Lift – Suits most applications Code: PLIF10000

Extended Reach Aquatic Lift – For pools requiring a longer reach Code: PLIF10010

Options:

Sling & Jib Attachment Code: PLIF10230

Stability Strap (for new seat design) Code: PLIF10201

Lift Cover Code: PLIF10220

Spine Board Attachment Code: PLIF10240

Extra Deck Anchor for multiple locations Code: PLIF10250

114 x 110 x 155 mm (L x W x H)



## aXs2 Aquatic Lift

A low profile pool lift that is an ideal access solution for community, aged-care & rehabilitation swimming pools. A lifting capacity of 136 kg. The aXs2 lift installs into your pool deck via a locking anchor. The aXs2 is a 24v battery powered & operated by a screw driven actuator. It features full mechanised left and right as well as up & down motion. It has a rotation of 360 degrees. The design & durability of the system ensures consistent operation and minimises service problems.

Virtually maintenance free. The components are made from corrosion resistant materials, including powder coated aluminium & stainless steel. The unique seat of the lift was specifically designed to provide the user with the greatest possible safety, comfort & ease of transfer.

The hand control is water resistant, & allows either the user or the attendant to control its operation with ease. It has a rotation of 360 degrees. The LiftOperator control box & battery are water resistant. If the lift is stored for long periods, an optional cover is available for purchase and is recommended to use to protect the system.

The standard moulded plastic footrest is removable & will float upwards to prevent damage if the user lowers the chair too low over the deck.

A sling option is also available. The sling can be used instead of the seat by undoing two bolts & removing the arm and seat assembly and replacing it with the Sling Jib. The Sling is then attached to the sling jib. The sling and Jib can be retrofitted to existing Splash, Pal and Pal2 lifts.

Included with each lift: Hand Controller, Footrest, Seat with Arm Rests, Battery with cover, Battery Charger & Seat Belt Assembly.

aXs2 Aquatic Lift

Code: PLIF10040

Options:

Stability Strap (for new seat design)

Code: PLIF10201

Spine Board Attachment

Code: PLIF10240

Extra Deck Anchor for multiple locations

Code: PLIF10250

114 x 110 x 155 mm (L x W x H)



## Pal2 Aquatic Portable Lift

The Pal2 Aquatic Lift is a Fixed Portable free standing lift. Easy to move by one person. A lifting capacity of 136 kg. The Pal2 is a 24v battery powered & operated by a screw driven actuator. It features full mechanised left and right as well as up and down motion. The design & durability of the system ensures consistent operation and minimises service problems.

Virtually maintenance free. The components are made from corrosion resistant materials, including powder coated stainless steel and aluminium construction. The unique seat of the lift was specifically designed to provide the user with the greatest possible safety, comfort and ease of transfer.

The hand control is water resistant, & allows either the user or the attendant to control its operation with ease. It has a rotation of 360 degrees. The LiftOperator control box and battery are water resistant. If the lift is stored for long periods, an optional cover is available for purchase & is recommended to use to protect the system.

The standard moulded plastic footrest is removable & will float upwards to prevent damage if the user lowers the chair too low over the deck.

A sling option is also available. The sling can be used instead of the seat by undoing two bolts and removing the arm and seat assembly & replacing it with the Sling Jib. The Sling is then attached to the sling jib. The sling and Jib can be retrofitted to existing Splash, Pal and Pal2 lifts.

Included with each lift: Pal2 Lift, Hand Controller, Footrest, Arm Rests, Battery Charger, Battery Cover and Seat Belt Assembly.

Pal2 Aquatic Lift Code: PLIF10065

Options:

Sling & Jib Attachment

Code: PLIF10230

Stability Strap (for new seat design)

Code: PLIF10201

Lift Cover

Code: PLIF10220

Spine Board Attachment


Code: PLIF10240



## Pal Hi-Lo Aquatic Portable Lift

The Pal Hi-Lo Aquatic Lift is a Fixed Portable free standing lift. Easy to move by one person. A lifting capacity of 136 kg. Designed for facilities that have both inground pools & raised spas. The Pal Hi-Lo is a 24v battery powered & operated by a screw driven actuator. It features full mechanised left & right as well as up & down motion. The design and durability of the system ensures consistent operation & minimises service problems.

Virtually maintenance free. The components are made from corrosion resistant materials, including powder coated stainless steel & aluminium construction. The unique seat of the lift was specifically designed to provide the user with the greatest possible safety, comfort and ease of transfer.



The hand control is water resistant, & allows either the user or the attendant to control its operation with ease. It has a rotation of 360 degrees. The LiftOperator control box & battery are water resistant. If the lift is stored for long periods, an optional cover is available for purchase and is recommended to use to protect the system.

The standard moulded plastic footrest is removable & will float upwards to prevent damage if the user lowers the chair too low over the deck.

A sling option is also available. The sling can be used instead of the seat by undoing two bolts and removing the arm and seat assembly & replacing it with the Sling Jib. The Sling is then attached to the sling jib. The sling and Jib can be retrofitted to existing Splash, Pal and Pal2 lifts.

Included with each lift: Pal Hi-Lo Lift, Hand Controller, Footrest, Arm Rests, Battery Charger, Battery Cover and Seat Belt Assembly.

Pal Hi-Lo Aquatic Lift

Code: PLIF10060

Options:

Sling & Jib Attachment

Code: PLIF10230

Stability Strap (for new seat design)

Code: PLIF10201

Lift Cover

Code: PLIF10220

Spine Board Attachment

Code: PLIF10240





# Aquatic Lifts & Accessories

## MultiLift with Folding Seat

A Lift designed with a small footprint and easy to store.  
The folding seat design helps keep the lift's footprint as small as possible.  
The base flange makes it easy to install with just four anchor bolts.  
It's supplied with a Retrofit Anchor Jig to ensure the bolts line up perfectly.

The small footprint make this ideal for community, aged-care, rehabilitation swimming pools & home pools. A lifting capacity of 159 kg. A 24v battery powered & operated by a screw driven actuator. It features an up & down full mechanised motion. The design & durability of the system ensures consistent operation & minimises service problems.

Virtually maintenance free. The components are made from corrosion resistant materials, including powder coated stainless steel & Aluminium. The unique seat of the lift was specifically designed to provide the user with the greatest possible safety, comfort & ease of transfer.

The hand control is water resistant, & allows either the user or the attendant to control its operation with ease. The LiftOperator control box & battery are water resistant.

The standard moulded plastic footrest is removable & will float upwards to prevent damage if the user lowers the chair too low over the deck.

Included with each lift: Hand Controller, Footrest, Seat with Arm Rests, Battery with cover, Battery Charger & Seat Belt Assembly.

MultiLift with Folding Seat

Code: PLIF10070

Options:

MultiLift Wheel-A-Way-Kit

Code: PLIF10071

Stability Strap (for new seat design)

Code: PLIF10201



## Lift Accessories

- A. Sling & Jib Attachment
- B. Stability Strap (for new seat design)
- C. Lift Cover
- D. Spine Board Attachment
- E. Deck Anchor 114 x 110 x 155 mm (L x W x H)
- F. LiftOperator Control Unit
- G. Battery for LiftOperator
- H. Hand Controller (4 way)
- I. Lift Available On Request 230 x 300mm Metal Sign

Code: PLIF10230

Code: PLIF10201

Code: PLIF10220

Code: PLIF10240

Code: PLIF10250

Code: PLIF10423

Code: PLIF10263

Code: PLIF10300

Code: PLIF10099



A. Sling & Jib Attachment



B. Stability Strap



C. Cover



D. Spine Board Attachment



E. Deck Anchor



I. Lift Available On Request Sign



G. Battery

F.

## Pelican Pool & Spa Lift

Designed & manufactured in Australia, and tested in accordance with ASA 3581, the Pelican Pool & Spa Access Hoist allows a person with any disability to have access to both above and below ground spas, swimming & hydrotherapy pools – without any manual lifting. Complies with Disability Discrimination Act (Access to Premises – Buildings) under the Building Code of Australia. It is suitable for use in public pools, leisure centres, private homes, nursing homes & schools. This lift is built by adding options to suit the application.

Easily installed on the pool deck by a handyperson / tradesperson, or alternatively we can arrange installation for you. (Additional charges apply)

### Construction:

Made of Stainless Steel, powder coated to colour of choice. The 450 mm foot plates is secured with 100 mm Stainless Steel anchor Eyebolts. If portability is important, the lift can be fitted with wheels for easy storage.

Many options to choose from including, mobile or fixed, 150 kg or 200 kg lifting capacity, powered full rotation or standard 360 degrees manual rotation with powered raise & lower.

By adding options you can expand functionality. Floating Sling, Spineboard Attachment or Wheelchair Attachment.

Included with each lift: Hanger, Hand Controller (Up & Down), 24v re-chargeable battery, Battery Cover, Battery Charger & Cover

### Basic Lift - 150kg or 200kg

- |    |                                                             |           |
|----|-------------------------------------------------------------|-----------|
| A. | Pelican Pool Lift - 150kg Manual Rotation - Fixed or Mobile | PLIF20150 |
| B. | Pelican Pool Lift - 200kg Manual Rotation - Fixed or Mobile | PLIF20200 |

### Power Option:

- |    |                                    |           |
|----|------------------------------------|-----------|
| C. | Power Rotation Unit (Left & Right) | PLIF20260 |
|----|------------------------------------|-----------|

### Seating Options:

- |    |                                                                 |           |
|----|-----------------------------------------------------------------|-----------|
| D. | Wheelchair - 150kg (with lifting chains)                        | PLIF20152 |
| E. | Wheelchair - 200kg (with lifting chains)                        | PLIF20252 |
| F. | Floating Sling - For both 150kg & 200kg                         | PLIF20253 |
|    | Spine Board Twin Arm - 200kg (Requires Release Adaptor)         | PLIF20256 |
| G. | Solid Seat with Twin Arm (Requires Release Adaptor)             | PLIF20261 |
|    | Release Adaptor                                                 | PLIF20262 |
|    | (Required for Spine Board, Twin Arm Seat & Wheelchair Platform) |           |
| J. | Wheelchair Platform - 200kg (Requires Release Adaptor)          | PLIF20255 |
|    | Extra Anchor Kit                                                | PLIF20263 |



A 150kg Lift & F. Sling Attachment



B 200kg Lift & E. 200kg Wheelchair



B. 200kg Lift, C. Power Rotating & J. Wheelchair Platform



B. 200kg Lift, C. Power Rotating & G. Seat with Twin Arms



## Aquatic Wheelchairs



### Aquatic Wheelchair - PVC

Aquatic Wheelchair for use around wet areas, in the swimming pool or shower areas. This light yet robust wheelchair safe working load is 120 kgs (SWL 120 kg) (Bariatric Chair SWL 200 kg) & complies with Australian Standard AS3973 & Disability (Access to Premises - Buildings) Standards 2010. The chair is made of PVC tubing which doesn't get hot or have sharp edges. The strong open weave fabric allows the flow of air or water. Fitted with swing up arm rests & flip up feet rest, allowing safer transfers. Large push rims are fitted for independent use or rear handles may be used. Fitted with a lap belt. Ideal for use at leisure centres, hydrotherapy pools and ramp or beach area.

Standard Wheelchair - 120 kg  
Bariatric Wheelchair - 200 kg

Code: PCHAIRPSD  
Code: PCHAIRPSDB

#### Options:

Adjustable Junior Adaptor - Suits Standard 120 kg chair  
Adjustable Junior Adaptor - Suits Bariatric 200 kg chair  
Shoulder Harness

Code: PCHAIRJRA  
Code: PCHAIRJRB  
Code: PCHAIRBH



Junior Adaptor



### Mobile Aquatic Wheelchair - Stainless Steel

Mobile Aquatic Wheelchair for use around wet areas, in the swimming pool or shower areas. This wheelchair safe working load is 136 kgs (SWL 136 kg) and complies to the Disability (Access to Premises - Buildings) Standards 2010. The chair is made of 316 stainless steel tubing with powder coating for durability. Chair frame is fitted with swing up arm rests to allow safe transfer. The rigid roto-moulded plastic seat aids in user transfer by providing a stable platform that can be used for transfer support. Rear stabiliser wheels eliminate the tendency of a chair to pitch back while going up ramps. Large push rims are fitted for independent use or rear handles may be used.

Ideal for use at leisure centres, hydrotherapy pools and ramp or beach area.

Code: PCHAIRSR500



### AQUEAS Wheelchair

The AQUEAS wheelchair combines innovative design and state of the art stainless steel engineering and construction. Use around wet areas, in the swimming pool or shower areas. This robust wheelchair safe working load is 250 kgs. (SWL 250 kg)

The chair is made of Made of 316 mirror polished stainless steel. The strong open weave fabric allows the flow of air or water.

Chair is fitted with swing up arm rests to allow safe transfer.

Ideal for use at leisure centres, hydrotherapy pools and ramp or beach area.

Code: PAQ-PWC001

## Hydrotherapy Plinth & Hydrotherapy Chair

### Hydrotherapy Plinth

Made of 316 mirror polished stainless steel. The plinth locks on to a standard 38 mm<sup>ø</sup> or 50 mm<sup>ø</sup> hand rail on request. Features adjustable rubber feet. The fabric is water-proof. It is removable for easy storage when not in use.

Code: PAQ-HTP001



### Hydrotherapy Chair

Made of 316 mirror polished stainless steel. The chair locks on to a standard 38 mm<sup>ø</sup> or 50 mm<sup>ø</sup> hand rail on request. Features adjustable rubber feet. The fabric is water-proof. It is removable for easy storage when not in use.

Hydrotherapy Chair with arm rests

Code: PAQ-HTC001

Hydrotherapy Chair without arm rests

Code: PAQ-HTC001C

