



POOLSIDE FITTINGS & ACCESSORIES

LANE ROPES & STORAGE REELS

LANE ROPE PARTS, TRAINING ROPES & PARTS

LANE ROPE COMPANION PRODUCTS

STARTING PLATFORMS

STARTING PLATFORM COMPANION PRODUCTS

AQUEAS COMMERCIAL / RESIDENTIAL LADDERS

AQUATIC STEPS

SRS COMMERCIAL & STANDARD LADDERS & RAILS

SRS DESIGNER LADDERS & RAILS

SRS LADDER, RAIL OPTIONS, RAIL PARTS & FITTINGS

SÂFTRON LADDERS & RAILS

ANCHORS, SOCKETS, BACKSTROKE & FALSE START POSTS

SR SMITH DECK FITTINGS & ACCESSORIES

BACKSTROKE FLAGS & LEARN TO SWIM PLATFORMS

EQUIPMENT STORAGE & SEATING

MATTING, POOL GRATE

POOL BLANKETS & ROLLERS

WATER POLO

POOLSIDE GAMES & DIVING BOARDS

POOL SLIDES & WATER PLAY

IN-POOL FURNITURE & COSTUME WATER EXTRACTOR

LARGE INFLATABLE STORAGE REELS

Lane Ropes & Storage Reels

Swimplex 110 mm

110 mm^ø. Stainless steel cable with UV stabilised polypropylene discs that interlock and have strengthened ribs giving them a heavy duty finish whilst being pool blanket friendly. Specify colour configuration.

Colours: Red, Yellow Blue, Green, Black and White with white floats.

Other lengths and/colour combination available on request.

Lanes are assembled with tensioner sold separately.

25 metre Code: PLA51000S

50 metre Code: PLA51015S



Anti Wave Midi 110

110 mm^ø. Stainless steel cable with UV stabilised co-polymer polypropylene discs and high density polyethylene floats. Lanes are assembled with Anti Super Tensioner included. Standard colour configuration is 5 m Red ends then 1 m White and 1 m Blue discs alternating in the centre with a donut float between every second disc. Lanes are assembled with extra cable that will require trimming and an Anti Super Tensioner included. 50 m ropes have the 15 m, 25 m & 35 m marked.

Colours: Red, Blue, White Yellow/Gold, Green and Black.

Other lengths and/colour combination available on request.

25 metre Code: PLA00110A

50 metre Code: PLA00142A



Anti Wave Myti 125

125 mm^ø. Combining the advantages of the large Maxi150 lane with the proven economy and performance of the Midi 110 lanes. Stainless steel cable with UV stabilised copolymer polypropylene discs and high density polyethylene floats. Lanes are assembled with Anti Super Tensioner included. Standard colour configuration is 5 m Red ends then 1 m White and 1 m Blue discs alternating in the centre with a donut float between every second disc. Lanes are assembled with extra cable that will require trimming and an Anti Super Tensioner included. 50 m ropes have the 15 m, 25 m & 35 m marked.

Colours: Red, Blue, White Yellow/Gold, Green and Black.

Other lengths and/colour combination available on request.

25 metre Code: PLA00120A

50 metre Code: PLA00143A



Anti Wave Maxi 150

150 mm^ø. Designed for even greater performance. Supplied as a kit with Cable, Discs, Floats & Anti Super Tensioner. 50 m ropes have the 15 m, 25 m & 35 m marked. Stainless steel cable with UV stabilised co-polymer polypropylene discs and high density polyethylene floats. Standard colour configuration is 5 m Red ends then 1 m White and 1 m Blue discs alternating in the centre with a donut float between every second disc. 25 m ropes have the 15 m positions marked.

50 m ropes have the 15 m, 25 m & 35 m marked.

Colours: Red, Blue, White Yellow/Gold, Green and Black.

Other lengths and/colour combination available on request.

25 metre Code: PLA00130A

50 metre Code: PLA00144A



Anti Wave Lane Rope Reel - 980 - Powder Coated Aluminium

Powder Coated Aluminium Frame. Fitted with castors & brakes.

Approx. 2230 mm x 1200 mm x 1580 mm (L x W x H)

Holds: 150 m x 110 mm, 150 m x 125 mm, 100 m x 150 mm

Cover also available.

Powder Coated Storage Reel

Code: PLAW00810



Anti Wave Lane Rope Reel - 980 - Stainless Steel

Stainless Steel frame. Fitted with castors & brakes.

Approx. 2230 mm x 1200 mm x 1580 mm (L x W x H)

Holds: 150 m x 110 mm, 150 m x 125 mm, 100 m x 150 mm

Cover also available.

Stainless Steel Storage Reel

Code: PLAW00812



Lane Ropes & Storage Reels

AQUEAS Lane Rope Reel - Powder Coated Stainless

Constructed from heavy duty Stainless Steel Powder Coated with castors, two with brakes. Large hand wheels. The low profile with low centre of gravity give the reel extra stability. Available in four sizes. (L x H x D)

1160 x 1300 x 1150 mm - Holds 100 m x 110 mm Ropes

Code: PAQ-LRR100PC

1660 x 1300 x 1150 mm - Hold 150 m x 110 mm Ropes

Code: PAQ-LRR100PC

2160 x 1300 x 1150 mm - Holds 200 m x 110 mm Ropes

Code: PAQ-LRR200PC

3030 x 1300 x 1150 mm - Holds 250 m x 110 mm Ropes

Code: PAQ-LRR250PC



AQUEAS Lane Rope Reel - Stainless Steel

Constructed from heavy duty Stainless Steel with castors, two with brakes. Large hand wheels. The low profile with low centre of gravity give the reel extra stability. Available in four sizes. (L x H x D)

1160 x 1300 x 1150 mm - Holds 100 m x 110 mm Ropes

Code: PAQ-LRR100

1660 x 1300 x 1150 mm - Hold 150 m x 110 mm Ropes


Code: PAQ-LRR100

2160 x 1300 x 1150 mm - Holds 200 m x 110 mm Ropes

Code: PAQ-LRR200

3030 x 1300 x 1150 mm - Holds 250 m x 110 mm Ropes

Code: PAQ-LRR250



AQUEAS Lane Rope Mini Reel - Powder Coated Stainless

Developed for the storage of one or two lane ropes. Large hand wheels. Two wheels & handle are fitted for manoeuvrability by one person. Two legs with rubber feet gives the reel firm footing. The reel is available in two sizes

25 m or 50 m. The 25 m model will fit through a standard doorway. (L x H x D)

715 x 1010 x 850 mm - Holds 25 m x 110 mm Ropes

Code: PAQ-MLRR025PC

1215 x 1010 x 850 mm - Holds 50 m x 110 mm Ropes

Code: PAQ-MLRR050PC



AQUEAS Lane Rope Mini Reel - Stainless Steel

Developed for the storage of one or two lane ropes. Large hand wheels. Two wheels & handle are fitted for manoeuvrability by one person. Two legs with rubber feet gives the reel firm footing. The reel is available in two sizes

25 m or 50 m. The 25 m model will fit through a standard doorway. (L x H x D)

715 x 1010 x 850 mm - Holds 25 m x 110 mm Ropes

Code: PAQ-MLRR025

1215 x 1010 x 850 mm - Holds 50 m x 110 mm Ropes

Code: PAQ-MLRR050



Anti Wave Lane Rope Mini Reel - Powder Coated Aluminium

Constructed from Powder Coated Aluminium fitted with castors & brakes.

Holds: 60 m x 65 mm

Code: PLAW00814



AQUEAS Storage Reel

Lane Rope Parts

Lane Rope Cables & Fittings

A. Stainless Steel "D" Shackle	Code: PSP54015
B. Stainless Steel "S" Hook	Code: PSP54020
C. Stainless Steel Thimble	Code: PSP54031
D. Cable Ferrule/Swage for Crimping	Code: PSP54032
E. Stainless Steel Short Clamp Set	Code: PSP54034
F. Stainless Steel Cable with "S" Hooks fitted - 25 m	Code: PSP54035
F. Stainless Steel Cable with "S" Hooks fitted - 33 m	Code: PSP54040
F. Stainless Steel Cable with "S" Hooks fitted - 50 m	Code: PSP54045
G. Stainless Steel with 120 mm S Hook & Long Clamp Set	Code: PSP54028
H. Stainless Steel S Hook & Long Clamp Set	Code: PSP54033
I. Stainless Steel Snap Hook & Long Clamp Set	Code: PSP54030
J. Anti Super Tensioner - Red	Code: PLA00160A
K. Anti Super Tensioner - Black	Code: PLA00161A
L. IQ/Swimplex Tensioner	Code: PLA51018S

Lane Rope Discs & Floats


Swimplex Lane Rope Disc 110 mm^ø 12 disc/1 float per metre

M. Disc - Black	Code: PSP54009S
N. Disc - White	Code: PSP54008S
O. Disc - Red	Code: PSP54005S
P. Disc - Yellow	Code: PSP54006S
Q. Disc - Blue	Code: PSP54007S
R. Disc - Green	Code: PSP54010S
S. Float - White	Code: PSP54000S

Anti Lane Rope Discs & Floats

T. Anti Lane Rope Disc 110 mm ^ø 12 disc/6 float per metre	Code: PLAW00115X
U. Anti Lane Rope Disc 125 mm ^ø 12 disc/6 floats per metre	Code: PLAW00125X
V. Anti Lane Rope Disc 150 mm ^ø 10 disc/5 floats per metre	Code: PLAW00135X
W. Anti Lane Rope Float / Donut	Code: PLAW00104X

Colour Code X = Black (BK), Blue (BL), Green (G), Red (R), White (W), Yellow (Y)



Training Lane Ropes & Parts

Anti Mini 65 Training Rope

A. 65 mm^ø. A small lane rope used for small pools or where an area is to be roped off. Stainless steel cable with UV stabilised co-polymer polypropylene discs and high density polyethylene floats. Lanes are assembled with tensioner included. Specify colour configuration. Other lengths available on request.

Colours: Red, Blue, White Yellow/Gold, Green and Black.

25 metre	Code: PLA00100A
50 metre	Code: PLA00140A

Parts:

B. Anti Lane Rope Disc 65 mm 12 disc/2 float per metre	Code: PLAW00105X
C. Anti Lane Rope Float / Donut	Code: PLAW00104X

Colour Code X = Black (BK), Blue (BL), Green (G), Red (R), White (W), Yellow (Y)



Standard Lane Rope

D. 6 mm^ø orange polyethylene centre rope with 75 mm^ø hard orange foam floats one metre apart with a knot either side to prevent the floats sliding. Snap hooks and/or tension springs sold separately.

25 metre	Code: PLA51040S
33 metre	Code: PLA51050S
50 metre	Code: PLA51055S
Per metre	Code: PLA51039S
E. Stainless Steel Tension Spring	Code: PSP55080
F. Stainless Steel Snap Hook	Code: PSP55075



Lane Rope Saver

The Lane Rope Saver provides for safe, quick removal & installation of lane ropes. The Lane Saver is designed to be placed onto the pool deck & allows for smooth & unhindered movement of lanes that could otherwise be damaged by the sharp pool edge.

Code: PLAW00600



Lane Rope Storage Reel Cover

A durable vinyl cover designed for the Anti 980 Storage Reel.

Protects lane ropes from UV exposure, dirt & prevents tampering when stored on pool deck.

Code: PLAW00815



Turnmaster Pro Lane Divider

An incredibly stable temporary wall to push off from, able to withstand the impact of race speed. The Turnmaster Pro has been developed to maximise lane space, creating a distinction between teaching and training areas. Placed any where along a wave breaking lane ropes or attach to a Wet Deck. (Wet Deck Straps required.) coaches & teachers have less public interference during peak times of lane usage. Transform swimming pools in any length for short course training. The unique clipping system means it only takes minutes to install or remove & when out of the pool the Turnmaster Pro can be wheeled around for easy storage. Made of Vinyl Ester chlorine resistant fibreglass.

Lane width	Length	Height	Weight	
2.05-2.10 m	2.20 m	1.22 m	30 kg	Code: PLANEDIV01
2.15-2.20 m	2.40 m	1.22 m	33 kg	Code: PLANEDIV02
2.35-2.40 m	2.50 m	1.22 m	36 kg	Code: PLANEDIV03
2.45-2.50 m	2.70 m	1.22 m	40 kg	Code: PLANEDIV04

Wet Deck Straps



Code: PLANETMP36



Starting Platforms

Anti Wave 600

The Anti 600 has a fixed TrackStart. A good entry level block. Reinforced fibreglass with a stainless steel backstroke bar. The access panel at the rear to allow access to the fixing bolts. If earthing is not possible, SealedSteel® backstroke bar is an option. Height from coping: 400 mm

Fixed

Code: PLAW00050

Fixed with SealedSteel® Backstroke Bar

Code: PLAW00050TC

Removable

Code: PLAW00051

Removable with SealedSteel® Backstroke Bar

Code: PLAW00051TC



Anti Wave 650 Launch

The Anti 650 Launch has an adjustable Trackstart. Reinforced fibreglass with a stainless steel backstroke bar. It has a durable non-slip TruTread™ top. Compatible with Colorado Timing Systems. The access panel at the rear to allow access to the fixing bolts. If earthing is not possible, SealedSteel® backstroke bar is an option. Height from coping: 400 mm

Fixed

Code: PLAW00060

Fixed with SealedSteel® Backstroke Bar

Code: PLAW00060TC

Removable

Code: PLAW00061

Removable with SealedSteel® Backstroke Bar

Code: PLAW00061TC



PLAW00060TC with
SealedSteel® backstroke
bar shown

SR250 Short Reach

Short reach starting blocks are designed with a 240mm setback & 350mm height, allowing them to be installed on pool with narrow raised end walls. If earthing is not possible, SealedSteel® backstroke bar is an option. The Trackstart can tuck away at the rear of the footboard.

Height from coping: 350 mm

650 Launch SR250 Flanged

Code: PLAW00059

650 Launch SR250 Flanged with SealedSteel® Backstroke Bar

Code: PLAW00059TC



650 SR250 Flanged with optional
SealedSteel® shown

Velocity

The Velocity Starting Block is an elite competition platform with Trackstart, adjustable to 5 positions. Reinforced fibreglass with a stainless steel backstroke bar. It has a durable non-slip TruTread™ top. Compatible with Colorado Timing Systems. The anchor pattern is the same as the 600 and 650 so no need to re-drill anchors to upgrade. If earthing is not possible, SealedSteel® backstroke bar is an option.

Height from coping: 400 mm

Fixed

Code: PLAW00085

Fixed with SealedSteel® Backstroke Bar

Code: PLAW00085TC



LR850 Long Reach

Long Reach Starting Blocks are designed with an 850 mm setback, allowing the platform to reach over grating. Finished in white powder coating. & available in 2 platform configurations including an elite competition platform with track start adjustable to 5 positions. The TrackStart wedge can tuck away at the rear of the footboard. A side step is fitted for easier access to the block.

Sold in sets of 6, 8 or 10 only. Height from coping: 670 mm

650 LR850 Removable

Code: PLAW00063

Velocity LR850 Removable

Code: PLAW00087



LR850 Long Reach Block Turn Panel

The long Reach block turn panel attaches to the starting block base & creates a non-slip endwall for tumble turns. Vertical adjustments can be made to accommodate the fall of the pool & optional attachment points are available for touch pads. The turn panel can be easily removed from the socket & stored when not in use. Made of 316 stainless steel powder coated with non-slip replaceable grating. No additional core drilling & deck sockets required.

2 m Turn Panel

Code: PLAW00065

2.4 m Turn Panel

Code: PLAW00066



Starting Platforms

Velocity Advantage

An elite competition platform designed for fast, solid starts. The Velocity Advantage starting block feature strong fibreglass footboards with TrackStart on an HDPE composite base. Easily mounts to pool decks or bulkheads with minimal drilling. Adjustable TrackStart to 5 positions, easily tucks under the footboard. Patent pending integral backstroke start ledge is adjustable to five positions in accordance with FINA standards. 3 built-in backstroke handholds, 2 centre positions & one on each side. Compatible with Colorado timing system.

Height from coping: 410 mm

Code: PLAW00095




Flat packed & requires assembly

Retro 650 Top

Platform tops designed to upgrade existing tubular style starting blocks without replacing frames. Simply remove existing platform, mark & mount new block top with hardware included. No new core-drilling or anchor mounting required.

Retro 650 Platform Top-TrueTread™ with TrackStart

Code: PLAW00103



Swimplex SX-220K

Fibreglass reinforced plastic construction with a fixed trackstart. The platform has an access port at the rear allowing access to the mounting bolts. Features a stainless steel backstroke handle. Supplied with numbers.

Height from coping: 370 mm, Top: 500 mm x 500 mm

Code: PSP59010K



Swimplex SX-750K

T316 stainless steel 38 mm^ø with 500 mm x 500 mm non-slip pattern fibreglass top with numbers and a fixed trackstart (trackstart not shown). Has 2 adjustable feet with lock nuts to compensate for an uneven surface.

Height from coping: 400 mm, Top: 500 mm x 500 mm

2 x 150 mm deck sockets sold separately. Supplied with numbers.

SX-750K- Removable

Deck Sockets (2 required)

Code: PSP59015K

Code: PSP59016S



Fixed trackstart not shown

Swimplex SX-2000K

Single post design. Mirror polished T316 stainless steel with a solid backstroke handles. Has a 500 mm x 500 mm non-slip pattern fibreglass top with fixed trackstart (trackstart not shown). Supplied with numbers. Bolts to deck.

Supplied with numbers.


Height from coping: 365 mm, Top: 500 mm x 500 mm

Fixed - Flanged

Code: PSP59000K



Fixed trackstart not shown



SX-2000 Starting Platform shown without fixed trackstart

Starting Platforms

AQUEAS AQ-SP01

Designed for a wide coping (end wall) where the coping is between water level but no higher than 250 mm above water level.

Front Leg/Rear Leg

Flanged/Flanged AQ-SP01-A

Socket/Std Leg AQ-SP01-B

Socket/Adjustable Leg AQ-SP01-C

Options:

Lane Numbers (Set/4)

Code: PAQ-SP01-A

Code: PAQ-SP01-B

Code: PAQ-SP01-C

Code: PAQ-SPN002



AQUEAS AQ-SP02

A low profile designed for a wide coping (end wall) where the coping is between 190 mm but no higher than 440 mm from the water level.

Front Leg/Rear Leg

Flanged/Flanged AQ-SP02-A

Socket/Std Leg AQ-SP02-B

Socket/Adjustable Leg AQ-SP02-C

Options:

Lane Numbers (Set/4)

Code: PAQ-SP02-A

Code: PAQ-SP02-B

Code: PAQ-SP02-C

Code: PAQ-SPN002



AQUEAS AQ-SP03

Designed for a narrow style coping (end wall), two front legs on the coping and two rear legs are extended and sit on the concourse. It will suit a coping between 90 mm but no higher than 330 mm from the water level.

Front Leg/Rear Leg

Flanged/Flanged AQ-SP03-A

Socket/Std Leg AQ-SP03-B

Socket/Adjustable Leg AQ-SP03-C

Options:

Lane Numbers (Set/4)

Code: PAQ-SP03-A

Code: PAQ-SP03-B

Code: PAQ-SP03-C

Code: PAQ-SPN002



AQUEAS AQ-SP04

Designed to span grating on overflow pools.

Front Leg/Rear Leg

Adjustable/Socket AQ-SP04-C

Options:

Lane Numbers (Set/4)

Code: PAQ-SP04-C

Code: PAQ-SPN002



AQUEAS AQ-SP05

Designed to span extra wide grating on overflow pools.

Front Leg/Rear Leg

Adjustable/Socket AQ-SP05-C

Options:

Lane Numbers (Set/4)

Code: PAQ-SP05-C

Code: PAQ-SPN002



AQUEAS AQ-SP06

Single post design for a coping (end wall) 300 mm or wider. It will suit a coping between 100 mm but no higher than 350 mm from the water level.

Flanged AQ-SP06-A

Options:

Lane Numbers (Set/4)

Code: PAQ-SP06-A

Code: PAQ-SPN002



Starting Platform Companion Products

Colorado Retractable Backstroke Start Device

The Patented Backstroke Start Device from Colorado Time Systems helps to eliminate slips at the start of a race. The device is attached to the starting block with straps. Once in place, pull down the wedge to the desired location on the pool wall and lock into place. Once the swimmer has left the wall, the device will automatically retract up & out of the water until the next swimmer sets up.

Code: PSPL60100



Anti Wave Backstroke Start Ledge

An easy to use & practical backstroke starting device for swimmers to perform top performance backstroke starts. 5 point manual height adjustment & is suitable for fitting to all standard starting blocks including all Anti Wave Blocks. Developed in consultation with Australian Swim Team members, the Ledge is simple to install & adjust on the pool by the swimmer or coach.

Code: PLAW350



Stand Alone Turn Panels

The turn panel can be easily removed from sockets installed in the coping & stored when not in use. Made of 316 stainless steel powder coated with non-slip replaceable grating. Available in 2.0 m or 2.4 m lane widths. Core drilling of sockets are required.

2.0m Turn Panel Code:

PLAW00067

2.4m Turn Panel Code:

PLAW00068



Product may differ from product shown

No Dive Starting Block Covers

Heavy Duty Blue Vinyl.

Small fits Anti 600/650 Launch. Large fits Anti Velocity

Small Code: PSIGNCAP8

Large Code: PSIGNCAP9



650 LR85 Long Reach with 2.4m Turn Panel



PLAW00060TC with thermocoated backstroke bar shown

AQUEAS Commercial / Residential Ladders

AQUEAS Ladder & Rails

Ladders & Rails are suitable for commercial or residential use however braced ladders are better suited to commercial use.

Heavy gauge 1.6 mm T316 38 mm^ø mirror polished stainless steel. Ladders are fitted with grey moulded treads reinforced with stainless steel rod with dome nuts for extra strength. White ladder treads are available at additional cost. Ladder width 487 mm wide c/c. Extra Heavy Duty Ladder is fitted with stainless steel ladder treads.

Standard Ladder - Core drill & epoxied into position. No mounts supplied, only buffers for the bottom.

Flanged Top Only Ladder - Welded flanges fitted top only. Threaded rods with dome nuts or stainless steel dyna bolts with dome nuts are included. If not specified, threaded rods with dome nuts will be supplied.

Buffers for the bottom are supplied.

Flanged Top and Bottom Ladder - Threaded rods with dome nuts or stainless steel dyna bolts with dome nuts are included. If not specified, threaded rods with dome nuts will be supplied.

Standard Rails - Core drill & epoxied into position.

Flanged Rails - Welded flanges fitted Threaded rods with dome nuts or stainless steel dyna bolts with dome nuts are included.

If not specified, threaded rods with dome nuts will be supplied.



Flange



Threaded Rod & Dyna Bolt

AQ-LDR01 General Purpose Braced Ladder

2 Step	Standard	PAQ-LDR01-2-S
	Top Flanged	PAQ-LDR01-2-FT
	Top & Bottom Flanged	PAQ-LDR01-2-FTB
3 Step	Standard	PAQ-LDR01-3-S
	Top Flanged	PAQ-LDR01-3-FT
	Top & Bottom Flanged	PAQ-LDR01-3-FTB
4 Step	Standard	PAQ-LDR01-4-S
	Top Flanged	PAQ-LDR01-4-FT
	Top & Bottom Flanged	PAQ-LDR01-4-FTB



AQ-LDR02 Extra Heavy Duty Ladder

2 Step	Standard	PAQ-LDR02-2-S
	Top Flanged	PAQ-LDR02-2-FT
	Top & Bottom Flanged	PAQ-LDR02-2-FTB
3 Step	Standard	PAQ-LDR02-3-S
	Top Flanged	PAQ-LDR02-3-FT
	Top & Bottom Flanged	PAQ-LDR02-3-FTB
4 Step	Standard	PAQ-LDR02-4-S
	Top Flanged	PAQ-LDR02-4-FT
	Top & Bottom Flanged	PAQ-LDR02-4-FTB
5 Step	Standard	PAQ-LDR02-5-S
	Top Flanged	PAQ-LDR02-5-FT
	Top & Bottom Flanged	PAQ-LDR02-5-FTB



AQ-LDR03 Wide Braced Ladder

2 Step	Standard	PAQ-LDR03-2-S
	Top Flanged	PAQ-LDR03-2-FT
	Top & Bottom Flanged	PAQ-LDR03-2-FTB
3 Step	Standard	PAQ-LDR03-3-S
	Top Flanged	PAQ-LDR03-3-FT
	Top & Bottom Flanged	PAQ-LDR03-3-FTB
4 Step	Standard	PAQ-LDR03-4-S
	Top Flanged	PAQ-LDR03-4-FT
	Top & Bottom Flanged	PAQ-LDR03-4-FTB



AQ-LDR04 Narrow Braced Ladder

2 Step	Standard	PAQ-LDR04-2-S
	Top Flanged	PAQ-LDR04-2-FT
	Top & Bottom Flanged	PAQ-LDR04-2-FTB
3 Step	Standard	PAQ-LDR04-3-S
	Top Flanged	PAQ-LDR04-3-FT
	Top & Bottom Flanged	PAQ-LDR04-3-FTB
4 Step	Standard	PAQ-LDR04-4-S
	Top Flanged	PAQ-LDR04-4-FT
	Top & Bottom Flanged	PAQ-LDR04-4-FTB
5 Step	Standard	PAQ-LDR04-5-S
	Top Flanged	PAQ-LDR04-5-FT
	Top & Bottom Flanged	PAQ-LDR04-5-FTB



AQ-LDR05 Narrow Angled Braced Ladder

2 Step	Standard	PAQ-LDR05-2-S
	Top Flanged	PAQ-LDR05-2-FT
	Top & Bottom Flanged	PAQ-LDR05-2-FTB
3 Step	Standard	PAQ-LDR05-3-S
	Top Flanged	PAQ-LDR05-3-FT
	Top & Bottom Flanged	PAQ-LDR05-3-FTB
4 Step	Standard	PAQ-LDR05-4-S
	Top Flanged	PAQ-LDR05-4-FT
	Top & Bottom Flanged	PAQ-LDR05-4-FTB



AQ-LDR06 Post Style Ladder

2 Step	Top & Bottom Flanged	PAQ-LDR06-2-FTB
3 Step	Top & Bottom Flanged	PAQ-LDR06-3-FTB
4 Step	Top & Bottom Flanged	PAQ-LDR06-4-FTB



AQUEAS Commercial / Residential Ladders

AQ-LDR07 Ladder/Rail Combo

2 Step	Flanged Ladder/Std Rail	PAQ-LDR07-2-FS
	Flanged Ladder & Rail	PAQ-LDR07-2-FF
3 Step	Flanged Ladder/Std Rail	PAQ-LDR07-3-FS
	Flanged Ladder & Rail	PAQ-LDR07-3-FF
4 Step	Flanged Ladder/Std Rail	PAQ-LDR07-4-FS
	Flanged Ladder & Rail	PAQ-LDR07-4-FF



AQ-LDR07 Ladder

Ladder also sold separately.

2 Step	Top & Bottom Flanged	PAQ-LDR07-2-FTB
3 Step	Top & Bottom Flanged	PAQ-LDR07-3-FTB
4 Step	Top & Bottom Flanged	PAQ-LDR07-4-FTB

AQ-LDR08 High P Style Ladder

2 Step	PAQ-LDR08-2
3 Step	PAQ-LDR08-3
4 Step	PAQ-LDR08-4



AQ-LDR09 General Purpose Ladder

2 Step	Standard	PAQ-LDR09-2-S
	Top Flanged	PAQ-LDR09-2-FT
	Top & Bottom Flanged	PAQ-LDR09-2-FTB
3 Step	Standard	PAQ-LDR09-3-S
	Top Flanged	PAQ-LDR09-3-FT
	Top & Bottom Flanged	PAQ-LDR09-3-FTB
4 Step	Standard	PAQ-LDR09-4-S
	Top Flanged	PAQ-LDR09-4-FT
	Top & Bottom Flanged	PAQ-LDR09-4-FTB
5 Step	Standard	PAQ-LDR09-5-S
	Top Flanged	PAQ-LDR09-5-FT
	Top & Bottom Flanged	PAQ-LDR09-5-FTB



AQ-LDR10 Narrow Ladder

2 Step	Standard	PAQ-LDR10-2-S
	Top Flanged	PAQ-LDR10-2-FT
	Top & Bottom Flanged	PAQ-LDR10-2-FTB
3 Step	Standard	PAQ-LDR10-3-S
	Top Flanged	PAQ-LDR10-3-FT
	Top & Bottom Flanged	PAQ-LDR10-3-FTB
4 Step	Standard	PAQ-LDR10-4-S
	Top Flanged	PAQ-LDR10-4-FT
	Top & Bottom Flanged	PAQ-LDR10-4-FTB
5 Step	Standard	PAQ-LDR10-5-S
	Top Flanged	PAQ-LDR10-5-FT
	Top & Bottom Flanged	PAQ-LDR10-5-FTB



AQ-LDR11 Narrow Angled Ladder

2 Step	Standard	PAQ-LDR11-2-S
	Top Flanged	PAQ-LDR11-2-FT
	Top & Bottom Flanged	PAQ-LDR11-2-FTB
3 Step	Standard	PAQ-LDR11-3-S
	Top Flanged	PAQ-LDR11-3-FT
	Top & Bottom Flanged	PAQ-LDR11-3-FTB
4 Step	Standard	PAQ-LDR11-4-S
	Top Flanged	PAQ-LDR11-4-FT
	Top & Bottom Flanged	PAQ-LDR11-4-FTB



AQ-LDR12 P Style Ladder

2 Step	PAQ-LDR12-2
3 Step	PAQ-LDR12-3
4 Step	PAQ-LDR12-4



AQ-LDR13 Ladder

2 Step	PAQ-LDR12-2
3 Step	PAQ-LDR12-3
4 Step	PAQ-LDR12-4



AQ-LDR14 Ladder

2 Step	PAQ-LDR14-2
3 Step	PAQ-LDR14-3
4 Step	PAQ-LDR14-4



AQUEAS Commercial / Residential Grab Rails

AQ-GR01 Figure 4 Grab Rails

Standard	pair	PAQ-GR01-S
Flanged	pair	PAQ-GR01-F



AQ-GR02 Extended Grab Rails

Standard	each	PAQ-GR02-S
Flanged	each	PAQ-GR02-F



AQ-GR03 Grab Rails

Standard	pair	PAQ-GR03-S
Flanged	pair	PAQ-GR03-F



AQ-GR04 Triangle Grab Rails

Standard	pair	PAQ-GR04-S
Flanged	pair	PAQ-GR04-F



AQ-GR05 Uneven Grab Rails

Standard	pair	PAQ-GR05-S
Flanged	pair	PAQ-GR05-F



AQ-GR06 In Line Grab Rails

Standard	pair	PAQ-GR06-S
Flanged	pair	PAQ-GR06-F



AQUEAS Commercial / Residential Grab Rails

AQ-GR07 D Style Uneven Grab Rails

Standard	pair	PAQ-GR07-S
Flanged	pair	PAQ-GR07-F




AQ-GR08 P Style Grab Rails

Standard	pair	PAQ-GR08-S
Flanged	pair	PAQ-GR08-F




AQ-GR09 Stair Grab Rails

Standard	pair	PAQ-GR09-S
Flanged	pair	PAQ-GR09-F



AQ-GR10 Stair Grab Rail

Standard	each	PAQ-GR10-S
Flanged	each	PAQ-GR10-F



AQUEAS Commercial / Residential Stair Hand Rails

AQ-SHR Stair Hand Rail

1000 mm	Standard	PAQ-SHR-1000-S
1000 mm	Flanged	PAQ-SHR-1000-F
1200 mm	Standard	PAQ-SHR-1200-S
1200 mm	Flanged	PAQ-SHR-1200-F
1500 mm	Standard	PAQ-SHR-1500-S
1500 mm	Flanged	PAQ-SHR-1500-F



AQ-DHR Deck Stair Hand Rail

1000 mm	Standard	PAQ-DHR-1000-S
1000 mm	Flanged	PAQ-DHR-1000-F
1200 mm	Standard	PAQ-DHR-1200-S
1200 mm	Flanged	PAQ-DHR-1200-F
1500 mm	Standard	PAQ-DHR-1500-S
1500 mm	Flanged	PAQ-DHR-1500-F



PAQ-SHR100-S, PAQ-SHR1200-S & PAQ-SHR1500-S



PAQ-DHR100-S, PAQ-DHR1200-S & PAQ-DHR1500-S

Aquatic Steps

Platypus Pool Steps

Increase access to your pool to anyone who's uncomfortable with or has difficulty using traditional vertical swimming pool ladders. The Platypus Pool Steps offer no deck modifications or alterations to install.

The steps can be placed in & out of the pool as many times as needed, safely & easily by it's included dolly wheels.

Manufactured using 316 stainless steel hand rails, corrosion resistant HDPE plastic treads & sides making the Platypus Pool Steps your long term solution to your swimming pool access problems. Custom made to fit your pool perfectly

Can be fitted to almost any in-ground pool or decked above ground pools

SWL 150kg

Platypus Pool Steps - 5 7 Step (1m-1.5m)

PSP800605



Dolly Wheel

SR Smith Commercial Ladders & Rails

SR Smith Commercial Ladder & Rails

Ladders & Rails are suitable for Commercial use.

Heavy gauge 1.6 mm 38 mm* T316 Hi polished stainless steel. *DMS-102S & DMS-102F are 48 mm*. Supplied with cover plates. Ladders are fitted with stainless steel treads. Ladder width 491 mm c/c.

Standard Ladder - Core drill & epoxied into position. No mounts supplied, only buffers for the bottom.

Flanged Top only Ladder - Welded flanges fitted top only. Requires stainless steel dyna bolts or similar. (3 per flange) Buffers for the bottom are supplied.

Flanged Top and Bottom Ladder - Welded flanges fitted top & bottom. Requires stainless steel dyna bolts or similar. (3 per flange)

Standard Rails - Core drill & epoxied into position. No mounts supplied.

Flanged Rails - With welded flanges. Requires stainless steel dyna bolts or similar (3 per flange)

SR-C General Purpose Braced Ladder

2 Step	Standard	PSP8SR-CS-2
	Top Flanged	PSP8SR-CFT-2
	Top & Bottom Flanged	PSP8SR-CF-2
3 Step	Standard	PSP8SR-CS-3
	Top Flanged	PSP8SR-CFT-3
	Top & Bottom Flanged	PSP8SR-CF-3
4 Step	Standard	PSP8SR-CS-4
	Top Flanged	PSP8SR-CFT-4
	Top & Bottom Flanged	PSP8SR-CF-4



SR-W Wide Braced Ladder

2 Step	Standard	PSP8SRWS-2
	Top Flanged	PSP8SR-WFT-2
	Top & Bottom Flanged	PSP8SR-WF-2
3 Step	Standard	PSP8SR-WS-3
	Top Flanged	PSP8SR-WFT-3
	Top & Bottom Flanged	PSP8SR-WF-3
4 Step	Standard	PSP8SR-WS-4
	Top Flanged	PSP8SR-WFT-4
	Top & Bottom Flanged	PSP8SR-WF-4



SR-B Narrow Braced Ladder

2 Step	Standard	PSP8SRBS-2
	Top Flanged	PSP8SR-BFT-2
	Top & Bottom Flanged	PSP8SR-BF-2
3 Step	Standard	PSP8SR-BS-3
	Top Flanged	PSP8SR-BFT-3
	Top & Bottom Flanged	PSP8SR-BF-3
4 Step	Standard	PSP8SR-BS-4
	Top Flanged	PSP8SR-BFT-4
	Top & Bottom Flanged	PSP8SR-BF-4



SR-XS Heavy Duty Ladder

Top & Bottom Flanged	
2 Step	PSP8SR-XS-2
3 Step	PSP8SR-XS-3
4 Step	PSP8SR-XS-4



SR-6 Triangle Grab Rails

Standard	pair	Code: PSP8SR-6S
Flanged	pair	Code: PSP8SR-6F



SR-7 Uneven Grab Rail

Standard	pair	Code: PSP8SR-7S
Flanged	pair	Code: PSP8SR-7F



SR-8 Pretzal Grab Rails

Standard	pair	Code: PSP8SR-8S
Flanged	pair	Code: PSP8SR-8F




SR-G Long Sturdy Stair Grab Rail

Standard	each	Code: PSP8SR-GS
Flanged	each	Code: PSP8SR-GF



SR-DMS Deck Mount Stair Rail*

48 mm Standard	each	Code: PSP8DMS-102S
48 mm Flanged	each	Code: PSP8DMS-102F



SR Smith Standard Residential Ladders & Rails

SR Smith Standard Residential Ladder & Rails

Ladders & Rails are suitable for Residential use.

Heavy gauge 1.6 mm 38 mm³ T316 Hi polished stainless steel. Supplied with cover plates. Ladders are fitted with stainless steel treads. Ladder width 491 mm c/c.

Standard Ladder - Core drill & epoxied into position. No mounts supplied, only buffers for the bottom.

Flanged Top only Ladder - With welded flanges. Requires stainless steel dyna bolts or similar. (3 per flange) Buffers for the bottom are supplied.

Flanged Top and Bottom Ladder - With welded flanges. Requires stainless steel dyna bolts or similar. (3 per flange)

Standard Rails - Core drill & epoxied into position. No mounts supplied.

Flanged Rails - With welded flanges. Requires stainless steel dyna bolts or similar (3 per flange)

SL -S General Purpose Ladder

2 Step	Standard	PSP8SL-SS-2
	Top Flanged	PSP8SL-SFT-2
	Top & Bottom Flanged	PSP8SL-SF-2
3 Step	Standard	PSP8SL-SS-3
	Top Flanged	PSP8SL-SFT-3
	Top & Bottom Flanged	PSP8SL-SF-3
4 Step	Standard	PSP8SL-SS-4
	Top Flanged	PSP8SL-SFT-4
	Top & Bottom Flanged	PSP8SL-SF-4



SL -U Narrow Ladder

2 Step	Standard	PSP8SL-US-2
	Top Flanged	PSP8SL-UFT-2
	Top & Bottom Flanged	PSP8SL-UF-2
3 Step	Standard	PSP8SL-US-3
	Top Flanged	PSP8SL-UFT-3
	Top & Bottom Flanged	PSP8SL-UF-3
4 Step	Standard	PSP8SL-US-4
	Top Flanged	PSP8SL-UFT-4
	Top & Bottom Flanged	PSP8SL-UF-4



SL -PF Deck Mount Ladder

2 Step	Deck Mount	PSP8SL-PF-2
3 Step	Deck Mount	PSP8SL-PF-3
4 Step	Deck Mount	PSP8SL-PF-4



SR -R Cantilever Ladder

2 Step	Standard	PSP8SR-RS-2
	Flanged	PSP8SR-RF-2
3 Step	Standard	PSP8SR-RS-3
	Flanged	PSP8SR-RF-3
4 Step	Standard	PSP8SR-RS-4
	Flanged	PSP8SR-RF-4



SL -VF Pool Cover Ladder

Use in conjunction with Grab Rails.

2 Step	Flanged	PSP8SL-VF-2
3 Step	Flanged	PSP8SL-VF-3
4 Step	Flanged	PSP8SL-VF-4
5 Step	Flanged	PSP8SL-VF-5



SR-1 Figure 4 Grab Rail

Standard	each	PSP8SR-1SS
Standard	pair	PSP8SR-1S
Flanged	each	PSP8SR-1FS
Flanged	pair	PSP8SR-1F



SR-2 P Style Grab Rail

Standard	each	Code: PSP8SR-2SS
Flanged	each	Code: PSP8SR-2FS



SR Smith Standard Residential Rails

SR-4 Narrow Figure 4 Grab Rail

Standard	each	Code: PSP8SR-4SS
Flanged	each	Code: PSP8SR-4FS



SR-5 Narrow Spaced Figure 4 Grab Rail

Left Standard	each	Code: PSP8SR-5SL
Right Standard	each	Code: PSP8SR-5SR
Left Flanged	each	Code: PSP8SR-5FL
Right Flanged	each	Code: PSP8SR-5FR



SR-D Deck Mount Stair Rail

Standard	each	Code: PSP8SR-DS
Flanged	each	Code: PSP8SR-DF



SR-S Stair Hand Rail

1000 mm	Standard	SPS8SR-SS-1000
1000 mm	Flanged	SPS8SR-SF-1000
1200 mm	Standard	SPS8SR-SS-1200
1200 mm	Flanged	SPS8SR-SF-1200
1500 mm	Standard	SPS8SR-SS-1500
1500 mm	Flanged	SPS8SR-SF-1500



SR-W Deck Stair Hand Rail

1000 mm	Standard	SPS8SR-WS-1000
1000 mm	Flanged	SPS8SR-WF-1000
1200 mm	Standard	SPS8SR-WS-1200
1200 mm	Flanged	SPS8SR-WF-1200
1500 mm	Standard	SPS8SR-WS-1500
1500 mm	Flanged	SPS8SR-WF-1500



SSR Safety Rail

300 mm	Flanged	SPS8SSR-300
450 mm	Flanged	SPS8SSR-450
600 mm	Flanged	SPS8SSR-600
750 mm	Flanged	SPS8SSR-750
900 mm	Flanged	SPS8SSR-900
1200 mm	Flanged	SPS8SSR-1200
1500 mm	Flanged	SPS8SSR-1500
2000 mm	Flanged	SPS8SSR-2000
3000 mm	Flanged	SPS8SSR-3000



SR Smith Commercial / Residential Designer Ladders & Rails

SR Smith Designer Ladder & Rails

Ladders & Rails are suitable for Commercial & Residential use.

Heavy gauge 1.6 mm 50 mm^ø T316 Hi polished stainless steel. Supplied with cover plates. Ladders are fitted with stainless steel treads. Ladder width 491 mm c/c.

Standard Ladder - Core drill & epoxied into position. No mounts supplied, only buffers for the bottom.

Standard Rails - Core drill & epoxied into position. No mounts supplied.

Flanged Rails - With welded flanges. Requires stainless steel dyna bolts or similar (3 per flange)

Universal Deck Anchors may be used with the Standard Ladders & Rails


Meridian Ladder

3 Step Standard PSP8MER-1003-MG




Meridian Hand Rail

Standard each PSP8MER-1001-MG




Meridian Stair Rail

Standard each PSP8MER-1002-MG



Meridian Deck Mounted Stair Rail

Standard each PSP8MER-1004-MG



Artisan Hand Rail

Standard each PSP8ART-1001S-MG
Flanged each PSP8ART-1001S-MGF



Artisan Ladder

3 Step Standard PSP8ART-1003-MG



Artisan Stair Rail

Standard each PSP8ART-1001S-MG
Flanged each PSP8ART-1001S-MGF



Artisan Deck Mounted Stair Rail

Standard each PSP8ART-1004-MG
Flanged each PSP8ART-1004-MGF



Artisan Deck Mounted Hand Rail

Standard each PSP8ART-1005-MG



Universal Deck Anchor

Plastic Code: PSP8AS-100P



Meridian Deck Mounted Stair Rail

SR Smith Ladder & Rail Options

There are a variety of finish options available which provide a higher level of protection to SR Smith ladders & rails. (Additional charges apply.)

SRS ClearShield™ Coating - A thin film ceramic coated clear finish with superior impact, scratch & corrosion resistance.



ClearShield™

Powder Coating - Durable finish that is easy to maintain, corrosion & scratch resistant. SnapTite Cover Plate required & sold separately.



Pearl White



Aztec Black



Stone Beige

SealedSteel® - Housed in a protective coating that virtually eliminates corrosion, and stays cool to the touch, even in extreme temperatures. SnapTite Cover Plate required & sold separately.

SealedSteel® cannot be used in pools & spas where the temperatures exceed 40°C



Pearl White



Pewter Grey



Gloss Black



Light Blue




Dark Blue



Beige

WetTraction™ Increased traction when wet. No more slippery rails.



Thermoplastic Coating fully encapsulates Stainless Steel to lock out corrosion.

SR Smith Ladder Tread

Ladder Treads are made of 316L stainless steel.

Size: 508 mm x 76 mm, with a 463.5 mm centerline mounting distance.

Code: PSP8LTDF-110

Hardware Package (Bolts & Nuts) sold separately

2 Step Code: PSP860-701 (Not Shown)

3 Step Code: PSP860-702 (Not Shown)



SR Smith Anchor Bolts

Secure ladders and grab rails into concrete.

Pk/6 Code: PSP817-61-010



Ladder, Rail Parts & Fittings

SR Smith Ladder Bumper

Rubber Ladder Bumper prevents damage to the pool surface.

Code: PSP8WRB-101A



SR Smith Recess Steps

For pool wall vertical access.

White

Code: PSP862-209-4001

Black

Code: PSP862-209-4002



SR Smith SnapTite Cover Plate

Cover Plate designed for retrofitting ladders & rails if cover plates are missing for special coated rails.

Chrome

Code: PSP8EP-200-MC

Black

Code: PSP8EP-200-BO

White

Code: PSP8EP-200-PW

Beige

Code: PSP8EP-200-TP



SR Smith Round Cover Plate

Stainless steel 316 cover plate designed for ladders & rails.

38 mm

Code: PSP8EP-150-MG

48 mm

Code: PSP8EP-100F-MG



Cyndan Stainless Steel Rejuvenation Kit

This kit contains two products formulated especially for restoring & protection of stainless steel.

Code: PSP8SR-SS-REJUV-KIT



AQUEAS Ladder Treads

Suitable for AQUEAS or Pooldeck Ladders.

Ladder Tread with S/S Rod

Mid Grey

Code: PAQ-MLT001G

White

Code: PAQ-MLT001W



AQUEAS Ladder Bumper

White Rubber Buffer & Black End Cap - 38mm.

The black end cap seals the tube & prevents damage to the Rubber Ladder Bumper. The Rubber Buffer prevents damage to the pool surface.

Code: PAQ-REC038



Sāfron Commercial / Residential Ladders & Rails

Sāfron Ladder & Rails

Ladders & Rails are suitable for residential use. * Denotes suitable also for Commercial use.

Sāfron uses a specially formulated compound to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance. Sāfron ladders & rails are not required to be earthed or bonded when installed with Sāfron's high impact polymer anchor sockets. Easy installation using either the In-ground anchor or surface mount anchor. (Sold separately) Each ladder includes 2 colour matched escutcheons (cover plates). Surface Mount Anchor include set screws & stainless mounting hardware.

Sāfron rails are stay cool to the touch, low maintenance, easy to clean with it's smooth bright surface impervious to pool chemicals and guaranteed not to corrode, rust, pit, scale, chip, or fade and is covered with a 5 year warranty.

Available in 4 colours.

White, Taupe, Graphite Grey & Black

Note: Not all colours are available with some models.

See web site for full details.



P-324 General Purpose Ladder

2 Step	White	P-324-L2-W
3 Step	White	P-324-L3-W
4 Step	White	P-324-L4-W



P-326-RTD Grab Rail

White	P-326-RTD-W
Taupe	P-326-RTD-T
Graphite Grey	P-326-RTD-GG
Black	P-326-RTD-BK



RTD-340 Grab Rail*

White	RTD-340-W
Taupe	RTD-340-T
Graphite Grey	RTD-340-GG
Black	RTD-340-BK




RTD-348 Grab Rail*

White	RTD-348-W
Taupe	RTD-348-T
Graphite Grey	RTD-348-GG
Black	RTD-348-BK



RTD-448 Grab Rail*

White	RTD-448-W
Black	RTD-448-BK



CBRTD-352 Stair Grab Rail*

White	CBRTD-352-W
Taupe	CBRTD-352-T
Graphite Grey	CBRTD-352-GG
Black	CBRTD-352-BK



P-326-RTD Grab Rail




P-324 General Purpose Ladder

Sāftron Commercial / Residential Ladders & Rails

CBRTD-448 Stair Grab Rail*

White
Black


CBRTD-448-W
CBRTD-448-BK



CBRTD-354 Stair Grab Rail*

White
Taupe
Graphite Grey
Black

CBRTD-354-W
CBRTD-354-T
CBRTD-354-GG
CBRTD-354-BK



TRTD-130 Triton Hand Rail*

White
Graphite Grey
Black

TRTD-130-W
TRTD-130-GG
TRTD-130-BK



TRTD-144 Triton Stair Grab Rail*

White
Graphite Grey
Black

TRTD-144-W
TRTD-144-GG
TRTD-144-BK



DR-236, DR-240 Hand Rail

910 mm - White
910 mm - Taupe
910 mm - Graphite Grey
910 mm - Black
1016 mm - White

DR-236-W
DR-236-T
DR-236-GG
DR-236-B
DR-240-W



DTP-248, DTP-260 Hand Rail

1230 mm - White
1520 mm - White


DTP-248-W
DTP-260-W



TRTD-160 Triton Stair Hand Rail*


White

TRTD-160-W



Sāftron Fittings

- | | | |
|----|---------------------------|-------------|
| A. | Surface Mount - White | SB-F/1.9-W |
| | Surface Mount - Taupe | SB-F/1.9-T |
| | S. Mount - Graphite Grey | SB-F/1.9-GG |
| | Surface Mount - Black | SB-F/1.9-BK |
| B. | Inground Socket Anchor | ANCH-1 |
| C. | Installation Jig - Ladder | P-JIG-L |
| D. | Installation Jig - RTD | P-JIG-PTD |



AQUEAS Anchors & Sockets

AQUEAS Post Socket AQ-PS01

Standard

100/38 mm
Other Sizes:

150/38 mm
100/44 mm
150/44 mm
100/50 mm
150/50 mm
100/63 mm
150/63 mm
200/63 mm

Code: PAQ-PS01
Code: PAQ-PS02
Code: PAQ-PS03
Code: PAQ-PS04
Code: PAQ-PS05
Code: PAQ-PS06
Code: PAQ-PS07
Code: PAQ-PS08
Code: PAQ-PS09

Twist Lock Type

100/38 mm
Other Sizes:

150/38 mm
100/44 mm
150/44 mm
100/50 mm
150/50 mm
100/63 mm
150/63 mm
200/63 mm

Code: PAQ-PS01/TL
Code: PAQ-PS02/TL
Code: PAQ-PS03/TL
Code: PAQ-PS04/TL
Code: PAQ-PS05/TL
Code: PAQ-PS06/TL
Code: PAQ-PS07/TL
Code: PAQ-PS08/TL
Code: PAQ-PS09/TL



AQUEAS Lane Anchor AQ-LRA01

This Lane Rope Anchor is a popular style anchor.

This type of lane anchor is set into the wall of the pool allowing lane ropes to attach. The anchor can be core drilled and glued or set at the pour stage.

An earthing screw is provided.

Code: PAQ-LRA01



AQUEAS Lane Anchor AQ-LRA02

AQ-LRA02 Lane Rope Rod Anchor is designed to pass through the wall and secured by nuts with washer at the end.

AQ-LRA02A 200 mm

AQ-LRA02B 245 mm (Stocked product)

AQ-LRA02C 300 mm

AQ-LRA02D 500 mm

AQ-LRA02E 700 mm

AQ-LRA02F 900 mm

Code: PAQ-LRA02A

Code: PAQ-LRA02B

Code: PAQ-LRA02C

Code: PAQ-LRA02D

Code: PAQ-LRA02E

Code: PAQ-LRA02F



AQUEAS Lane Anchor AQ-LRA03 & AQ-LRA03B

AQ-LRA01 Lane Anchor Square Plate

AQ-LRA01B Square Plate Lane Anchor is designed to pass through the wall and secured by nuts with washer at the end.

A. Code: AQ-LRA03

B. Code: AQ-LRA03B

PAQ-LRA03

PAQ-LRA03B



A.



B.

AQUEAS Lane Anchor AQ-LRA05

C. LAQ-LRA05 Lane Anchor Tubular Style
Fitted with Threaded Rod

Code: PLAQ-LRA05

D. LAQ-LRA05 Lane Anchor - 200 mm O/A Length

Code: PLAQ-LRA05-B-1

D. LAQ-LRA05 Lane Anchor - 245 mm O/A Length

Code: PLAQ-LRA05-B-2

D. LAQ-LRA05 Lane Anchor - 300 mm O/A Length

Code: PLAQ-LRA05-B-3

D. LAQ-LRA05 Lane Anchor - 400 mm O/A Length

Code: PLAQ-LRA05-B-4

D. LAQ-LRA05 Lane Anchor - 700 mm O/A Length

Code: PLAQ-LRA05-B-5

D. LAQ-LRA05 Lane Anchor - 900 mm O/A Length

Code: PLAQ-LRA05-B-6



C.

D.

AQUEAS Flip Up Deck Anchor AQ-FUA01

Flip Up Deck Anchor is designed to be fitted in to the pool deck of overflow pools. When lane ropes are required, push on one side of the tab revealing a hole to attach lane ropes. When lane ropes are not required the tab is hidden within the anchor by gravity. The top edges of the anchor have a smooth rounded thin flange keeping trip hazards to a minimum.

The anchor can be core drilled and glued. An earthing screw is provided.

Code: PAQ-FUA01



AQUEAS Anchors & Sockets

AQUEAS Flip Up Wall Anchor AQ-FUA02

AQ-FUA02 Flip Up Wall Anchor has a flip tab to attach lane ropes. When not needed the tab is hidden.

Code: PAQ-FUA02



AQUEAS Flip Up Floor Anchor AQ-FUA03

AQ-FUA03 Flip Up Floor Anchor has a flip tab to attach inflatables or any other items needing securing. When not needed the tab is hidden.

Code: PAQ-FUA03



AQUEAS Lane Rope Post Anchor AQ-LRP

AQ-LRP Post Lane Anchor is designed for wet deck pools. Available as Post only or as a kit including Post & Socket as Standard or with twist lock.

Lane Rope Post Only 100/38mm

AQ-LRP

Code: PAQ-LRP

Lane Rope Post Twist Lock Post

Only 100/38mm AQ-LRP/TL

Code: PAQ-LRP/TL

Lane Rope Post & Socket Kit

100/38mm AQ-LRP/K

Code: PAQ-LRP/K

Lane Rope Post Twist Lock &

Socket Kit 100/38mm

AQ-LRP/TL/K

Code: PAQ-LRP/TL/K



AQUEAS Backstroke & False Start Posts

AQ-BP01 Backstroke Post

1800 mm x 38 mm^ø (H x W)

Code: PAQ-BP01

AQ-BP02 Backstroke Post

Wet Deck 2100 mm x 38 mm^ø (H x W)

Code: PAQ-BP02

AQ-BP03 Backstroke Post

1800 mm x 44 mm^ø (H x W)

Code: PAQ-BP03

AQ-BP04 Backstroke Post

Wet Deck 2100 mm x 44 mm^ø (H x W)

Code: PAQ-BP04

AQ-BP05 Backstroke Post

1800 mm x 50 mm^ø (H x W)

Code: PAQ-BP05

AQ-BP06 Backstroke Post

Wet Deck 2100 mm x 50 mm^ø (H x W)

Code: PAQ-BP06



AQ-FSP01 False Start Post

1200 mm x 38 mm^ø (H x W)

Code: PAQ-FSP01

AQ-FSP01/QR False Start Post

1200 mm x 38 mm^ø (H x W)

With Quick Release Cam

Code: PAQ-FSP01/QR

AQ-FSP01/TL False Start Post

1200 mm x 38 mm^ø (H x W)

With Twist Lock fitting

Code: PAQ-FSP01/TL

AQ-FSP01/TL/QR False Start Post

1200 mm x 38 mm^ø (H x W)

With Twist Lock fitting & Quick Release Cam

Code: PAQ-FSP01/TL/QR



AQ-BP01/TL Backstroke Post

1800 mm x 38 mm^ø (H x W)

With Twist Lock fitting

Code: PAQ-BP01/TL



Twist Lock



Twist Lock



Quick Release

Other sizes available on request.

44 mm & 50 mm available on request.


SR Smith Deck Fittings & Accessories

Overflow Lane Rope Anchor Kit

Powder Coated Stainless Steel

- A. 140 mm Anchor & Arm Kit
- B. 200mm Anchor & Arm Kit
- C. 140mm Arm Only
- D. 200mm Arm Only
- E. Anchor Button Only


Code: PSP55061
Code: PSP55062
Code: PSP55063
Code: PSP55064
Code: PSP55066



Backstroke & False Start Post

Backstroke/False Start Post SRS - 2 m x 38 x 1.6mm
Backstroke/False Start Post SRS - 2 m x 38 x 3mm
Backstroke/False Start Post SRS - 2 m x 48 x 1.6mm
Backstroke/False Start Post SRS - 2 m x 48 x 3mm

Code: PLAW00390
Code: PLAW00391
Code: PLAW00392
Code: PLAW00393



Deck Holes

Stainless Steel - 38 mm
Code: PLAW00353

Stainless Steel - 48 mm
Code: PLAW00354



False Start Rope

15 m Code: PLAW00380
30 m Code: PLAW00381



Overflow Lane Rope Flip Up Anchor

Stainless Steel
Code: PSP55070



SR Smith / Anti Lane Rope Anchor


Tubular Style Stainless Steel
Code: PLAW00310



Nylon with Cover
Code: PLAW00340



Backstroke Flags



Multi-Coloured Backstroke Flags

A. 200 mm x 300 mm Multi-Coloured - 15.5 m / 6 Lanes Code: PFLG51000
A. 200 mm x 300 mm Multi-Coloured - 20 m / 8 Lanes Code: PFLG52000
A. 200 mm x 300 mm Multi-Coloured - 25 m / 10 Lanes Code: PFLG52500

A. Flags can be made to a specific length and/or colours.
Royal Blue, Dark Blue, Light Blue, Yellow, Red, Black, Orange, Green, Teal, White.
Special Lengths &/or Colours per metre Code: PFLG50500

Printed Backstroke Flags

B. Printed - 200 x 300 mm Single sided on white per metre Code: PFLG30000
C. Printed - 200 x 300 mm Double sided per metre Code: PFLG30010
Printed - PMS Colour matched Double sided per metre Code: PFLG30015
D. Printed - 200 x 400 mm FINA Size Double sided per metre Code: PFLG30020

Eyeline Backstroke Flags

E. Eyeline Backstroke Flags - 17 m / 6 Lanes Code: PLA510570
E. Eyeline Backstroke Flags - 23 m / 8 Lanes Code: PLA510573
E. Eyeline Backstroke Flags - 28 m / 10 Lanes Code: PLA510575

Anti Backstroke Flags


F. Anti Red/White Backstroke Flags - 15 m / 6 Lanes Code: PLAW00375
F. Anti Red/White Backstroke Flags - 30 m / 8-10 Lanes Code: PLAW00376

IQ Swim Swim Teaching Platform

Strong, easy to clean, lightweight, stable, UV stabilised & easy to assemble. It has a clear UV stabilised polycarbonate top to comply with Royal Life's guidelines. Under the sea characters are stuck on the platform base giving reassurance of where to stand. Chemicals & humidity have no effect on the plastic. Suitable around chlorine or salt water pools. Two sets of legs are included so you can choose the base height at 500 mm or 650 mm. There are two sizes to choose from, small 470 mm or the larger 600 mm wide. The back rail gives a visual reference point & marks the rear of the platform. Assembles in minutes.




Under the sea characters



Standard

Small 1200 mm x 470 mm (L x W) Code: PSTOR212
Large 1200 mm x 600 mm (L x W) Code: PSTOR222



Back Rail

Small 1200 mm x 470 mm (L x W) Code: PSTOR213
Large 1200 mm x 600 mm (L x W) Code: PSTOR223



Complete

Small 1200 mm x 470 mm (L x W) Code: PSTOR214
Large 1200 mm x 600 mm (L x W) Code: PSTOR224

KS Toddler Swim Island

KS Toddler Island has a yellow Vinyl Ester Chlorine resistant fibreglass top with a non-slip pattern for safety and visibility. It can be built to suit any pool depth up to 1.6 m deep. Legs can be cut down to match the depth of the pool. The handrail system creates a clear distinction between classes, easily removed for stacking to minimise required storage space. The 1200 mm platform handrails come with 4 options. Handrail in the centre or rear, as an "H" with centre rail and two side rails, or as a "U" with back and side rails. The 1800 mm platform handrail is centre only. The platforms are fitted with 2 wheels to minimise the wear and tear on the platform. Assembly required.



1200 mm

1220 mm x 1200 mm (L x W) Base Height: 200 mm - 1120 mm (Cut to height)
Code: PISLAND04



1800 mm

1820 mm x 1200 mm (L x W) Base Height: 200 mm - 1120 mm (Cut to height)
Code: PISLAND05

KS Poolside Swim Teaching Platform 1500

Poolside Swim Teaching Platform has a yellow Vinyl Ester Chlorine resistant fibreglass top with a non-slip pattern for safety and visibility. The side & rear handrail system can be used for stability. *Suits most pools including concrete, Wet Deck®, timber deck above ground pools. Fitted with wheels. * For gutter and skimmer pools drill 4 x 10mm holes. 1500 mm x 850 mm (L x W) Height: 1200 mm
Code: PISLAND01



KS Swim Teaching Bench 1800

Swim Teaching Bench has a yellow Vinyl Ester Chlorine resistant fibreglass top with a non-slip pattern for safety and visibility. The handrail system can be used for stability, visual guide or remove for stacking to minimise required storage space. 1800 mm x 600 mm (L x W) Base Height: 500 mm Weight 18 kg
Code: PISLAND02



Equipment Storage

Equipment Trolley

Strong yet lightweight, UV stabilised and easy to assemble. Chemicals and humidity has no effect on the food grade plastic. Fitted with lid and rubber castors with brakes.

1250 mm x 700 mm x 900 mm (L x W x H)

Code: PSTOR150



Storage Bin - Foldable

Powder Coated Aluminium Storage Bin can collapse for storage when it is not needed.

960 mm x 760 mm x 710 mm (L x W x H)

Code: PSTOR050



Storage Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Three tier shelves with 9 x 66 litre plastic bins.

1500 mm x 500 mm x 1400 mm (L x W x H)

Code: with 9 bins PSTOR130

Code: with no bins PSTOR131



Multi Purpose Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Designed to accommodate up to 6 x 66 litre storage bins.

(Bins sold separately)

1390 mm x 510 mm x 1520 mm (L x W x H)

Trolley Code: PSTOR135

Bins Code: PSTOR066



Combination Noodle Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Includes 4 x 66 litre removable plastic containers.

Holds approx. 30 Noodles plus other equipment.

1390 mm x 510 mm x 1520 mm (L x W x H)

Code: PSTOR180



Noodle Trolley

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Fitted with rubber castors and brakes. Includes 2 x 66 litre removable plastic containers.

Holds approx. 60 Noodles

1390 mm x 510 mm x 1520 mm (L x W x H)

Code: PSTOR185



Equipment Storage

Coaches Cage

Made of Fibreglass & Polyethylene. Lockable clasp & fittings, lockable wheels, air struct assisted replaceable white board lid, secure space for equipment, self-draining air flow design.
1200 mm x 800 mm x 950 mm (L x W x H)
Code: PSTOR105



Plastic Storage Bins

Stackable 66 litre blue bins used to store equipment.
610 mm x 420 mm x 320 mm (L x W x H)
Code: PSTOR066



KS Shelving

4 Tier shelf (W x D x H)
1.25 m x 445 mm x 1800 mm (W x D x H)
Made from Vinyl Ester chlorine resistant fibreglass.
Designed to last the harshest elements.
Code: PSTOR450



REA Shelving


Strong yet lightweight, UV stabilised and assembles in minutes without the need for tools. Chemicals and humidity has no effect on the food grade plastic. Rated to hold up to 200 kg per lineal metre. Adjustable feet keep the shelving stable.

3 Tier Storage Shelving (W x D x H)

- A. 1.25 m x 500 mm x 1340 mm Code: PSTOR405
B. 2.0 m x 500 mm x 1340 mm Code: PSTOR415

4 Tier Storage Shelving (W x D x H)

- C. 1.25 m x 500 mm x 1850 mm Code: PSTOR425
D. 2.0 m x 500 mm x 1850 mm Code: PSTOR435



Plastic REA Seat

Strong yet lightweight, UV stabilised and assembles in minutes. Chemicals and humidity has no effect on the food grade plastic. Seating can be used stand alone or fixed to the floor or wall.
2.0 m x 400 mm x 450 mm (L x W x H)
Code: PSTOR320



Bench Seat

Reinforced fibreglass makes the Bench Seat strong. Rubber on the bottom prevents movement. The seats are stackable when extra space needed. Bright yellow makes them easy to see.
Weight 16 kg
2.0 m x 400 mm x 400 mm (L x W x H)
Code: PSTOR350



Seating

Matting

Power Pod

Non-slip, anti-fatigue safety matting the perfect solution for slippery surfaces in wet areas, particularly around pool decks & change rooms. Designed with anti-trip bevelled edges all round. Extremely non-slip with superb grip & comfort with a non-slip backing. Deep valleys allow excellent water runoff. Easily to keep clean. Super light, easy to roll up. Impervious to chlorine, oils, acids & solvents.

Power Pod will enhance the appearance of any pool or spa area.

Colours: Blue, Black, Grey, Yellow, Red, Green, Cream, Brown, Orange & Purple.

Size: (L x W)

860 mm x 700 mm

1600 mm x 700 mm

1600 mm x 1000 mm

3100 mm x 1000 mm

2000 mm x 1200 mm

Custom size one colour (sq mtr)

Custom size & colours (sq mtr)

Code: SMATPP01

Code: SMATPP02

Code: SMATPP03

Code: SMATPP04

Code: SMATPP05

Code: SMATPP08

Code: SMATPP09



Omimat II

Ergonomic Anti-fatigue/Anti-slip is lightweight & easy to handle. Raised underside Knobs help prevent mat from moving & allow spillage drain off. Open moulded, grease resistant, low profile mat. Cleans up with soap and water. Bevelled edges & ramped corners & edges minimises incidents of mat curling up and improving safety & life of the mat. Ideally suited for wet areas, kitchens, bars, kiosk counters or any area where safety, comfort & hygiene are important.

Colours:

Terracotta Red

Black


Size: 860 mm x 1420 mm x 13 mm (L x W x H)

Black

Terracotta

Code: SMATOMNIB

Code: SMATOMNIT



Gripper

Solid bar matting from PVC joined together in a criss cross pattern. Use it when a little more grip is required. Resistant to solvents, acids, alcohol, thinners, dyes, brake fluid, petrol and chlorine. Ideal for change rooms, bars, commercial and industrial applications.

Important: This is Not a non-slip mat. All care must be taken when using this product.

Colours:

Black/Black

Blue on Black

Grey on Black

Size: (W x H)


914 mm x 12 mm per mtr

1200 mm x 12 mm per mtr

Upto 32 m roll sold per metre (minimum 2 m)

SMATGRIP

SMATGRIP2



Tubular

Extruded PVC hollow tube welded to form multi functional open grid Anti-fatigue matting. Resistant to brines, acids, alcohol, alkali, solvents, and chlorine. Cushion soft, easily cleaned. For use in change rooms and kiosks. Easy to cut.

Important: This is Not a non-slip mat. All care must be taken when using this product.

Colours:

Black/Black

Blue on Black

Grey on Black

Size: (W x H)


910 mm x 12 mm per mtr

SMATTUB01

1220 mm x 12 mm per mtr

SMATTUB02

Upto 32 m roll sold per metre (minimum 2 m)



Sure Step

Inter-lockable modules, light weight, with excellent cushion qualities. Non - slip mat, it has excellent drainage for wet areas or saunas. Built in inter-lockable system which allows control over the layout. Resistant to oils, fats & most chemicals.

Colours:

Terracotta Red

Black


Size: 900 mm x 900mm x 15 mm (L x W x H)

Black

Code: SMATSUREB

Terracotta Red

Code: SMATSURET



Comfort Flow™

Ideal for wet or dry areas. Light for easier handling & is fully launderable. It provides excellent anti-fatigue properties for added comfort. Constructed of 100% high density closed cell nitrile rubber cushion, it is far superior in grease & oil resistance. Its low profile & slip resistant surface reduces slip & fall accidents. The non-skid backing keeps the mat in place.

Colour: Black

Size: (L x W x H)

860 mm x 580 mm x 11 mm

Code: SMATCOF01

1410 mm x 840 mm x 11 mm

Code: SMATCOF02

2700 mm x 840 mm x 11 mm

Code: SMATCOF03

1700 mm x 1100 mm x 11 mm

Code: SMATCOF04



Sanitising Foot Bath

Keeps hygienic areas free of contamination and germs. Great for food processing plants, this mat has thousands of pliable rubber scrapers that dislodge contaminants from footwear as the shoe soles are immersed in the disinfectant solution.

Sanitising Foot Bath Mat will hold 3.8 litres of disinfectant solution - Chlorine or water the tall wall model holds 20.8 litres.

Use in vans to carry corrosive liquids as bunding to catch any liquids in the event of a spill.

SMATAN02 holds up to 6 x 15/20 litre drums.

Colour: Black

Size: (L x W x H)

800 mm x 600 mm x 13 mm

Code: SMATSAN01

1000 mm x 800 mm x 63 mm

Code: SMATSAN02



Matting Use Guide

	Power Pod	Comfort Flow	Omimat II	Gripper	Tubular	Sure Step
Non slip Matting	★	★	★			★
Shower & Wet Areas	★	★		★	★	
Change Rooms	★	★	★	★	★	★
Bar, Club, Hotel & Resort	★	★	★	★	★	★
Behind Counters	★	★	★	★	★	★
Factory & Industrial Work Areas			★	★	★	★
Internal Walkways & Hallways				★		
Kitchens		★	★			★
Occupational Health & Safety	★	★	★			★
Solvent, Oil & Chemical Applications	★		★	★		★
Work Comfort, Insulating & Anti fatigue	★	★	★	★	★	★

Pool Gate

Wetdeck® Longitudinal Rigid

Australian made from UV stabilised polypropylene. Features an anti-slip pattern with three interlocking pins. Structural members are incorporated into the moulding. Use for straight edged pools. 10 year manufacturers limited warranty. Can be cut and rebated to fit most applications. Extra charges may apply.

Colours: Off White, Challenge Blue, Lite Blue, Mid Grey, Cobalt Blue, Super White, Sandstone & Charcoal.

Other colours available on request. (Minimum quantities apply)

Size: Each piece is 332 mm x 36 mm (L x H)

2.44 m Stainless Steel angle suits longitudinal Wetdeck®

300 mm wide

350 mm wide

400 mm wide

90° Corner 300 mm

90° Corner 350 mm

90° Corner 400 mm

Code: PGRATE130

Code: PGRATE100


Code: PGRATE120

Code: PGRATE130

Code: PGRATE180

Code: PGRATE181

Code: PGRATE184



Wetdeck® Transverse Flexible

Australian made from UV stabilised polypropylene. Features an anti-slip pattern with one interlocking slot to avoid movement. Use for free form pools. 10 year manufacturers limited warranty. Can be cut and rebated to fit most applications. Extra charges apply. Colours: Off White, Challenge Blue, Lite Blue, Mid Grey, Cobalt Blue, Super White, Sandstone & Charcoal.

Other colours available on request. (Minimum quantities apply)

Sizes: Each piece is 332 mm x 36 mm (L x H)

300 mm wide

350 mm wide

90° Corner 300 mm

90° Corner 350 mm

Code: PGRATE110

Code: PGRATE125

Code: PGRATE182

Code: PGRATE183



Wave Drain

Wave drain is an Australian made plastic grate which will suit straight or form pools. Made from a hi tech UV protected plastic, the superior outdoor performance ensures the grate will not become brittle or discoloured in the sun. Features a self draining anti-slip pattern with two interlocking pins. Can be cut to suit smaller gutters. Comes with a 5 year manufacturers warranty.

Colours: White & Black

Minimum order quantity 5 lineal metres.

Size: Each piece is 15 mm x 25 mm (T x H)

225 mm wide

250 mm wide

300 mm wide

Code: PGRATE225

Code: PGRATE250

Code: PGRATE300



Anti / SR Smith Transverse Grate

Australian made from UV stabilised polypropylene. Features an anti-slip pattern with three interlocking slot to avoid movement. Use for straight or free form pools. Comes with a 1 year manufacturers limited warranty. Can be cut to fit most applications. Extra charges apply.

Colour: White, Black, Red, Blue, Yellow & Green

Other colours available on request. (Minimum quantities apply)

Sizes: Each piece is 25 mm (H)

250 mm wide

300 mm wide

350 mm wide

Code: PGRATE410

Code: PGRATE411

Code: PGRATE412



Wave Drain shown


Stainless Steel Click Drain

Australian made, anti-slip grating with 5mm gap, produced in 316 stainless steel. All components are pickled and passivated for superior protection from corrosion. Anti-slip wire with 5 mm gap. Commercial grade finish. Class A loading. Supplied with an earthing tag. Built in fall is available on request.

(A.) Available in 100-127 mm & 200-218 mm at 100 mm high.

(B.) Ends Caps & (C.) Drain Outlets to suit.

45° & (D.) 90° Corners also available.



ThermoTech™ Foam Blanket

Made from 4.5mm thick, crosslinked closed cell polyolefin foam.

This foam consists of 3 layers; with the foam flame bonded each side to a UV (Ultra Violet) stabilised woven PE (Polyethylene) Canvacon material. Excellent heat retention with Thermal Resistance (R Value) 0.13 m²/Kw.

The closed cell foam layer provides excellent insulation and water repellence properties is resistant to chemical degradation, while the outer woven layers gives the pool cover its superior strength and durability.

The composite is free of heavy metals, plasticisers and CFCs and has a working temperature range of -40C degrees to +70C degrees.

Blankets come complete with full edge binding, end reinforcing, & haul cords are installed onto the blanket.

Covered by a manufactures 8 year pro-rata warranty. Thermal Foam covers come complete with full edge binding or wind skirt options (for outdoor pools), roller end reinforcing harness and a haul cord, flotation leading end and if needed Piggy-Back (for multiple covers onto single roller) at no cost.

Exact pool measurements, roller attachment points & any intrusions into the water will need to be supplied prior to manufacture.



UltraDome™ Bubble Blanket

UltraDome™ Commercial 525 technology delivering best in class thermal efficiency, unparalleled performance and longevity in pool cover life. Its patented design and innovative manufacturing.

UltraDome™ bubble covers are also translucent, allowing maximum transmission of warming solar radiation into the pool water while also efficiently insulating against heat escape.

Covered by a manufactures 10 year pro-rata warranty. Thermal Foam covers come complete with full edge binding or wind skirt options (for outdoor pools), roller end reinforcing harness and a haul cord, flotation leading end and if needed Piggy-Back (for multiple covers onto single roller) at no cost.

Exact pool measurements, roller attachment points & any intrusions into the water will need to be supplied prior to manufacture.



Blanket Rollers

A selection of rollers to suit blankets from 20 m up to 50 m in length.

Accommodate widths up to 6.7 m wide.

316 Stainless Steel frames, handwheels, end slugs and castors complete with all hardware. Aluminium tubes to suit any application.

Fitted with stainless steel castors & brakes. Single person operation or use with the Caddy Pro. Outriggers can be fitted to accommodate wide coping or starting platforms at additional cost. Covered by a manufactures 10 year pro-rata warranty.




Caddy Pro

Caddy Pro Portable Drive System for Commercial Pools to recover and deploy commercial pool cover systems. Daisy Commercial Caddy Pro is a commercial pool solution that has been designed and built as a robust portable drive to recover, and deploy, single or multiple commercial Thermal Foam or Solar pool covers onto Daisy Commercial Roller systems. The Caddy Pro is a fully self contained, stand alone Stainless Steel console that suits any commercial pool from a single cover & roller, to multiple pools (e.g. 50 m & 25 m within the same complex) with multiple cover & roller systems.



Water Polo



Water Polo Field Markers

Full Field 110 mm Midi
 Full Field 125 mm Myti
 Full Field 150 mm Maxi
 Goal Lines (suites 25 m wide pool)
 110 mm Midi per goal
 125 mm Myti per goal
 150 mm Maxi per goal
 Side Lines (suites 50 m long pool)
 110 mm Midi per pair
 125 mm Myti per pair
 150 mm Maxi per pair
Other sizes are available on request.

Code: PLAW00470
 Code: PLAW00473
 Code: PLAW00475

 Code: PLAW00480
 Code: PLAW00481
 Code: PLAW00482

 Code: PLAW00483
 Code: PLAW00484
 Code: PLAW00485

Anti Pro 1080 Folding Goal

A full sized FINA approved competition Water Polo Goal, dimensionally the same as the Anti Pro Goal 1080, with the added benefit that it folds flat for easy pool side storage & movement. Easy to erect & put down – to fold just pull the rear arms out of their sockets & fold down the front frame for storage.

Fabricated from custom powder coated aluminium extrusions and hand-laid fibreglass floats for durability. Polypropylene net is knotted at every intersection. Features include, open corner net configuration to reduce the ball rebound. External carry handles assist with safe & easy pool deck transportation. Nylon Pool edge bumpers on rear of goal prevent chipping of pool tiles & guttering. Supplied flat packed with instructions.

Code: PLAW00423



Anti Pro 1080 Goal

This full sized competition goal meets current FINA, National & International specifications. This premium goal features a powder coated aluminium frame, reinforced with fibreglass, & tough polypropylene net that is knotted at every intersection. The EVA foam floats offer superior, even flotation for maximum goal stability. Features deck transport mini wheels & external carry handles. Features include, open corner net configuration to reduce the ball rebound, air water displacement shock absorbers for maximum goal stability, aluminium front frame cross section for maximum strength. Supplied flat packed with instructions.

Code: PLAW00422



Anti Pro 750 Goal

This full sized competition goal meets the older FINA, National and International specifications. Features a powder coated aluminium frame, reinforced with fibreglass, a tough polypropylene net that is knotted at every intersection. The EVA foam floats offer superior, even flotation for maximum goal stability. Features deck transport mini wheels & external carry handles. Patented features include, Open corner net configuration to reduce the ball rebound, Air Water Displacement Shock Absorbers for maximum goal stability, Aluminium front frame cross section for maximum strength. Supplied flat packed with instructions.

Code: PLAW00420



Anti Club Folding Goal

This full sized Water Polo Goal is designed for schools and clubs. Easy to erect & fold down for storage. Fabricated from powder coated aluminium extrusions & fibreglass. The net is polypropylene cord knotted at every intersection. Durable EVA foam floatation elements have closed cells for best floatation & position in the water. Conveniently folds flat for quick and simple storage. Patented features include, Open corner net configuration to reduce the ball rebound, Aluminium front frame cross section for maximum strength. Supplied flat packed with instructions.

Code: PLAW00430



Anti Pro Global Water Polo Goal

Full-sized competition water polo goal that meets the needs of all clubs & facilities around the world. Available in 1.2m & 1.4m depths (1.4m meets current FINA depth rules). Fabricated powder-coated aluminium frame. Equipped with marine nylon pool edge bumpers on the rear of the frame & durable oversized HDPE floatation elements that rest on the pool concourse to prevent scraping & chipping of the pool tiles & guttering when installing or removing from the pool. Easy to install, newly redesigned marine nylon net clips ensure a solid connection between net & goal for simple, secure installation of the net to the goal. Folds for easy storage. Made in Australia.

Size: 3400 mm x 1200/1400 mm x 1025 mm (L x W x H)

Net opening 3000 mm x 900 mm (W x H)

Global Pro Water Polo Goal - 1.2 m (FINA Compliant)

Code: PLAW00425

Global Pro Water Polo Goal - 1.4 m

Code: PLAW00426



Anti Junior / Flippa Folding Goal

This goal is a smaller version of the Club Goal. The Anti Wave Flippa Folding Goal conveniently folds flat for quick & simple storage. The net is made from tough polypropylene cord, and is knotted at every intersection & the patented, open-corner net configuration reduces ball rebound. Conveniently folds flat for quick & simple storage. Supplied flat packed with instructions.

Size: 2834 mm x 1155 mm x 875 mm (L x W x H)

Net opening 2000 mm x 700 mm (W x H)

Code: PLAW00435



Anti Wall Goal

The Anti Wave Club Wall Goal is designed to fit on the pool edge or moveable bulkheads, where there is minimum space. Ideal for non competitive, training or school games. The goal anchors directly into the pool deck via two rear support arms that can be fully adjusted both vertically and horizontally to fit existing deck anchors. The polypropylene net is knotted at every intersection, and completely covers the back & sides of the goal. The back drape net is made of heavy-duty canvas, and features a weighted bottom strip for even hanging.

Size: 3155 mm x 1035 mm x 1025 mm (L x W x H)

Net opening 3000 mm x 900 mm (W x H)

Code: PLAW00410



Water Polo Ball Release System

The ball release system provides a consistent and accurate start to every game. The starting ring is held in place inside the playing field by weights resting on the pool floor. The ring is pulled under water, & the ball released as players approach the ball.

Includes: 1 x deck socket, 1 x ball release post with quick release cam, 1 x ball holding ring & rope, 2 x weighted pulleys.

Code: PLAW00450



Water Polo Goal Targets

Anti Wave Water Polo Goal Targets provide a simple & easily installed Goal Target for Water Polo Target practise. The targets are easily installed to the goal frame using supplied attachment points, & when successfully hit by the shooter the targets make an audible slapping sound. Perfect for all clubs.

Suits all goals, Highly visible & made of durable advanced UV stabilised plastic. 4/set.

Code: PLAW00405



Water Polo Replacement Parts

Canvas suits Wall Goal	Code: PLAW00408
White Nylon Rope	Code: PLAW00409
Net - Club Wall Goals	Code: PLAW00412
A. Net - Club / Pro / Global Goals	Code: PLAW00413
A. Net - Flippa Goals	Code: PLAW00414
Foam Floats -Pro/Club Goals	Code: PLAW00415
White Nylon Bumpers 2/Pk	Code: PLAW00416
B. M8 Slide Bolts 6/Pk	Code: PLAW00417
C. Slide Eyelets 6/Pk	Code: PLAW00418
D. Stainless Steel Hinges 2/Pk	Code: PLAW00419



Poolside Games

Swim N' Dunk RockSolid® Basketball Game

The Swim N' Dunk RockSolid® Basketball Game features the patented RockSolid® anchor to eliminate movement against the toughest opponents, SealedSteel® Vinyl-coated frame & rim guards against corrosion. Can be used in commercial or residential pools. Suitable for salt & mineral pool systems. When you need your deck to be clear, the game can be easily removed from the anchor, & the optional anchor cap put in place. Includes Regulation Rim, Net, Basketball, Needle, Anchor & Cover plate.

Code: PGAM2005



RockSolid® Extended Reach Basketball Game

The RockSolid® Extended Reach has a 76 cm setback that works well in commercial aquatic facilities with wide overflow or high coping gutters. It features the patented RockSolid® anchor to eliminate movement against the toughest opponents, & a rugged SealedSteel® frame suitable for salt & mineral pool systems. When you need your deck to be clear, the game can be easily removed from the anchor, & the optional anchor cap put in place. Includes Regulation Rim, Net, Basketball, Needle, Anchor & Cover plate.

Code: PGAM2007



Swim N' Dunk Dual Post Basketball Game

The SealedSteel® Vinyl surface will stand up to harsh pool environments. Suitable for salt & mineral pool systems. The game can be removed from anchors for seasonal storage, and the optional anchor caps put in place.

30 cm set back to centre of the anchor. 48 mm diameter, Stainless Steel, SealedSteel® Vinyl coated frame. Suitable for residential use.

Includes Regulation Rim, Net, Basketball, Needle, Anchor and Cover Plates.

Code: PGAM2010



Single Post Basketball Game

The Single Post Basketball Game features a stainless steel post for quick and simple installation. When you need your deck to be clear, the game can be easily removed from the anchor, and the optional anchor cap put in place. Suitable for residential use. Includes Regulation Rim, Net, Basketball, Needle, & Anchor.

Code: PGAM2015



Swim N' Spike Residential Volleyball Game

Get in the game with the Swim N Spike Volleyball game. The game utilizes two anchors that include anchor caps to sit flush when the game is not in use. Suitable for salt and mineral pool systems. Competition quality net, Water Volleyball and Needle.

Code: PGAM2020



Residential Diving Boards

TrueTread™ Diving Board

A stylish diving board with a new modern, sporty look that is gentle on the feet. TrueTread is a durable, marine grade composite material is suitable for salt and mineral pool systems, sun and hours of fun.

Material: Scratch-resistant acrylic reinforced with fibreglass

Dimensions: 183 cm (L)


Weight Limit: 113.3 kg

TrueTread™ - White/Blue

TrueTread™ - White/Grey

Code: PDIVE00012

Code: PDIVE00013



Bombora Diving Board

The Bombora diving board's sleek appearance & strong construction makes it the popular choice in boards. The Bombora is available in white or pewter grey to blend into your backyard decor. The durable, scratch-resistant acrylic reinforced with fibreglass and stainless steel hardware ensures that you will get years of use out of your board. Suitable for salt and mineral pool systems. Each diving board features a high-grade, slip resistant sand tread for maximum safety. Each board comes with an instructional diving video to promote safety when diving in your pool.

Material: Scratch-resistant acrylic reinforced with fibreglass

Dimensions: 180 cm (L)

Weight Limit: 113 kg

Bombora - White

Bombora - Pewter Grey

Code: PDIVE00015

Code: PDIVE00020



Odyssey Diving Board

Designed to stand up to harsh pool environments. Each board features a high-grade, slip-resistant tread surface for maximum safety. Suitable for salt and mineral pool systems. The Odyssey is available in white or pewter grey to blend into your backyard decor.

Each board comes with an instructional diving video to promote safety when diving in your pool.

Dimensions: 180 cm (L)

Weight Limit: 113 kg

Odyssey - White

Odyssey - Pewter Grey

Code: PDIVE00005

Code: PDIVE00010



Mondo Diving Board

The perfect place to show your pool users where it is safest to dive. Mondo will complement any backyard. Suitable for salt and mineral pool systems. Each board comes with an instructional diving video to promote safety when diving in your pool.


Material: Composite material

Dimensions: 180 cm (L)

Weight Limit: 113 kg

Mondo - Granite Grey

Code: PDIVE00025



Residential / Commercial Pool Slides

SlideAway™ Removable

The SlideAway™ is a removable slide that combines safety, fun & durability that can be easily set-up & removed from the deck in just minutes. Comes partially assembled & includes an easy to use trolley to roll on & off the pool deck. Enclosed, textured steps & integrated hand-holds for added safety. Salt & Mineral pool friendly & built-in UV inhibitors to resist fading. For children up to 57 kg. Required deck space: 2 m x 90 cm.

SlideAway™ Removable Slide – Taupe

Code: PSLIDE0001

SlideAway™ Removable Slide – Grey

Code: PSLIDE0002



HeliX2®

It's patented water feature is powered by an improved water delivery system for an even more dramatic fountain effect. Serious Fun all the way around with a deeper 360° flume, its fully roto-moulded construction provides strength & durability for years to come. Suitable for salt & mineral pool systems. The slide features an enclosed ladder & moulded handrails to ensure maximum safety. Accommodates sliders up to 113 kg. Required deck space: 2.7 m x 1.5 m

Helix2® – Granite Grey

Code: PSLIDE0005

Helix2® – Sandstone

Code: PSLIDE0010



Typhoon®

Available in right or left curves. The unique water delivery system offers lots of rushing water for a fun ride. Suitable for salt and mineral pool systems. The slide features an enclosed ladder and moulded handrails to ensure maximum safety. Weight Limit: 124 kg. Required deck space: 3.5 m x 1.2 m

Typhoon® Granite Grey – Right Curve

Code: PSLIDE0015

Typhoon® Granite Grey – Left Curve

Code: PSLIDE0020

Typhoon® Sandstone – Right Curve

Code: PSLIDE0025

Typhoon® Sandstone – Left Curve

Code: PSLIDE0030



TurboTwister®

Waterpark thrills in your own backyard! Whether it's the rushing water or thrilling dips and curves that you love, the TurboTwister® is packed with tons of great features for the entire family. Available in right or left curves. Suitable for salt and mineral pool systems. With sturdy moulded-in handrails and an enclosed ladder. Weight Limit: 124 kg. Required deck space: 4.1 m x 2 m

TurboTwister Granite Grey – Right Curve

Code: PSLIDE0035

TurboTwister Granite Grey – Left Curve

Code: PSLIDE0040

TurboTwister Sandstone – Right Curve

Code: PSLIDE0045

TurboTwister Sandstone – Left Curve

Code: PSLIDE0050



Vortex® Pool Slide

Perfect for commercial or high-end residential applications. The high-volume water delivery system gives you up to 110 litres of water per minute. Features a closed flume with spiral staircase.

Height: 3.26 meters overall, 2.3 m to the seat. Corkscrew flume is 5.8 m in length

Required deck space: 3.5 m x 3 m (with staircase), or 3 x 3 m (with ladder)

Weight limit: 148 kg

Granite

Code: PSLIDE0100

Blue

Code: PSLIDE0101



Water Features, Slides & Water Play

Aqua Slides

A great addition to any aquatic play setting. Aqua Slides meet ASTM requirements & are offered in various sizes to fulfill the needs of three different age groups: Ages 2-4, 4-8, and 8 & up. Aqua Slides with optional water effects are available with tactile button wireless activators or Flow Fluxuators™.



Carl Clown Fish Aqua Slide

Code: PLAWF1004



Calvin Clam Aqua Slide

Code: PLAWF1114



Tommy Tug Boat Aqua Slide

Code: PLAWF1003

Aqua Spout

A great additions to any aquatic play setting. Aqua Spouts are designed to complete any theme. These low level features keep toddlers in mind with a variety of gentle water effects. Tactile button wireless activators are available for some Aqua Spouts.



Tommy Sea Turtle Aqua Spout

Code: PLAWF3010



Kirby Crab Aqua Spout

Code: PLAWF3000



Seabiscuit Aqua Sprayer

PLAWF2013

Aqua Sraier

Offers a wide variety of water effects such as misters, fans, & streams. Combinations of effects add play value to these unique spray features. Tactile button wireless activators & Flow Fluxuators™ are available.



In-Pool Furniture



Destination & R Series

Relax & enjoy the pool without a splash. Elegant design & sturdy construction combine to give pool owners the opportunity to upgrade their sun shelf space with ease. Made using an advanced RTM manufacturing process, Destination Loungers are lightweight yet strong. The innovative design allows pool owners to easily fill the base section with water & remove it when the lounge is to be moved when not in use. The Rocking Lounge Chair DS-2 offers slight rocking feature for easier exit off chair.

- Perfect for residential or commercial use
- For use on a pool ledge with water depths up to 30 cm
- High-quality RTM composite material
- UV protection to resist fading
- Compatible with all pool types, including vinyl
- Easy to drain & remove when not in use

Destination Lounger - Starry Night	DS-1-60
Destination Lounger - Seashell	DS-1-61
Rocking Lounge Chair - Starry Night	DS-2-60
Rocking Lounge Chair - Seashell	DS-2-61
R - Series Rotomolded Lounger - White	RS-1-2
R - Series Rotomolded Lounger - Sandstone	RS-1-23
R - Series Rotomolded Lounger - Grey Granite	RS-1-24

Destination Series Pool Tables & Seating

The Destination Series features swimming pool table and seating options designed to create spaces for conversation & relaxation. Made in the USA using advanced manufacturing technology, Destination Series products are lightweight & super strong. Bring your book, your favourite beverage & a snack to spend hours relaxing in personal destination space!

- 41 cm & 76 cm Round In-Pool Tables
- 76 cm Round In-Pool Table option with cup holders
- In-Pool Tables with integrated umbrella support feature
- 41 cm Round Seats
- In-Pool Tables and Seats anchor into 48 mm anchors
- Perfect for concrete and vinyl pools
- Products are easily removable without tools
- Salt & Mineral pool friendly

Seats

Pool Seat - Starry Night	WS-POOLSEAT-60-C
Pool Seat - Seashell	WS-POOLSEAT-61-C

Tables

Sun Shelf Table 41 cm Starry Night	WS-16TABLE-60-C
Sun Shelf Table 41 cm Seashell	WS-16TABLE-61-C
Pool/Spa Table 76 cm Starry Night	WS-POOLTABLE-60-C
Pool/Spa Table 76 cm Seashell	WS-POOLTABLE-61-C
Pool/Spa Table 76 cm Starry Night with Cup Holders	WS-POOLTABLE-CH-60-C
Pool/Spa Table 76 cm Seashell with Cup Holders	WS-POOLTABLE-CH-61-C



Suitmate Swim Costume Water Extractor

Suitmate Swim Costume Water Extractor

Removes 95% of a costume's water in 8 seconds leaving them nearly drip free.
Perfect for Fitness Centres, Swimming Pools, Hotels & Resorts.
If your customers squeeze a quick swim in during lunch, giving the costume a quick spin before heading back to the office will help eliminate that damp cossie feeling.
Helps protect facilities from water damage
Increases patron satisfaction.
Operates safely without heat.
Easy to install.
Stainless steel and durable plastic construction.
58 cm x 38 cm x 38 cm (H x W x D)
25 kg
Code: PSUITMATE



Large Inflatable Storage Reels

AQUEAS Inflatable Storage Reel - Stainless Steel

The AQUEAS Inflatable Storage Reel is designed to store large inflatables when not in use. Inflatables are rolled on to the reel and rolled away for easy storage. The reel will store an inflatable up to 15 m long and weighing up to 100 kg. Straps are also available to keep the inflatable bound.
Four castors are fitted, two with brakes making manoeuvrability by one person easy. The low profile with low centre of gravity give the reel extra stability.
Supplied flat packed with assembly and care instructions.
Size: 3030 x 1300 x 1150 mm (L x H x D)
Code: PAQ-IFR250



AQUEAS Inflatable Storage Reel - Powder Coated

The AQUEAS Inflatable Storage Reel is designed to store large inflatables when not in use. Inflatables are rolled on to the reel and rolled away for easy storage. The reel will store an inflatable up to 15 m long and weighing up to 100 kg. Straps are also available to keep the inflatable bound.
Four castors are fitted, two with brakes making manoeuvrability by one person easy. The low profile with low centre of gravity give the reel extra stability.
Supplied flat packed with assembly and care instructions.
Size: 3030 x 1300 x 1150 mm (L x H x D)
Code: PAQ-IFR250PC



AQUEAS Storage Reel

THE COMPLETE SYSTEM TO RUN YOUR COMMERCIAL AQUATIC FACILITY.

**PHLOZONE IS THE INDUSTRIES MOST POWERFUL FACILITY
MANAGEMENT AND WATER TESTING SOFTWARE PLATFORM.**

Designed for seamless management of:



Aquatic
Centres



Learn to Swim
Schools



Hotels &
Motels



Strata
Management



Hydrotherapy
& MORE



ENFIELD CITY COUNCIL

**“Most superior platform I have
seen. Makes day to day actives
quick, easy and streamlined”**

Luke O'Connor, Team Leader Operations

Refer page 103 for details.

